

Printing date 29.07.2020 Version Nr.: 10 Revision: 06.07.2020

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- · Product identifier
- Trade name: VICKERLUBE FG FLUID 15
- · Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU17 General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment SU4 Manufacture of food products

Product category

PC17 Hydraulic fluids

PC24 Lubricants, greases, release products

· Process category

PROC18 General greasing /lubrication at high kinetic energy conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

- · Environmental release category ERC5 Use at industrial site leading to inclusion into/onto article
- · Technical function Hydraulic (functional) fluids
- · Application of the substance / the mixture Food Grade Lubricant
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

BENJN.R.VICKERS & SONS LTD.

6 Clarence Road

Leeds

LS10 1ND

United Kingdom

· Importer

VICKERS OILS (AUSTRALASIA) PTY LTD

119 Lyndhurst Tce, Caboolture, Queensland, Australia. 4510.

Mobile: +61 (0) 425 840 351

- · Further information obtainable from: Product safety department: msds@vickers-oil.com
- · Emergency telephone number:

During normal opening times 08:30- 16:30 UK: +44 (0)113 386 7654

All other times: +44 (0) 1865 407333

2 Hazard(s) Identification

· Classification of the substance or mixture



Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms GHS08

(Contd. on page 2)



Printing date 29.07.2020 Version Nr.: 10 Revision: 06.07.2020

Trade name: VICKERLUBE FG FLUID 15

(Contd. of page 1)

- · Signal word Danger
- Hazard-determining components of labelling:

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

Hazard statements

May be fatal if swallowed and enters airways.

· Precautionary statements

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

EINECS: 276-738-4 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based **70-100 &** Asp. Tox. 1, H304

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Do not induce vomiting. Wash out mouth with water. Seek medical attention. showing this sheet.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Carbon Dioxide (CO2)

(Contd. on page 3)



Printing date 29.07.2020 Version Nr.: 10 Revision: 06.07.2020

Trade name: VICKERLUBE FG FLUID 15

(Contd. of page 2)

- Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

· Environmental precautions:

Keep contaminated washing water and dispose of appropriately.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Provide ventilation for receptacles.
- · Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from reducing agents.

- · Information about storage conditions: Use within 5 years of manufacture.
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed.

 (Contd. on page 4)



Printing date 29.07.2020 Version Nr.: 10 Revision: 06.07.2020

Trade name: VICKERLUBE FG FLUID 15

(Contd. of page 3)

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

	3 Physical and Chemical Properties
_	
	. Information on bools abusing and abomi

· Information on basic physical and cl	hemical properties
· Appearance:	
Form:	Liquid
Colour:	Light yellow
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling ran	ge: Undetermined.
· Flash point:	>190 °C
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 15 °C:	0.843 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
· Evaporation rate	Not determined.

(Contd. on page 5)



Printing date 29.07.2020 Version Nr.: 10 Revision: 06.07.2020

Trade name: VICKERLUBE FG FLUID 15

(Contd. of page 4)

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic at 40 °C:** 15 mm²/s

• Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity No dangerous reaction know under conditions of normal use
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidising agents
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation No irritating effect.
- · **Sensitisation:** No sensitising effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Other information:

BIOGREASE EP 0 is ECOLABELLED licence number NL/027/018, and as such meets US 2013 Vessel General Permit (VGP) definition of an Environmentally Acceptable Lubricant.

- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 6)



Printing date 29.07.2020 Version Nr.: 10 Revision: 06.07.2020

Trade name: VICKERLUBE FG FLUID 15

(Contd. of page 5)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation Delivery of waste oil to offically authorised collectors only.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
ADG, ADN, IMDG, IATA	Not hazardous for transport	
UN proper shipping name ADG, ADN, IMDG, IATA	Not hazardous for transport	
Transport hazard class(es)		
ADG, ADN, IMDG, IATA		
Class	Not hazardous for transport	
Packing group		
ADG, IMDG, IATA	Not hazardous for transport	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II of		
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Not hazardous for transport	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- Australian Inventory of Chemical Substances
- All ingredients are listed.
- · Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

(Contd. on page 7)



Printing date 29.07.2020 Version Nr.: 10 Revision: 06.07.2020

Trade name: VICKERLUBE FG FLUID 15

(Contd. of page 6)

Australia: Priority Existing Chemicals

None of the ingredients is listed.

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

- · Hazard pictograms GHS08
- · Signal word Danger

· Hazard-determining components of labelling:

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

· Hazard statements

May be fatal if swallowed and enters airways.

· Precautionary statements

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

- · Department issuing SDS: Product safety department
- · Contact:

msds@vickers-oil.com

Emergency 24 hrs Telephone numbers;

Global (English) +44 (0) 1865 407333

US and Canada (English) +1 202 464 2554

Mexico (Spanish, English) +52 555 004 8763

Brazil (Portuguese) +556 113 711 9144 (option 1)

Chile (Spanish, English) +56 225 829 336

China (Mandarin, English) Toll Free in CN 400 120 6011

Australia (English) +61 2801 44558

New Zealand (English) +64 9929 1483

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Asp. Tox. 1: Aspiration hazard – Category 1

* Data compared to the previous version altered.