

Version Nr.: 10 (replaces version 1) Revision: 21.12.2021 Printing date 21.12.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- Trade name: VICKERLUBE OGL 1860-0
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use
- SU19 Building and construction work SU17 General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment
- SU2a Mining, (without offshore industries)
- · Product category PC24 Lubricants, greases, release products
- · Process category
- PROC18 General greasing /lubrication at high kinetic energy conditions
- PROC28 Manual maintenance (cleaning and repair) of machinery
- PROC10 Roller application or brushing
- PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
- · Environmental release category ERC12c Use of articles at industrial sites with low release
- · Application of the substance / the mixture Grease
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

BENJN.R.VICKERS & SONS LTD.

6 Clarence Road

Leeds

LS10 1ND

United Kingdom

- · Further information obtainable from: Product safety department: msds@vickers-oil.com
- 1.4 Emergency telephone number:

During normal opening times 08:30- 16:30 UK: +44 (0)113 386 7654

All other times: +44 (0) 1865 407333

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- · Additional information:

Contains Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts. May produce an allergic reaction. Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.



Printing date 21.12.2021 Version Nr.: 10 (replaces version 1) Revision: 21.12.2021

Trade name: VICKERLUBE OGL 1860-0

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
	Highly solvent refined mineral oil substance with a Community workplace exposure limit	50-70%
CAS: 85940-28-9 EINECS: 288-917-4	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts. Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315	2.5-10%
CAS: 147131-67-2 EC number: 939-603-7	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts Skin Sens. 1A, H317	<1%

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



Printing date 21.12.2021 Version Nr.: 10 (replaces version 1) Revision: 21.12.2021

Trade name: VICKERLUBE OGL 1860-0

(Contd. of page 2)

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

Highly solvent refined mineral oil

OEL Short-term value: 10 mg/m³ Long-term value: 5 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Hand protection

Oil resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

GB



Printing date 21.12.2021 Version Nr.: 10 (replaces version 1) Revision: 21.12.2021

Trade name: VICKERLUBE OGL 1860-0

(Contd. of page 3)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Black

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined.
Flammability Not applicable.

Lower and upper explosion limit

· **Lower:** Not determined. · **Upper:** Not determined.

· Flash point: 267 °C

· **Auto-ignition temperature:** Product is not selfigniting.

Decomposition temperature: Not determined.pH Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

· water: Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log value) Not determined.
 Vapour pressure: Not determined.

Density and/or relative density

Density: Not determined.
 Relative density Not determined.
 Vapour density Not determined.

9.2 Other information

· Appearance:

Form: Grease

Important information on protection of health

and environment, and on safety.

• Explosive properties: Product does not present an explosion hazard.

Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard classes

· Explosives None Flammable gases None · Aerosols None Oxidising gases None Gases under pressure None · Flammable liquids None · Flammable solids None · Self-reactive substances and mixtures None

Pyrophoric liquidsPyrophoric solidsNone

(Contd. on page 5)



Printing date 21.12.2021 Version Nr.: 10 (replaces version 1) Revision: 21.12.2021

Trade name: VICKERLUBE OGL 1860-0

(Contd. of page 4)

· Self-heating substances and mixtures	None
 Substances and mixtures, which emit 	
flammable gases in contact with water	None
Oxidising liquids	None
Oxidising solids	None
Organic peroxides	None
Corrosive to metals	None
Desensitised explosives	None

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Sensitisation: Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 6)



Printing date 21.12.2021 Version Nr.: 10 (replaces version 1) Revision: 21.12.2021

Trade name: VICKERLUBE OGL 1860-0

(Contd. of page 5)

- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Delivery of waste oil to offically authorised collectors only.
- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	Not hazardous for transport
14.2 UN proper shipping name ADR, IMDG, IATA	Not hazardous for transport
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Not hazardous for transport
14.4 Packing group ADR, IMDG, IATA	Not hazardous for transport
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi IMO instruments	ing to Not applicable.
UN "Model Regulation":	Not hazardous for transport

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 7)



Printing date 21.12.2021 Version Nr.: 10 (replaces version 1) Revision: 21.12.2021

Trade name: VICKERLUBE OGL 1860-0

(Contd. of page 6)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Product safety department

· Contact:

msds@vickers-oil.com

Emergency 24 hrs Telephone numbers;

Global (English) +44 (0) 1865 407333

US and Canada (English) +1 202 464 2554

Mexico (Spanish, English) +52 555 004 8763

Brazil (Portuguese) +556 113 711 9144 (option 1)

Chile (Spanish, English) +56 225 829 336

China (Mandarin, English) Toll Free in CN 400 120 6011

Australia (English) +61 2801 44558

New Zealand (English) +64 9929 1483

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.