

Printing date 29.01.2021 Version Nr.: 10 Revision: 29.01.2021

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- · Product identifier
- Trade name: VICKERLUBE SYNGEAR 320
- · Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU2a Mining, (without offshore industries)

- · Product category PC24 Lubricants, greases, release products
- · Process category

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC20 Use of functional fluids in small devices

· Environmental release category

ERC7 Use of functional fluid at industrial site

ERC10a Widespread use of articles with low release (outdoor)

ERC9b Widespread use of functional fluid (outdoor)

- · Application of the substance / the mixture Synthetic Gear Oil
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

BENJN.R.VICKERS & SONS LTD.

6 Clarence Road

Leeds

LS10 1ND

United Kingdom

· Importer

VICKERS OILS (AUSTRALASIA) PTY LTD

119 Lyndhurst Tce, Caboolture, Queensland, Australia. 4510.

Mobile: +61 (0) 425 840 351

- · Further information obtainable from: Product safety department: msds@vickers-oil.com
- · Emergency telephone number:

During normal opening times 08:30- 16:30 UK: +44 (0)113 386 7654

All other times: +44 (0) 1865 407333

2 Hazard(s) Identification

· Classification of the substance or mixture



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms GHS07

(Contd. on page 2)



Printing date 29.01.2021 Version Nr.: 10 Revision: 29.01.2021

Trade name: VICKERLUBE SYNGEAR 320

(Contd. of page 1)

- Signal word Warning
- Hazard-determining components of labelling:

Long-chain alkyl amine

· Hazard statements

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- Dangerous components:

Long-chain alkyl amine

Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1A, H317

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Generally the product does not irritate the skin.

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)



Printing date 29.01.2021 Version Nr.: 10 Revision: 29.01.2021

Trade name: VICKERLUBE SYNGEAR 320

(Contd. of page 2)

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Information about storage conditions: Use within 7 years of manufacture.
- Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Respiratory protection: Not required.
- Protection of hands:

Oil resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)



Printing date 29.01.2021 Version Nr.: 10 Revision: 29.01.2021

Trade name: VICKERLUBE SYNGEAR 320

(Contd. of page 3)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

9 Physical and Chemical Properties

or injurial and enomined respons	***************************************
· Information on basic physical and che · General Information	mical properties
· Appearance:	
Form:	Oily
Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	e: Undetermined.
· Flash point:	>235 °C
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
· Density at 15 °C:	0.85 g/cm ³
Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic at 40 °C:	320 cSt

(Contd. on page 5)



Printing date 29.01.2021 Version Nr.: 10 Revision: 29.01.2021

Trade name: VICKERLUBE SYNGEAR 320

(Contd. of page 4)

· Other information

No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

12 Ecological Information

- · Toxicity
- · Aquatic toxicity:

Alkenyl amine

LC50 0.1-1 mg/l (fish)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Harmful to aquatic organisms

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.



Printing date 29.01.2021 Version Nr.: 10 Revision: 29.01.2021

Trade name: VICKERLUBE SYNGEAR 320

(Contd. of page 5)

- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.

· UN-Number		
· ADG, ADN, IMDG, IATA	Not hazardous for transport	
· UN proper shipping name · ADG, ADN, IMDG, IATA	Not hazardous for transport	
· Transport hazard class(es)		
· ADG, ADN, IMDG, IATA · Class	Not hazardous for transport	
· Packing group · ADG, IMDG, IATA	Not hazardous for transport	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.	
· UN "Model Regulation":	Not hazardous for transport	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Australian Inventory of Industrial Chemicals

Highly solvent refined mineral oil

Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

Australia: Priority Existing Chemicals

None of the ingredients is listed.

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

- · Hazard pictograms GHS07
- Signal word Warning
- · Hazard-determining components of labelling:

Long-chain alkyl amine

Hazard statements

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

(Contd. on page 7)



Version Nr.: 10 Revision: 29.01.2021 Printing date 29.01.2021

Trade name: VICKERLUBE SYNGEAR 320

(Contd. of page 6)

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

· Department issuing SDS: Product safety department

· Contact:

msds@vickers-oil.com

Emergency 24 hrs Telephone numbers;

Global (English) +44 (0) 1865 407333

US and Canada (English) +1 202 464 2554

Mexico (Spanish, English) +52 555 004 8763

Brazil (Portuguese) +556 113 711 9144 (option 1)

Chile (Spanish, English) +56 225 829 336

China (Mandarin, English) Toll Free in CN 400 120 6011

Australia (English) +61 2801 44558

New Zealand (English) +64 9929 1483

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - oral – Category 4 Acute Tox. 3: Acute toxicity - dermal – Category 3

Acute Tox. 2: Acute toxicity - inhalation - Category 2

Skin Corr. 1: Skin corrosion/irritation - Category 1

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A

* Data compared to the previous version altered.