**INDUSTRIAL BI-MONTHLY PUBLICATION OCT - NOV 2022** 



# SPRING HAS SPRUNG

Dust off Winter, dive into a wide range of tooling and consumables at great prices, and explore new additions to our range.

PFERD
PEEK INSIDE
FOR THE LATEST
BIG BLOCK
PROMO
DEAL!



















Unique ceramic grain Heavy metal grinding Suits high powered angle grinders High performance backing pad for better results



Watch
Grinding Wheel vs ACTIROX
Bolt Test




Size: 125mm Thread: M14 A/N.: 44890090

- Long tool life
- Cool grinding
- Suits ACTIROX

\$26<sup>.40</sup> ex.GST

\$29<sup>.04</sup>





Cerami

A/N.: 75493760

\$210<sup>.38</sup>

# Zirconia POLIFAN CURVE

For use on fillet welds & hard to reach areas







A/N.	Description	Ex. GST	Inc. GST
67689052	(5") 125 x 11 mm / 40 grit	\$15. <sup>62</sup>	\$17. <sup>18</sup>
67689062	(5") 125 x 16 mm / 40 grit	\$15. <sup>62</sup>	\$17. <sup>18</sup>



# DUODISC Get the job done with one wheel

Approved to use on site for cutting 6 times more structurally stable comparing to cutting wheels







A/N.	Description	Ex. GST	Inc. GST
62012630	(5") 125 x 1.9 mm	\$4. <sup>78</sup>	\$5. <sup>26</sup>
62012620	(5") 125 x 2.8 mm	<b>\$4.</b> 07	\$4. <sup>48</sup>



# **ALUMINIUM Grinding Wheel**

Size: 125 x 7mm A/N.: 62212622

For soft, tough & hard grades of aluminium

- Free from fillers
- No undesirable residues

\$8.65 ex.6ST \$9.52





# ALUMINIUM Cut-Off Wheels

- Free from waxes or fillers
- No undesirable residues
- Weld immediately after cutting







A/N.	Description	Ex. GST	Inc. GST
61341115	(5") 125 x 1.0 mm	<b>\$4.</b> <sup>20</sup>	\$4.62
61341225	(5") 125 x 1.6 mm	\$4. <sup>20</sup>	<b>\$4.</b> 62





# **MX NCC 4pc Burr Set**

A/N.: 75609063

- Value for money
- Good stock removal
- Popular shapes
- 1 x Cylindrical
- 1 x Cylindrical Radius
- 1 x Pointed Tree
- 1 x Tree Radius



# **MX NCC 8pc Burr Set**

A/N.: 75609064

- Value for money
- Good stock removal
- Popular shapes
- 1 x Cylindrical
- 3 x Cylindrical Radius
- 1 x Tree Radius
- 1 x Cone Radius 1 x Pointed Cone
- 1 x Ball



# **POLIVLIES Hand Pads**

150 x 230mm

- Highly flexible, ideal for hard to reach areas
- Open structure, resistant to clogging
  High quality abrasive grain with consistent finish

A/N.	Colour	Grit	Ex. GST	Inc. GST
47200037	Maroon	Medium	<b>\$1</b> .94	\$2. <sup>13</sup>
47200036	Green	General Purpose	\$1. <sup>94</sup>	\$2. <sup>13</sup>
47200034	Black	Coarse/Medium	\$3. <sup>38</sup>	\$3. <sup>72</sup>







# The high-performance solid carbide drill tailored for very small- to medium-diameter drilling applications.

# **Primary Application**

The all new GOdrill addresses drilling operations in a diameter range of 1-12,7mm (.0394-.5") in a broad variety of materials and applications such as fuel systems or medical components. Due to its very unique design, the GOdrill expands the advantages of modular drills into the small diameter range: high-end grades, wear-indicator coating, and new, proprietary geometries enable full utilization of the drill's tool life capacity. The GOdrill qualifies as a very cost-effective, throwaway-type tool in the given diameter range.

# **Features and Benefits**

# **GOdrill Design**

- Marginless design for reduced friction and heat thus longer tool life.
- · Very versatile tool works in a wide range of materials.
- Cost effective, no regrind logistics.
- No setup.
- Throw away or recycle.
- Through-coolant option down to diameter 1,5mm (.0591").


# **CPG Point**

- Optimized gashing design for microdrilling ensures free flow of chips in the center of the drill.
- Excellent centering capabilities.
- · Reduced axial forces.
- Good hole quality, roundness, and cylindricity for all materials.

# KC7325™ Grade

The grade contains a double coating:

- The multilayer, TiAIN-based coating with high hot hardness enables the drill to run at high cutting speeds as well as in MQL applications.
- A TiN top layer serves as wear indicator for easier monitoring on small drills, which can be difficult to see.
- Improved visibility of wear helps to utilize the tool's full tool life capacity.









# HARVI™ 1 TE SOLID CARBIDE **ENDMILL**

### **PROPRIETARY CORE DESIGN - INCREASING TOOL STABILITY**


- · Proprietary end face design Twisted cutting edge increasing the corner stability, enabling soft cutting action even at highest ramping angles. Outstanding metal removal rates.
- · Innovative end face design Asymmetric divided flutes and variable helix enabling vibration dampening and unmatched feed rates.
- · Proprietary relief with AVF-Technology. A precision faceted eccentric relief reducing vibrations and reducing friction. For excellent cutting conditions in multiple materials.

Part	Size	Ex. GST	Inc. GST
6675699	6mm HARVI 1 TE Endmill	\$25.00	\$27. <sup>50</sup>
6675700	8mm HARVI 1 TE Endmill	\$35.00	\$38. <sup>50</sup>
6675742	10mm HARVI 1 TE Endmill	\$49.00	\$53. <sup>90</sup>
6675743	12mm HARVI 1 TE Endmill	\$69.00	\$75. <sup>90</sup>
6675745	16mm HARVI 1 TE Endmill	\$99.00	\$108. <sup>90</sup>

KENNAMETAL

RTING KIT





# WITH 'BEYOND EVOLUTION' FROM KENNAMETAL

The Bolts and Industrial Parting Kit includes a double ended parting blade, 10 inserts and an insertion key.

- Proprietary Triple V
- Beyond Evolution is a single-sided grooving and cutoff system for deeper grooving capability than double-ended systems
- A proprietary "Triple V" design with top, bottom, and backside V-shaped seating in the holder pocket creates a pull-in effect for exceptionally high stability for deep grooving, face grooving, side turning, and profiling, among other applications

Part	Size	Ex. GST	Inc. GST
KENPK3-26	26mm Blade/3mm Insert	\$149.00	\$163. <sup>90</sup>
KENPK3-32	32mm Blade/3mm Insert	\$149.00	\$163. <sup>90</sup>
KENPK4-26	26mm Blade/4mm Insert	\$149.00	\$163. <sup>90</sup>
KENPK4-32	32mm Blade/4mm Insert	\$149.00	\$163. <sup>90</sup>

## **TOP NOTCH KITS TOP NOTCH IS** THE PROVEN **SOLUTION FOR HIGH**

**PRODUCTIVITY** 




The Top Notch system provides consistent tool performance, accurate indexing, and superior clamping to provide excellent surface finishing and superior tool life. Kit includes a steel top notch tool, 4 grooving inserts, 1 threading insert and an insertion key.

Part	Size	Ex. GST	Inc. GST
KENTNKM3-20	20mm Top Notch Kit	\$180.00	\$198.00
KENTNKM3-25	25mm Top Notch Kit	\$180.00	\$198.00

# GODRILL™ SOLID CARBIDE DRILL GENERAL PURPOSE DRILL FOR A WIDE RANGE OF MATERIALS & APPLICATIONS

The all new GOdrill addresses drilling operations in a diameter range of 1-20mm in a broad variety of materials and applications. Due to its very unique design, the GOdrill expands the advantages of modular drills into the small diameter range: high-end grades, wear-indicator coating, and new, proprietary geometries enable full utilisation of tool life capacity.



**E**KENNAMETAL

BORING BAR KIT

# **BORING BAR KITS**

### AFFORDABLE AND **PROFESSIONAL**

Our passion for

excellence runs through

Kennametal's O.D. and I.D. turning selection, which includes highperformance inserts, external machining, internal machining and clamps for standard and custom applications. Kit includes a steel boring bar, 5 inserts and an insertion key.

Part	Size	Ex. GST	Inc. GST
KENBBK08C	8mm Boring Kit CPMT06	\$120.00	\$132.00
KENBBK10C	10mm Boring Kit CPMT06	\$120.00	<b>\$132</b> .00
KENBBK12C	12mm Boring Kit CPMT06	\$120.00	\$132.00
KENBBK16C	16mm Boring Kit CPMT09	\$125.00	\$137. <sup>50</sup>
KENBBK20C	20mm Boring Kit CPMT09	\$145.00	\$159. <sup>50</sup>
KENBBK3PC	3 x Boring Bar Kit TPMT11	\$300.00	\$330.00

**KENNAMETAL** 

TOOL HOLDER KIT

# **TURNING KITS** AFFORDABLE AND **PROFESSIONAL**

Our passion for

excellence runs through

Kennametal's O.D. and I.D. turning selection, which includes highperformance inserts, external machining, internal machining and clamps for standard and custom applications. Kit includes a steel turning tool, 5 inserts and an insertion key.

Part	Size	Ex. GST	Inc. GST
KENTHKC-25	25mm Turning Kit CNMG	\$135.00	\$148. <sup>50</sup>
KENTHKT-20	20mm Turning Kit TNMG	\$130.00	\$143.00
KENTHKT-25	25mm Turning Kit TNMG	\$135.00	\$148. <sup>50</sup>
KENTHKW-25	25mm Turning Kit WNMG	\$135.00	\$148. <sup>50</sup>







# **BOLT, NUT & WASHER KIT**

**480PC METRIC COARSE HEX BOLT NUT & WASHER KIT** 8.8 ZINC PLATED

P/N: SF480M

### Kit includes:

- 25 x M6 x 12 • 10 x M10 x 40
- 25 x M6 x 20 • 5 x M10 x 50
- 20 x M6 x 35 • 5 x M12 x 25
- 15 x M8 x 20 • 5 x M12 x 40
- 15 x M8 x 30
- 70 x M6 Hex Nuts
- 10 x M8 x 40
- 50 x M8 Hex Nuts
- 10 x M8 x 50
- 30 x M10 Hex Nuts
- 15 x M10 x 25
- 10 x M12 Hex Nuts
- 70 x M6 G8 Flat Washers Zinc Yellow Plated
- 50 x M8 G8 Flat Washers Zinc Yellow Plated
- 30 x M10 G8 Flat Washers Zinc Yellow Plated
- 10 x M12 G8 Flat Washers Zinc Yellow Plated





# **BOLT, NUT & WASHER KIT**

**480PC IMPERIAL UNC HEX BOLT NUT & WASHER KIT G5 ZINC PLATED** 

P/N: SF480UNC

### Kit includes:

- 20 x 1/4" x 1/2"
- 10 x 3/8" x 1 1/2"
- 20 x 1/4" x 3/4"
- 5 x 3/8" x 2"
- 20 x 1/4" x 1"
- 10 x 7/16" x 1 1/2"
- 20 x 1/4" x 1 1/2"
- 80 x 1/4" Nuts
- 15 x 5/16" x 3/4"
- 45 x 5/16" Nuts
- 15 x 5/16" x 1"
- 25 x 3/8" Nuts
- 15 x 5/16" x 1 1/2"

- 10 x 7/16" Nuts
- 10 x 3/8" x 1"
- 80 x 1/4" G8 Flat Washers Zinc Yellow Plated
- 45 x 5/16" G8 Flat Washers Zinc Yellow Plated
- 25 x 3/8" G8 Flat Washers Zinc Yellow Plated
- 10 x 7/16" G8 Flat Washers Zinc Yellow Plated





# **BOLT. NUT & WASHER KIT**

480PC IMPERIAL UNF HEX BOLT NUT & WASHER KIT **G5 ZINC PLATED** 

P/N: SF480UNF

# Kit includes:

- 20 x 1/4" x 1/2" • 10 x 3/8" x 1 1/2"
- 20 x 1/4" x 3/4"
- 5 x 3/8" x 2"
- 20 x 1/4" x 1"
- 10 x 7/16" x 1 1/2"

- 20 x 1/4" x 1 1/2"
- 80 x 1/4" Nuts
- 15 x 5/16" x 3/4"
- 45 x 5/16" Nuts
- 15 x 5/16" x 1"
- 25 x 3/8" Nuts
- 15 x 5/16" x 1 1/2"
- 10 x 7/16" Nuts
- 10 x 3/8" x 1"
- 80 x 1/4" G8 Flat Washers Zinc Yellow Plated • 45 x 5/16" G8 Flat Washers Zinc Yellow Plated
- 25 x 3/8" G8 Flat Washers Zinc Yellow Plated
- 10 x 7/16" G8 Flat Washers Zinc Yellow Plated





## **BOLT. NUT & WASHER KIT** 650PC IMPERIAL UNC HEX BOLT &

**NUT FARM PACK G5 & G8 ZINC** 

P/N: SFFP1A

### Kit includes:

- 30 x 1/4" x 3/4"
- 30 x 1/4" x 1 1/2"
- 30 x 1/4" x 2"
- 25 x 5/16" x 1"
- 20 x 5/16" x 1 1/2"
- 15 x 5/16" x 2"

- 10 x G8 1/2" x 1"
- 30 x 1/4" x 1" 15 x G8 1/2" x 1 1/2" • 10 x G8 1/2" x 2"
  - 5 x G8 1/2" x 2 1/2"
  - 5 x G8 1/2" x 3"
- 3 x G8 5/8" x 11/2"

- 30 x 3/8" x 1"
- 20 x 3/8" x 1 1/2"

- 15 x 3/8" x 2"
  - 15 x 7/16" x 1 1/2"
- 5 x 3/8" x 3"
- 3 x G8 5/8" x 3" • 3 x G8 5/8" x 4"

• 3 x G8 5/8" x 2"

• 3 x G8 5/8" x 2 1/2"

• 120 x 1/4" Nuts

• 60 x 5/16" Nuts

- 70 x 3/8" Nuts
- 15 x 7/16" Nuts
- 45 x G8 1/2" Nuts
- 15 x G8 5/8" Nuts

# **METRIC FARM PACK KIT** 650PC METRIC COARSE HEX BOLT &

**NUT FARM PACK 8.8 ZINC PLATED** P/N: SFFP2A

# Kit includes:

- 30 x M6 x 20
- 30 x M6 x 25
- 30 x M6 x 35
- 30 x M6 x 50
- 20 x M8 x 20
- 20 x M8 x 30
- 15 x M8 x 40
- 10 x M8 x 50
- 20 x M10 x 20
- 20 x M10 x 30
- 10 x M10 x 40
- 3 x M16 x 100

• 5 x M10 x 75

• 10 x M12 x 25

• 10 x M12 x 35

• 10 x M12 x 50

• 5 x M12 x 65

• 5 x M12 x 75

• 3 x M16 x 35

• 3 x M16 x 50

• 3 x M16 x 65

• 3 x M16 x 75

- 10 x M10 x 50
- 120 x M6 Hex Nuts



# UNF FARM PACK KIT 650PC IMPERIAL UNF HEX BOLT &

P/N· SFFP3A

# Kit includes:

- 30 x 1/4" x 3/4"
- - 65 x M8 Hex Nuts
  - 15 x M16 Hex Nuts

\$198·00

- 85 x M10 Hex Nuts
- 40 x M12 Hex Nuts

**NUT FARM PACK G5 & G8 ZINC** 

- 30 x 1/4" x 1"
- 30 x 1/4" x 1 1/2"
- 30 x 1/4" x 2"
- 20 x 5/16" x 1 1/2"
- 15 x 5/16" x 2"
- 30 x 3/8" x 1"
  - 20 x 3/8" x 1 1/2" • 15 x 3/8" x 2"
  - 5 x 3/8" x 3"
- - 15 x 7/16" x 1 1/2"

- 10 x G8 1/2" x 1" • 15 x G8 1/2" x 1 1/2"
- 10 x G8 1/2" x 2" • 5 x G8 1/2" x 2 1/2"

• 3 x G8 5/8" x 11/2"

• 3 x G8 5/8" x 2"

• 3 x G8 5/8" x 4"

- 25 x 5/16" x 1" • 5 x G8 1/2" x 3"
- 3 x G8 5/8" x 2 1/2" • 3 x G8 5/8" x 3"
- 120 x 1/4" Nuts
- 60 x 5/16" Nuts





• 70 x 3/8" Nuts

• 15 x 7/16" Nuts

• 45 x G8 1/2" Nuts





# **MISCELLANEOUS PRODUCTS**

# **SCREW, NUT & WASHER KIT**

610PC IMPERIAL BSW METAL THREAD SCREW NUT & **WASHER KIT 304 STAINLESS STEEL** 

P/N: SF304MTSMIXI

Kit includes:

20 x 3/16" x 3/4" CSK Head

20 x 3/16" x 1" CSK Head

20 x 3/16" x 1.1/2" CSK Head

20 x 3/16" x 3/4" Pan Head

20 x 3/16" x 1" Pan Head

20 x 3/16" x 1.1/2" Pan Head

100 x 3/16" Flat Washers

50 x 3/16" Hex Nuts

50 x 3/16" Nyloc Nuts

15 x 1/4" x 3/4" CSK Head

15 x 1/4" x 1" CSK Head

15 x 1/4" x 1.1/2" CSK Head

15 x 1/4" x 3/4" Pan Head

15 x 1/4" x 1" Pan Head

15 x 1/4" x 1.1/2" Pan Head

100 x 1/4" Flat Washers

50 x 1/4" Hex Nuts

50 x 1/4" Nyloc Nuts





### NYLOC NUT KIT

630PC METRIC COARSE UNC & UNF NYLOC NUT KIT ZINC PLATED

P/N: SF630NYLOCMIX

Kit includes:

100 x 1/4" UNC Nylocs

50 x 5/16" UNC Nylocs

30 x 3/8" UNC Nylocs

18 x 1/2" UNC Nylocs

8 x 5/8" UNC Nylocs

4 x 3/4" UNC Nylocs

100 x M6 Metric Nylocs

50 x M8 Metric Nylocs

30 x M10 Metric Nylocs 18 x M12 Metric Nylocs

8 x M16 Metric Nylocs

4 x M20 Metric Nylocs

100 x 1/4" UNF Nylocs

50 x 5/16" UNF Nylocs

30 x 3/8" UNF Nylocs

18 x 1/2" UNF Nylocs

8 x 5/8" UNF Nylocs

4 x 3/4" UNF Nylocs







- Highest quality fasteners
- Handy for the workshop/vehicle
- Solid plastic storage case
- Packed locally

# SELF TAPPING SCREW KIT

1000PC CSK & PAN PHILLIPS SELF TAPPING **SCREW KIT 316 STAINLESS STEEL** 

P/N: SF316STSMIX

Kit includes:

100 x 6g x 1/2" Pan Head 100 x 6g x 1/2" CSK Head 60 x 6g x 3/4" CSK Head 60 x 6g x 3/4" Pan Head 60 x 6g x 1" Pan Head 60 x 6g x 1" CSK Head 50 x 8gx 3/4" Pan Head 50 x 8g x 3/4" CSK Head

40 x 8g x 1.1/2" Pan Head 40 x 8g x 1.1/2" CSK Head

50 x 10g x 3/4" Pan Head 50 x 10g x 3/4" CSK Head

50 x 10g x 1" Pan Head 50 x 10g x 1" CSK Head

50 x 8g x 1" Pan Head 50 x 8g x 1" CSK Head

40 x 10g x 1.1/2" Pan Head 40 x 10g x 1.1/2" CSK Head

# **RIVET KIT**

# 800PC ALUMINIUM STEEL & STAINLESS STEEL RIVET KIT

P/N: SF800MR

Kit includes:

100 x 73 AS 4-2 50 x 73 SS 4-2 100 x 73 AS 4-3 50 x 73 SS 4-4

100 x 73 AS 4-4

20 x 73 SS 6-4

50 x 73 AS 4-6

20 x 73 SS 6-8

25 x 73 AS 5-4

50 x 73 STS 4-2

25 x 73 AS 5-6

50 x 73 STS 4-4

25 x 73 AS 6-4

25 x 73 AS 6-6 20 x 73 AS 6-8

20 x 73 STS 6-8

50 x 73 STS 4-6 20 x 73 STS 6-4



\$122<sup>.28</sup>

**FLAT WASHER KIT** 325PC FLAT WASHER KIT G8

ZINC YELLOW P/N: SFG8FW325

Kit includes:

120 x 1/4" (6mm)

70 x 5/16" (8mm) 80 x 3/8" (10mm)

40 x 1/2" (12mm) 15 x 5/8" (16mm)



# CHIPBOARD SCREW KIT 650PC CSK CHIPBOARD SCREW KIT ZINC YELLOW

P/N: SF650CBASS

Kit includes:

50 x 6g x 20mm 50 x 8g x 35mm 50 x 6g x 25mm 50 x 8g x 40mm

50 x 6g x 32mm 50 x 6g x 40mm 50 x 8g x 45mm 50 x 8q x 50mm

50 x 6q x 50mm 50 x 8g x 25mm 50 x 8g x 32mm 50 x 8g x 65mm 25 x 10g x 75mm 25 x 10g x 100mm



\$286<sup>.</sup>17





# RUSTTREATMENT

# **EVAPO-RUST SPRAY GEL**

**Removes rust** 

Clings to surfaces

In-situ application

Easy to use aerosol

Code: 500g 1753336

# **EVAPO-RUST READY TO USE**

Removes rust

Super safe - non toxic

Bath application

Reusable

Code: 1L EVR1. 5L EVR5

# RUST CONVERTER

Converts rust & primes

Instantly neutralises rust

In-situ application

**Protects surfaces for years** 

Code: 250mL 3073, 1L 18418, 5L 3075, 425g Aerosol 14610





# **EVAPORUST SPRAY GEL 500g RUST REMOVER**

P/N: 1753336

Evapo-Rust Spray Gel clings to surfaces to effectively remove rust on all types of mild steel and iron, without the need to soak. The powerful formulation is safe on chrome, copper, brass, aluminium, vinyl and most plastics. Evapo-Rust is non-caustic, non-flammable

and contains no petroleum.

- · Rust Remover
- · Clings to surfaces
- Non-scrubbing
- · No need to soak
- · Works on all types of mild steel





# **RUST CONVERTER** LONG LASTING RUST PROTECTION

CRC Rust Converter neutralises rust and transforms it to a tough black primer that binds to the surface and provides a waterproof barrier for effective long lasting rust protection.

- Ready to use no additional mixing or chemical additives required
- One easy step neutralises rust and converts it to an excellent tough black primer
- . Instantly stone rust

· msturity sto			
Part	Size	Ex. GST	Inc. GST
3073	250mL Rust Converter	\$13. <sup>95</sup>	\$15. <sup>35</sup>
18418	1L Rust Converter	<b>\$49</b> . <sup>77</sup>	\$54. <sup>75</sup>

# 5.56 PERMASTRAW 270g THE TOOLKIT IN A CAN

P/N: 1753106

CRC 5-56 is a multi-purpose product with superior penetrating power that breaks through rust and corrosion while it clears away scale and dirt. Eliminates the need for many disassembly operations. Lubricates for smooth action, and silences annoying squeaks and squeals.

- · Protects metals against corrosion and displaces moisture to help start wet engines
- A moisture eliminator for wet equipment and barrier to prevent trouble before it starts





# **CO CONTACT CLEANER 350g** PRECISION ELECTRONIC CLEANING **SOLUTION**

P/N: 2016

CRC CO CONTACT CLEANER is a unique, plastic safe, scientifically formulated, technically proven, stable, inert high purity cleaning solvent. Noncorrosive, non-staining, rapid complete evaporation and contains no lubricants. Contains COZOL proprietary blend of solvents which enhances the cleaning power without damaging plastics.

- Fast evaporation
- · Minimises downtime associated with "clean-inplace" cleaning methods



# **EVAPORUST LIQUID**

### **RUST REMOVER**

Evapo-Rust® is a non-toxic rust remover for fast and effective restoration. The awardwinning formula is specifically designed to remove rust, with no scrubbing or sanding required. It is safe, simple, and easy to use. No need for mixing, the solution is ready to use.

- Non-toxic, non-caustic & non-corrosive
- · Reusable with long lasting efficacy
- · No fumes or bad odours, nonflammable, no VOCs
- · Will not harm unrusted steel, safe on other metals
- · Will not affect plastic, PVC, Viton and non-oxide-based paints
- · Powerful heavy-duty formula for even the toughest rust

Pa	rt	Size	Ex. GST	Inc. GST
EV	R1 1	L EVAPORUST	\$20. <sup>97</sup>	<b>\$23</b> .07
EVI	R5 5	L EVAPORUST	\$50. <sup>99</sup>	\$56. <sup>09</sup>

# **RED LITHIUM GREASE** HIGHLY VERSATILE GREASE

CRC Red Lithium Grease is a multipurpose, red lithium complex grease that withstands extreme pressures and temperature ranges. Formulated with anti-oxidation, anti-rust, and antiwear additives, it is a highly versatile grease for use in both automotive and industrial settings.

- · Resists water wash out
- Long service life
- · Withstands extreme pressures and temperature ranges
- · Formulated with anti-oxidation, anti-rust & anti-wear additives

Part	Size	Ex. GST	Inc. GST
1753266	300g Aerosol	\$11. <sup>67</sup>	<b>\$12</b> .84
1753203	450g Cartridge	\$10. <sup>50</sup>	\$11. <sup>55</sup>

# SOFT SEAL 300g LONG TERM PROTECTION

P/N: 3013

SOFT SEAL is a long term indoor/outdoor corrosion inhibitor for machined surfaces and assemblies subjected to long periods of storage or adverse shipping conditions. displaces moisture and provides a transparent, amber waxy film for heavy protection of parts, equipment and machinery. SOFT SEAL provides protection from heat, humidity and corrosive atmospheres. Ideal for protecting equipment during shipping even when exposed to salt spray and other corrosive conditions.



- · Seals out moisture and corrosive contaminants
- Forms a dry, transparent, amber film which is highly resistant to humidity, salt water and salt spray
- Will not attack plastic, rubber, paint or insulation material
- · Easy re-application over existing film and/or clean surfaces
- · Easily removes with CRC Brakleen or mineral spirits
- Temperature Range -20°C to +100°C



# Leader in industrial and automotive lubricants. Australian Owned.

Since 1986, Molytec, has aimed to build long lasting and prosperous associations with our customers by providing a quality range of products, backed up by our professional and dedicated sales team. We are committed to provide the best possible service for you and your clients Australia wide.





















## **NICKELTEC ANTI-SEIZE NICKEL BASED ANTI-SEIZE COMPOUND** 450G

P/N: M825

Nickeltec anti-seize is a nickel based compound. Developed to protect metal parts from corrosion, galling and seizing. Protects against temps up to 1450c

- High temp resistance
- · Seals against corrosion
- · Reduces friction & wear
- · Extreme chemical resistance steel



# 3222 THREADLOCKING COMPOUND

THREADLOCKING COMPOUND LOW STRENGTH 50ML

P/N: 322250

Anaerobic low strength removable grade threadlocking compound for small metal screws, nuts & fasteners less than 6mm in diameter.

- · Small fasteners under 6mm
- · Low strength / high viscocity
- Easy disassembly
- · Fixture time 20min full cure 24 hrs



## **MOLYPASTE ANTI-GALL MOLYPASTE ANTI-GALL STAINLESS THREAD LUBRICANT 250G**

P/N: M801

Molypaste anti-gall is a molydbenum disulphide and nickel based stainless thread lubricant. Provides a low friction coating to

prevent galling and heat freeze.

- · Stainless steel thread lubricant
- · Molybdenum disulphide
- Prevents galling & heat freeze
- Low friction coating



\$55:17

\$36

# 3243 THREADLOCKING COMPOUND

THREADLOCKING COMPOUND MEDIUM STRENGTH 50ML

P/N: 324350

Anaerobic meduim strength removable grade threadlocking compound for metal screws, nuts & fasteners between 6mm and 20mm in diameter.

- Fasteners 6mm to 20mm
- Medium Strength / High Viscocity / Oil Resistant
- Easy Disassembly
- · Fixture Time 10min Full Cure 24 hrs





# **COPATEC ANTI-SEIZE COPATEC ANTI-SEIZE COMPOUND 500G**

P/N· M804

Copatec anti-seize is a copper based antiseize compound. Ideal for extreme corrosive enviroments. Remains effective at surface temps up to 1100c

- Copper & metallic particles in a bentone base
- · Contains anti-oxidants & anti-corrosion inhibitors
- · Resistant to acid, alkali, seawater, water & steam
- · Extreme chemical resistance



# 3277 THREADLOCKING COMPOUND

THREADLOCKING COMPOUND HIGH STRENGTH 50ML

P/N: 327750

Anaerobic high strength & oil resistant threadlocking compound for meatl screws, nuts & fasteners over 25mm.

- · Fasteners Over 25mm
- High Strength / High Viscocity / Oil Resistant / Permanent
- Fixture Time 30min Full Cure 24 hrs



\$33<sup>.50</sup>

# 3406 INSTANT ADHESIVE

**RUBBER & PLASTIC INSTANT ADHESIVE 20ML** 

P/N: 340620

Instant adhesive (cyanoacrylate) surface insensitive ethyl type a.

- · Very Fast Cure
- High Strength / Low Viscosity
- Fixture Time 15sec Full Cure 24 hrs Bonding Most Types of Plastics and Rubber. Including Viton & EPDM. Rubber to Rubber and Rubber to Metal



14.30

# 3290 THREADLOCKING COMPOUND

THREADLOCKING COMPOUND WICKING **GRADE 50ML** 

P/N: 329050

Anaerobic wicking (penetrating) gradethreadlocking compound fro sealing porous welds & castings.

- Fasteners Up to 12mm
- Medium Strength / Low Viscosity / Wicking Grade
- Fixture Time 20min Full Cure 24 hrs



\$33<sup>.50</sup>

# **XS7701 PIPE SEALANT -HIGH PRESSURE**

PIPE SEALANT - HIGH PRESSURE 60ML

P/N: XS7701

A high pressure anaerobic pipe sealant, seals instantly and is resistant to most chemicals.

- Metal Pipe Threads
- · Contains Teflon · Instant Low Pressure Seal -Use on Mild Steel, Stainless Steel, Aluminium, Copper and Brass - Removable with Hand Tools and Prevents Vibration Loosening.



# 3609 RETAINING COMPOUND

**RETAINING COMPOUND HIGH** STRENGTH 50ML

P/N: 360950

Anaerobic low viscosity, high strength retaining compound that bonds rigid assemblies.

- Close Fittina Parts
- High Strength / Low Viscosity / Shear Strength
- Fixture Time 30min Full Cure 24 hrs



# TAPPING SOLUTIONS FOR YOUR EXACT REQUIREMENTS

- Engineered solutions
- Standards: ISO, DIN, ANSI
- Thread forms:
   M, MF, UNC, UNF, UNEF, UN, UNS, BSW,
   BSF, BA, BSB, Rc(BSPT), Rp(BSPPL), Pg
   Series, G (BSPF), NPT, NPTF, NPSF
- Special thread forms:
   UNJC, UNJF, MJ, UH, Pg, Whit, Rope forms,
   Acme & more
- With our state of the art CNC grinding equipment, almost any profile can be achieved.









SuttontoolS

world class cutting tools

# **sutton**tools

# **T901 METRIC STRAIGHT FLUTE TAP SETS**

3PCE SET - TAPER, INTER, BOTTOMING (ISO529 HSS)

Made In Australia. Suitable for both hand and machine operations.

- · General purpose use
- Suitable for materials up to 1000N/mm2
- Depths up to approx. 1 x d1
- Through and blind holes



Part	Size	Ex. GST	Inc. GST
T9010500	M5 x 0.8	\$P.O.A	\$P.O.A
T9010600	M6 x 1.0	\$P.O.A	\$P.O.A
T9010800	M8 x 1.25	\$P.O.A	\$P.O.A
T9011000	M10 x 1.5	\$P.O.A	\$P.O.A
T9011200	M12 x 1.75	\$P.O.A	\$P.O.A

# **T396 METRIC SPIRAL FLUTE TAPS**

**BOTTOMING (ISO529 HSSE)** 

Made In Australia.

- · General purpose use
- Suitable for materials up to 1000N/mm2
- Depths up to approx. 2.5 x d1
- · Blind holes



Part	Size	Ex. GST	Inc. GST
T3960500	M5 x 0.8	\$P.O.A	\$P.O.A
T3960600	M6 x 1.0	\$P.O.A	\$P.O.A
T3960800	M8 x 1.25	\$P.O.A	\$P.O.A
T3961000	M10 x 1.5	\$P.O.A	\$P.O.A
T3961200	M12 x 1.75	\$P.O.A	\$P.O.A

# **ENGINEERS BLACK BOOK 3RD EDITION - LARGE PRINT**

P/N: L103V3EN

Engineers Black Book contains a wealth of up-to-date, useful, information within over 160 matt laminated grease proof pages. It is ideal for engineers, trades people, apprentices, machine shops, tool rooms and technical colleges.

Includes a bonus drill point sharpening gauge

- · Work bench edition
- Matt laminated grease-proof pages
- · Lay flat format with wire binding for ease of use on workbench



\$104<sup>.78</sup>

# 200PCE P&N BRIGHT **DRILL SET**

**METRIC SIZES: 1.0 - 6.0 X 0.5MM** RISES +3.2, 4.2, 8.0, 10.0, 12.0MM IMPERIAL SIZES: 5/64 - 7/32 X 1/64" RISES +1/4, 5/16, 3/8, 1/2" P/N: 165399200

P&N HSS bright drills are designed for use in portable and pedestal drilling machines.



# **T394 METRIC SPIRAL POINT** (GUN) TAPS

INTER (ISO529 HSSE)

Made In Australia. Suitable for both hand and machine operations.

- · General purpose use
- Suitable for materials up to 1000N/mm2
- Depths up to approx. 3 x d1

• Through not	es austr	TALIAN MADE	_
Part	Size	Ex. GST	Inc. GST
T3940500	M5 x 0.8	\$P.O.A	\$P.O.A
T3940600	M6 x 1.0	\$P.O.A	\$P.O.A
T3940800	M8 x 1.25	\$P.O.A	\$P.O.A
T3941000	M10 x 1.5	\$P.O.A	\$P.O.A

M12 x 1.75

# **400G VENOM CUTTING PASTE**

**ENVIRONMENTALLY FRIENDLY &** FREE FROM TRICHLOROETHANE

P/N: M8000400

T3941200

Formulated for superior tool life and cutting performance in carbon steel, aluminium alloys, copper, bronze, stainless steel, nickels, titaniums and other super alloys.



\$P.O.A

# **FASTENERS BLACK BOOK FIRST EDITION - LARGE PRINT**

P/N: L203V1EN

Fastener Black Book contains a wealth of up-todate, useful, information within over 240 matt laminated grease proof pages. It is ideal for engineers, trades people, apprentices, machine shops, tool rooms and technical colleges.

Includes a bonus drill point sharpening gauge

- · Pocket sized format makes this book an ideal reference in any tool kit
- · Lay flat format with wire binding for ease of use on workbench
- Matt laminated grease-proof pages



# **BOLT EXTRACTOR INSERT SET**

**HANDY 10PCE SET** 

P/N: M6040817

Designed to remove bolts with damaged and worn heads. 8, 9, 10, 11 & 12mm inserts: suits 14mm wrench\*. 13, 14, 15, 16 & 17mm inserts: suits 19mm wrench\*

\*Bolt head size, wrenches not included

- · Patented extractor inserts for wrenches and sockets
- · Insert features a flange to avoid falling through. Flexible for all types of wrenches. Inserts for 14 and 19mm wrenches
- · Grips all the way around a bolt and allows up to 85% rounded off bolts to be turned
- · Grips many different types of bolts, eg; 6 point, 12 point, hex, spline







OLD WAY



DANGEROUS, COSTLY, SLOW

SAFE, EFFICIENT, ACCURATE

# Slide Sledge SAFER, FASTER AND EASIER THAN A SLEDGE HAMMER

Affordably customize your Slide Sledge for **JOB-SPECIFIC APPLICATIONS** with our comprehensive list of changeable tips.

The linear motion of Slide Sledge focuses power for PRECISION IMPACT without the worry of dangerous sledge hammer misses and glancing blows. With the power and accuracy of Slide Sledge, driving pins and other tough maintenance jobs are safer, faster and easier.

The powerful Slide Sledge Multi-Head Hammer reduces dangerous, time-consuming, hammer and steel jobs to a ONE MAN, ONE TOOL operation.

# 15,000 PSI OF FOCUSED LINEAR MOTION FOR PRECISE DELIVERY OF IMPACT


















# **MULTI-HEAD VERSATILITY FOR ALL APPLICATIONS**



# ITEGALET®

# THE ORIGINAL 4-11 WORKSTATION

At Megajet we manufacture a large range of engine driven machinery, including our '4-in-1' workstations.
Comprised of a welder, generator, air compressor and battery charger.



CUSTOM MODELS TO SUIT YOUR NEEDS!

> All machines are built in-house at our Brisbane factory

FULL RANGE OF PUMPS ALSO AVAILABLE









L SERIES: 30 KG LOAD CAPACITY

P/N: LJP50/LKP

Suitable for light duty trolleys and carts that travel across hard floor surfaces. Nickle finish in swivel plate and 50 mm diameter thermoplastic elastomer wheels with plain bearing.



# LIGHT DUTY CASTORS

K SERIES: 50 KG LOAD CAPACITY

P/N: KJQ75G/KZPTB

Light duty castors ideal for lighter loads. Zinc plated Core Coat™ swivel plate with total brake and 75mm diameter thermoplastic elastomer wheel with precision bearing and thread guard.



## **MEDIUM DUTY CASTORS**

M SERIES: 100 KG LOAD CAPACITY

P/N: STQ100G/MZPTB

Medium duty castors for multipurpose trolleys and equipment. Zinc plated Core Coat™ swivel plate with total brake and 100mm diameter grey rubber round profile wheel with precision bearing and thread guard.



**GENERAL DUTY CASTORS** 

J SERIES: 180 KG LOAD CAPACITY

P/N: JBR125/JZPTB

General duty castors suitable for general purpose trolleys and equipment. Zinc plated Core Coat™ swivel plate with total brake and 125mm diameter blue high resilience rubber wheel with roller bearing.



# **HEAVY DUTY CASTORS**

O SERIES: 450 KG LOAD CAPACITY

P/N: HUR150/OZPTB

Heavy duty castors with tough wheels and for heavy loads. Zinc plated Core Coat™ swivel plate with total brake and 150mm diameter polyurethane on nylon wheel with roller bearing.



# **VERY HEAVY DUTY CASTORS**

X SERIES: 1000 KG LOAD CAPACITY

P/N: XUQ150/XZP

Very heavy duty castors with castor iron wheels for very heavy loads. Zinc plated Core Coat™ in swivel plate and 150 mm diameter polyutherane on \$214<sup>.34</sup>

cast iron with precision bearing, no thread quard.

## PNEUMATIC WHEEL

STRONG 1.8 MM STEEL RIMS WITH PUNCTURE-PROOF 4-PLY LONG-LIFE TYRES FITTED WITH HEAVY DUTY **DEEP GROOVE SHIELDED BEARINGS** 

P/N: 350X4STR-SB20

180 kg load capacity. 265 mm diameter pneumatic tyres, 70 mm tread, steelcentred with B deep groove ball bearings, 60 mm hub x 20 mm bore.



# PNEUMATIC WHEEL **TUBES**

PREMIUM BUTYL RUBBER SEAMLESS TUBES FOR GOOD **RELIABILITY AND LONG LIFE** 

P/N: SPTUBE300/350X4

Butyl rubber seamless (butt-joined) tubes for pneumatic wheels 300 mm (or 350 mm) diameter x 4 mm tread.



### **BIN LIFTER**

SUITABLE FOR EMPTYING WHEELIE BINS INTO SKIP BINS AT CONSTRUCTION SITES, INDUSTRIAL WORKSITES. MINES, FACTORIES AND SPARK-FREE **ENVIRONMENTS** 

P/N: BLHP1800

Spark-free, hydraulic handpump operated with 100kg lift capacity, compatible with 80, 120, 140 and 240 litre wheelie bins.

,195.00 \$6.814<sup>.50</sup>

· Rugged (Manual): 150 kg capacity

# **POWERED TUG**

**TUG COMPACT: 500 KG CAPACITY** 

P/N: TUGCOM500NH

Pedestrian operated towing - no forklift or license required - can tow indoors and outdoors safely.

- · Powerful batteryoperated motor
- Ergonomic design
- · Non-marking tyres
- · Maximum speed up to 5 km/hr



# MOBILITY SOLUTIONS TO HELP YOU PUSH, PULL AND LIFT WITH EASE





WHEELS AND CASTORS







POWERED MOBILITY EQUIPMENT





WASTE HANDLING SOLUTIONS







# **HOLEMAKER PRO 35**

**MAGNETIC BASE DRILL, 240V, CAPACITY: 35MM DIA X 52MM DEPTH** 

P/N: HMPRO35


- · Quality, Compact & Robust European Made Machine
- · Lightweight, only 10kg!
- · Ideal for onsite & overhead tasks
- · Gravity feed coolant system with magnetically attached bottle
- Dual rail slide system
- · Comes complete in plastic carry case



\$1044.55 ex. GS

\$1.149<sup>.00</sup>

# **HOLEMAKER PRO 40 MAGNETIC BASE DRILL, 240V, CAPACITY: 40MM DIA X 52MM DEPTH** P/N: HMPRO40



- Optional 13mm twist drill chuck for use with standard drill bits
- · Through cutter coolant system
- Comes complete in metal carry case
- · 12.5kg weight



**569**·00

# **HOLEMAKER PRO 36AD MAGNETIC DRILL**

**MAGNETIC BASE DRILL, 240V, CAPACITY: 36MM DIA X 30MM DEPTH** 

P/N: HMPRO36AD

- · Ultra low profile
- 176mm constant working height
- · Lightweight, only 9.5kg!
- Utilises standard 3/4" shank cutters



\$2,153<sup>.64</sup>

# **HOLEMAKER PRO 50**

**MAGNETIC BASE DRILL, 240V, CAPACITY: 52MM DIA X 52MM DEPTH** 

P/N: HMPRO50

- · Versatile & Multi-Purpose, European Made
- #2 Morse taper spindle, for drill chucks, taper shank drills, reamers etc.
- · Powerful 1260W motor
- 2-speed gearbox
- · 16.5kg weight



499.00

# **HOLEMAKER PRO 65**

**MAGNETIC BASE DRILL, 240V,** CAPACITY: 65MM DIA X 75MM DEPTH

P/N: HMPRO65

- European made
- Dual rail slide system
- Powerful 1500W motor
- 2-speed gearbox
- · Lightweight, only 17kg
- Comes complete in plastic carry case



# **HOLEMAKER UNI SHANK GOLD SERIES CUTTER**

- Titanium nitride coating
- · M2AL high speed steel material
- Step hardened process
- Multi-cut geometry
- · Fully ground with internal relief
- Universal shank







Part	Size (DIA x Length)	Ex. GST	Inc. GST
AT1225	12mm x 25mm	\$44. <sup>55</sup>	\$49.00
AT1250	12mm x 50mm	\$56. <sup>36</sup>	\$62.00
AT1325	13mm x 25mm	\$44.55	\$49.00
AT1350	13mm x 50mm	\$56. <sup>36</sup>	\$62.00
AT1425	14mm x 25mm	\$44. <sup>55</sup>	\$49.00
AT1450	14mm x 50mm	\$56. <sup>36</sup>	\$62.00
AT1525	15mm x 25mm	\$48. <sup>18</sup>	\$53. <sup>00</sup>
AT1550	15mm x 50mm	\$60. <sup>91</sup>	\$67.00
AT1625	16mm x 25mm	\$49.09	<b>\$54</b> .00
AT1650	16mm x 50mm	\$60.00	\$66.00
AT1725	17mm x 25mm	\$50. <sup>91</sup>	\$56.00
AT1750	17mm x 50mm	<b>\$62</b> . <sup>73</sup>	\$69.00
AT1825	18mm x 25mm	\$50. <sup>91</sup>	\$56.00
AT1850	18mm x 50mm	<b>\$62</b> . <sup>73</sup>	\$69.00
AT1925	19mm x 25mm	\$53. <sup>64</sup>	\$59.00
AT1950	19mm x 50mm	\$69. <sup>09</sup>	\$76.00
AT2025	20mm x 25mm	\$53. <sup>64</sup>	\$59.00
AT2050	20mm x 50mm	\$70. <sup>91</sup>	\$78. <sup>00</sup>
AT2125	21mm x 25mm	\$56. <sup>36</sup>	\$62.00
AT2150	21mm x 50mm	\$76. <sup>36</sup>	\$84.00
AT2225	22mm x 25mm	\$60. <sup>91</sup>	\$67.00
AT2250	22mm x 50mm	\$78. <sup>18</sup>	\$86.00
AT2325	23mm x 25mm	\$66. <sup>36</sup>	\$73. <sup>00</sup>
AT2350	23mm x 50mm	\$85. <sup>45</sup>	\$94.00
AT2425	24mm x 25mm	\$66. <sup>36</sup>	\$73.00
AT2450	24mm x 50mm	<b>\$87</b> . <sup>27</sup>	\$96.00
AT2525	25mm x 25mm	\$69. <sup>09</sup>	\$76.00
AT2550	25mm x 50mm	\$90.00	\$99.00
AT2625	26mm x 25mm	\$70. <sup>91</sup>	\$78.00
AT2650	26mm x 50mm	\$95. <sup>45</sup>	\$105.00
AT2725	27mm x 25mm	\$75. <sup>45</sup>	\$83.00
AT2750	27mm x 50mm	\$99.09	\$109.00
AT2825	28mm x 25mm	\$75. <sup>45</sup>	\$83.00
AT2850	28mm x 50mm	\$99.09	\$109.00
AT3025	30mm x 25mm	\$80. <sup>91</sup>	\$89.00
AT3050	30mm x 50mm	\$109. <sup>09</sup>	\$120.00
AT3225	32mm x 25mm	\$84. <sup>55</sup>	\$93.00
AT3250	32mm x 50mm	\$115. <sup>45</sup>	\$127.00





MAGNETIC BASE DRILLING MACHINES ANNULAR CUTTERS • ACCESSORIES












# 300 SERIES

# **60° DEAD CENTRE**

300 Series 60 Degree Dead Centres are our pipe series. These are compatible with the 60° and 90° pipe cones.






Part	MT	D	D1	L	L1	L2	APP.WT	Ex. GST	Inc. GST
DC303	3	24	25	179	55	10	0.5KG	\$335.00	\$368. <sup>50</sup>
DC304	4	24	25	179	55	10	1.0KG	\$368.00	\$404. <sup>80</sup>
DC305	5	38	40	225	81	10	2.5KG	\$886.00	\$974. <sup>60</sup>
DC306	6	38	40	286	83	10	7.1KG	\$929.00	\$1021. <sup>90</sup>

# **400 SERIES**

# **60° DEAD CENTRE**

400 series 60 Degree Dead Centres are our Copy Point centres. These centres allow maximum tool access.






Part	MT	D	D1	D2	L	L1	L2	APP.WT	Ex. GST	Inc. GST
DC403	3	10	12	25	142	40	10	0.5KG	\$335.00	\$368. <sup>50</sup>
DC404	4	12	14	32	182	49	10	1.0KG	\$368.00	\$404. <sup>80</sup>
DC405	5	14	16	40	203	50	10	2.5KG	\$886.00	\$974. <sup>60</sup>
DC406	6	16	18	64	273	63	10	7.1KG	\$929.00	\$1021. <sup>90</sup>

# **500 SERIES**

### **60° DEAD CENTRE**

500 series 60 Degree Dead Centres are our heavy duty range. These are a high load, heavy duty centre.





Part	MT	D	L	L1	L2	APP.WT	Ex. GST	Inc. GST
DC503	3	20	128	28	10	0.5KG	\$335.00	\$368. <sup>50</sup>
DC504	4	30	158	37	10	1.0KG	\$368.00	\$404.80
DC505	5	40	187	35	10	2.5KG	\$886.00	\$974. <sup>60</sup>
DC506	6	64	264	65	10	7.1KG	\$929.00	\$1021. <sup>90</sup>
DC507	7	80	400	85	15	10.0KG	\$1728.00	\$1900. <sup>80</sup>

# **CHUCKING**

Can be mounted in any morse tape. Chucks with 2, 3 or 4 jaws can all be accommodated. With a maximum run-out of 5 microns.



Part	MT	DIA	RPM	WRK PCE	Ex. GST	Inc. GST
CBP83065	3	65	4500	28	\$480.00	\$528.00
CBP83100	3	100	4500	37	\$586.00	\$644. <sup>60</sup>
CBP83125	3	125	4500	35	\$690.00	\$759.00
CBP83160	3	160	4500	65	\$790.00	\$869.00
CBP84100	4	100	4000	85	\$890.00	\$979.00
CBP84125	4	125	4000	65	\$935.00	\$1028. <sup>50</sup>
CBP84160	4	160	4000	85	\$980.00	\$1078.00

Part	MT	DIA	RPM	WRK PCE	Ex. GST	Inc. GST
CBP84200	4	200	4000	800KG	\$1500.00	\$1650.00
CBP85100	5	100	2000	500KG	\$1200.00	\$1320.00
CBP85125	5	125	2000	600KG	\$1300.00	\$1430.00
CBP85160	5	160	2000	1200KG	\$1400.00	\$1540.00
CBP85200	5	200	1800	5000KG	\$1500.00	\$1650.00
CBP85250	5	250	1800	5000KG	\$2100.00	\$2310.00
CBP85320	5	320	1800	6000KG	\$2700.00	\$2970.00
CBP86200	6	200	1800	5000KG	\$1900.00	\$2090.00
CBP86250	6	250	1800	7000KG	\$2300.00	\$2530.00
CBP86320	6	320	1500	9000KG	\$2900.00	\$3190.00
CBP87200	7	200	1500	8000KG	\$2500.00	\$2750.00
CBP87400	7	400	1500	10000KG	\$3200.00	\$3520.00



# LATEST TECHNOLOGY IN

Daintree Live Centres are built to the highest standards with premium quality heavy duty components. They are fully sealed and lubricated for life. Daintree Live Centres use premium quality heavy duty bearings. These high capacity bearings increase the range of operation of each centre.

# 300 Series 60° Live Centre



300 series live centres are our pipe series. These are compatible with the 60° and 90° pipe cones.

# 400 Series 60° Live Centre



400 Series centres are our space point centres. Allowing maximum tool access.

# 500 Series 60° Live Centre



500 series centres are our heavy duty range. These are a high load, heavy duty centre.

# STILL CAN'T **CENTRE FOR YOU?**

If you're looking for items from our old catalogue, please contact us and we'll be happy to help you.

# 600 Series STD

60° Live Centre



These 600 series centres are standard point spring loaded centres designed specifically for the CNC market.

# 600 Series SP

60° Live Centre



These 600 series centres are space point spring loaded centres designed specifically for the CNC market.

**CONTACT BOLTS & INDUSTRIAL SUPPLIES FOR MORE INFORMATION** AND PRICING, OR VISIT US AT WWW.DAINTREETOOL.COM.AU FOR OUR FULL RANGE AND CATALOGUE.

# ACCUD

# DUAL SCALE DIGITAL CALIPER

ACCUD MEASURING TOOLS

- Accuracy: ±0.03 mm
- · USB data output
- Functions: zero point, mm/inch Made of stainless steel

Part	Size	Ex. GST	Inc. GST
AC-111-006-12	0-150 mm/0-6" Res: 0.01 mm/0.0005"	\$86. <sup>36</sup>	\$95.00
AC-111-008-12	0-200mm/0-8" Res: 0.01 mm/0.0005"	\$126. <sup>36</sup>	\$139.00
AC-111-012-12	0-300mm/0-12" Res: 0.01 mm/0.0005"	\$190. <sup>91</sup>	\$210.00

# DUAL SCALE VERNIER ACCUD MEASURING TOOLS

- Accuracy: ±0.03 mm
- Made of Stainless Steel
   Satin chrome plated reading surface

Part	Size	Ex. GST	Inc. GST
AC-120-006-12	0-150mm Vernier Caliper Grad: 0.02mm/0.001"	\$63. <sup>64</sup>	\$70.00
AC-120-008-12	0-200mm Vernier Caliper Grad: 0.02mm/0.001"	\$100.00	\$110.00
AC-120-012-12	0-300mm Vernier Caliper Grad: 0.02mm/0.001"	\$153. <sup>64</sup>	\$169.00

# DUAL SCALE DIGITAL IP54 CALIPER

**ACCUD MEASURING TOOLS** 

- · Highly accurate glass scale
- · USB data output
- · Made of stainless steel

Part	Size	Ex. GST	Inc. GST
AC-111-006-11	0-150 mm/0-6" Res: 0.01 mm/0.0005"	\$117. <sup>27</sup>	\$129.00
AC-111-008-11	0-200mm/0-8" Res: 0.01 mm/0.0005"	\$159. <sup>09</sup>	\$175.00
AC-111-012-11	0-300mm/0-12" Res: 0.01 mm/0.0005"	\$226. <sup>36</sup>	\$249.00

# COOLANT PROOF DUAL SCALE DIGITAL IP67 CALIPER

**ACCUD MEASURING TOOLS** 

• IP67 protection level

- · Automatic power off
- Functions: zero point, mm/inch

Part	Size	Ex. GST	Inc. GST
AC-112-006-12	0-150 mm/0-6" Res: 0.01 mm/0.0005"	\$235. <sup>45</sup>	\$259.00
AC-112-008-12	0-200mm/0-8" Res: 0.01 mm/0.0005"	\$304.55	\$335.00
AC-112-012-12	0-300mm/0-12" Res: 0.01 mm/0.0005"	\$535.45	\$589.00

# 1" DIAL INDICATOR & MAGNETIC STAND WITH FINE ADJUSTMENT

**ACCUD MEASURING TOOLS** 

P/N: AC-280-001-02

- Range: 1", Accuracy: 0.004"
- · Graduation: 0.001"
- · Dial: Limit hands, bezel clamp,
- · Lug back, Jeweled Bearing
- · Magnetic base: for dial/digital indicators and dial test indicators
- V-block base. 60Kg magnet

# 200MM FRACTIONAL IMPERIAL & METRIC DIGITAL IP54 CALIPER

ACCUD MEASURING TOOLS

P/N: AC-113-008-11

Dial indicator and magnetic stand kit.

- Auto On/Off
- Made of stainless steel
- nd kit.

   Display Modes: Fraction Imperial,

# METRIC OUTSIDE MICROMETERS ACCUD MEASURING TOOLS



- Carbide measuring faces
- Ratchet stop
- Setting standards are included
   with 25-50mm & 50-75mm

Decimal Imperial & Metric


• Ratchet Stop	WITH 25-50mm & 50-75mm		
Part	Size	Ex. GST	Inc. GST
AC-321-001-01	0-25mm Grad: 0.01 mm Accuracy: 4µm	\$59.ºº	\$65.00
AC-321-002-01	25-50mm Grad: 0.01mm Accuracy: 4µm	\$62. <sup>73</sup>	\$69.00
AC-321-003-01	50-75mm Grad: 0.01mm Accuracy: 5µm	\$71. <sup>82</sup>	\$79.00

# 10MM DIAL INDICATOR & MAGNETIC STAND WITH FINE ADJUSTMENT

ACCUD MEASURING TOOLS P/N: AC-280-000-02

- Range: 10 mm, Accuracy: 20 μm
- Graduation: 0.01 mm
- Dial: Limit hands, bezel clamp,
- Lug back, Jeweled Bearing
- Magnetic base: for dial/digital indicators and dial test indicators
- V-block base. 60Kg magnet





The new name in high quality precision measuring instruments that you can trust.

Each one is individually inspected and tested to ensure it meets the relevant DIN standard.

A select number are supplied with test certificates and some with individual calibration certificates.

# COMPLETE RANGE OF DRILL CHUCKS AND CLAMPING TECHNOLOGY

From the smallest drill chuck to the high-tech power operated clamping fixture



Comprehensive clamping and gripping solutions
Reliable partner and system supplier of choice
Worldwide network of sales and service centers





Salisbury QLD ■ (07) 3277 6944 ■ salisbury@bolt.com.au Virginia QLD ■ (07) 3865 6944 ■ virginia@bolt.com.au Toowoomba QLD № (07) 4634 6944 © toowoomba@bolt.com.au

Bathurst NSW № (02) 6331 9666 © bathurst@bolt.com.au

Smeaton Grange NSW № (02) 4648 3844 © smeaton.grange@bolt.com.au

Sandgate NSW № (02) 4968 7200 © sandgate@bolt.com.au

Penrith NSW № (02) 4722 9500 © penrith@bolt.com.au

Dandenong South VIC № (03) 9768 3537 © dandenong@bolt.com.au