

The WORKSHOP Catalogue

June-September 2023 All prices quoted include GST.

NICRON®

2 in 1 Utility Work Lamp

- Flood and Spot Lights
- Foldout stand with integrated hook
- Battery State Indicator
- Strong magnetic base
- USB-C Charge Port

Battery: Li-ion
 Ingress Rating: Splash Proof IPX5
 Size: 123 x 55 x 32 mm
 Weight: 180 g



Spot Light
 Low (60 Lm)
 High (280 Lm)

Flood Light:
 Low (12 Lm)
 Med (160 Lm)
 High (450 Lm)

New!

\$99
 PN: WL85

Mini Rechargeable Headlamp

- Anodised aluminium body
- Angle head vertically up to 180°
- USB-C Charge Port

LOW (30 Lm) Ingress Rating: IPX4
MED (150 Lm) Size: 65 x 34 x 35 mm
HIGH (500 Lm) Weight: 42g



New!

\$85
 PN: H17

geiger™

Hand Tools

Hook & Pick Set

Includes Straight, Right-Angle, Curved & Hooked Picks.



\$34
 PN: GXHP4

Due in mid-July

Quick Release Handle with 3.2 MM MC-blades



3.2 mm Standard Quick Release Handle with Multi-cutting Edge
 Deburring blades: GDSMC10, GDSMC20, GDSMC101


\$39

PN: GD38333

geiger™

Wall Storage Kit

Includes 2 Panels, 40 x HB210 Bins, screws & wall plugs.



More on page 12.

- PN: HP1KITB
- PN: HP1KITR

\$229 ea

See full product range at: gamer.com.au

geiger™

Workshop Stools

Adjustable Hydraulic Stool

- Adjustable seat height 450-560 mm
- 4" swivel wheels (2 lockable)
- Max Weight capacity- 150Kg
- Wide HDPE double walled seat
- Bottom Organiser tray
- Metal Frame

Height Range: 450-560 mm
 Size: 540L x 390W x 560H mm
 Max. Load: 150 kg



STEEL FRAME →

New! **\$239**
 PN: GAHS

Workshop Stool

- 100 mm swivel casters, with 2 lockable
- Metal Frame
- Side trays
- Centre mounted pull out drawer

Size: 670L x 330D x 380H mm
 Max. Load: 130 kg



New!

\$169
 PN: GWS

PULL OUT DRAWER

Plastic Parts Trolley

- Rounded corners to protect walls and furniture
- Soft 4" PVC swivel wheels (2 lockable)
- Deep Pocket shelves
- Handles both ends

Capacity: 130 kg
 Size: 82 x 47 x 105cm

MADE FROM HDPE PLASTIC



\$269

See Heavy Duty Parts Trolleys page 12

PN: GT3SP

New!

ACCUD

Measuring Equipment

100 MM Mini Digital Caliper

- Made of stainless steel
- Meet DIN862

Range: 0-100 mm / 0-4"
 Resolution: 0.01 mm / 0.0005"



New!

SUPER COMPACT!

\$122

PN: AC-114-004-11

600 MM Dual Scale Steel Ruler

\$52

PN: AC-990-024-11

1000 MM Dual Scale Steel Ruler

\$69


PN: AC-990-040-11

Graduations:
 0.5, 1 mm,
 1/64", 1/32", 1/16"

DOUBLE SIDED

SATIN FINISH!

New!



HANG PANELS HORIZONTALLY OR VERTICALLY

3 Piece Step Drill Set

- TiN coated HSS
- Helical flute

Includes:

- 4-12 MM,
- 4-20 MM
- 4-32 MM



\$179
PN: G3SD

1 to 13 MM HSS Drill Set

Set includes drill bits from 1 to 13 mm in 0.5 mm increments.

**25
PIECE
SET**

**M2 HIGH-SPEED
STEEL**



\$99
PN: GDS25

115 Piece Hss Drill Set

115 Piece set includes:

- 29 Fractional Imperial Drill Bits from 1/16" (1.59 mm) to 1/2" (12.7 mm)
- 60 ASME Standard Numbered Drill Bits from No.1 (5.79 mm) to No.60 (1.02 mm)
- 26 ASME Standard Lettered Drill Bits from A (5.94 mm) to Z (10.49 mm)



\$179
PN: GDS115

Letter Stamp Sets

27 piece set includes A~Z plus "&" character Made from CRV (6150).

10 mm Stamp Set

\$110

PN: GYC601-10

12 mm Stamp Set

\$136

PN: GYC601-12



Number Stamp Sets

9 piece set includes 0 to 8 (6 is used as 9) Made from CRV (6150).



3 mm Stamp Set
PN: GYC602-3

\$28

4 mm Stamp Set
PN: GYC602-4

\$30

5 mm Stamp Set
PN: GYC602-5

\$34

6 mm Stamp Set
PN: GYC602-6

\$40

8 mm Stamp Set
PN: GYC602-8

\$49

10 mm Stamp Set
PN: GYC602-10

\$59

12 mm Stamp Set
PN: GYC602-12

\$82

Alphanumeric Stamp Sets

36 piece set includes 27 "A" to "Z", "&", and 9 Piece 0~8 (6 is used as 9) Hardness: HRC 58-62°



3 mm Stamp Set
PN: GYC607-3

\$57

4 mm Stamp Set
PN: GYC607-4

\$67

5 mm Stamp Set
PN: GYC607-5

\$79

6 mm Stamp Set
PN: GYC607-6

\$99

8 mm Stamp Set
PN: GYC607-8

\$159

Single Line Alphanumeric Stamp Sets

Made from S55C High carbon steel, HRC 58-60°. 100 Piece set includes: 9 Character Type Holder, hex wrench, A-Z, 0-9, &, /, - and blank space.



3 mm Stamp Set

\$499

PN: GYC610-3

6 mm Stamp Set

\$659

PN: GYC610-6

Soluble Cutting Oil

Contains emulsifiers and bactericides specifically formulated to provide excellent stability and rust prevention characteristics in hard water up to 400 ppm (expressed as calcium carbonate). Mix between 5% to 10% with clean tap water.

1 Litre

\$32

PN: SOLOIL1

5 Litres

\$116

PN: SOLOIL5

20 Litres

\$399

PN: SOLOIL20



Screw Extractor Set

5 piece set is suitable for extracting screws or bolts from 4M to M20.

\$19

PN: GSES



Metric 18 Piece Tap & Drill Set

18 piece set includes precision ground tap drill and thread taps for M2.5, M3, M3.5, M4, M5, M6, M8, M10 & M12 internal threads.

\$99

PN: GTDS



Centre Drill Set

5 Piece set includes sizes:

- 1# Dia: 3.15 MM / 1.16 MM
- 2# Dia: 4.7 MM / 2 MM
- 3# Dia: 6.3 MM / 2.95 MM
- 4# Dia: 4.9 MM / 3.2 MM
- 5# Dia: 11 MM / 4.85 MM

\$24

PN: GCDS



Lathe Tool Set

12 mm Centre Height 9 Piece includes with replaceable tips and Case.

**HOT
PRICE!**

\$299

PN: JI12



Precision Keyless Chucks

Especially suited to CNC machining centre and milling machine use



Keyless 13 MM Drill Chuck

Accuracy: 0.05 / 50 mm
Length: 105.3 mm (closed)
Mount: JT6

\$189

PN: VKD102

Keyless 3-16 MM Drill Chuck

Accuracy: 0.05 / 50 mm
Length: 110.3 mm (closed)
Mount: JT6

\$199

PN: VKD104

Keyless Chuck Spanners

13 mm PN: VKD102SPANNER


16 mm PN: VKD104SPANNER



\$22 ea

Round Vice

- Reversible mount for smaller bar diameters.
- Mount horizontally or vertically




Capacity: 10-80 mm round
Base: 230 x 161 mm (Hor.)
Base: 161 x 135 mm (Vert.)
Jaw width: 100 mm

\$349
PN: GVSR

Cross Vices

- Gibbed slide ways for slack adjustment
- Travel locks for repetitive work



100 MM Cross Vice

Base: 223 x 130 mm
Overall height: 133 mm
Jaw Size: 103 x 34 mm

\$139
PN: TV144-4

150 MM Cross Vice

Base: 280 x 160 mm
Overall height: 160 mm
Jaw Size: 154 x 44 mm

\$239
PN: TV144-6

Drill Chuck Arbors

MT2 x JT6 Arbor **\$23**
PN: DCAMT2J6
MT3 x JT6 Arbor **\$30**
PN: DCAMT3J6
MT2 x J3 Arbor **\$23**
PN: DCAMT2J3
MT3 x B16 Arbor **\$30**
PN: DCAMT3B16

MADE IN TAIWAN.



Other sizes available.

End Mill Chamfers



3-25 MM End Mill Chamfer

Insert: TCMT16T3
Shank dia.: 12 mm
Length: 110 mm
Dia.: 25 mm


\$178
PN: TC12

20-36 MM End Mill Chamfer

Insert: TCMT16T3
Shank dia.: 12 mm
Length: 100 mm
Dia.: 40 mm

\$188
PN: TC40

Drill Press Vices



100 MM Drill Press Vice

Base: 177 x 161 mm
Jaw Size: 101 x 23 mm
Jaw opening: 100 mm

\$49
PN: TV102-4

150 MM Drill Press Vice

Base: 238 x 210 mm
Jaw Size: 150 x 28 mm
Jaw opening: 150 mm

\$89
PN: TV102-6

200 MM Drill Press Vice

Base: 348 x 287 mm
Jaw Size: 200 x 46 mm
Jaw opening: 200 mm

\$359
PN: TV122-8

Precision Drill Press Vices

- Hardened prismatic jaws
- Removable pin handle for extra torque



100 MM Drill Vice

Jaw Face: 103 x 32 mm
Jaw opening: 80 mm

\$259
PN: GS101-4

125 MM Drill Vice

Jaw Face: 130 x 38 mm
Jaw opening: 110 mm

\$339
PN: GS101-5

150 MM Drill Vice

Jaw Face: 155 x 38 mm
Jaw opening: 130 mm

\$389
PN: GS101-6

Mechanics Creeper

Size: 1005 x 470 x 135 mm
Wheel Size: 75 x 25 mm

- Steel reinforced caster mounts
- Integrated side trays

STEEL REINFORCED CASTER MOUNTS



150 kg Load Rating

\$179
PN: GCR40

Metal Working Bench Vises

- Integrated anvil & pipe jaws
- Lockable 360° Swivel base

HEAVY DUTY CAST STEEL!



150 MM Bench Vice

Jaw face: 155 x 85 mm
Jaw opening: 150 mm
Weight: 14 kg

\$349
PN: GBV6

200 MM Bench Vice

Jaw face: 205 x 85 mm
Jaw opening: 200 mm
Weight: 18 kg

\$449
PN: GBV8

JETON[®] Nozzle Kits

Made from POM plastic and is ideal for use with all petroleum solvents, lubricants and brake fluids.


Is not electrically conductive and compatible with EDM.

Hose Assembly Pliers



1/4" PN: CS26171
3/8" PN: CS26176
1/2" PN: CS26172

\$99 ea



1/4" Assorted Nozzle Kit

Includes 300 mm of 1/4" hose segments, 1/16", 1/8", 1/4" Nozzles, 1/4" & 1/8" Male threaded PT Connectors

\$35
PN: CS82020

1/2" Assorted Nozzle Kit

Includes 300 mm of 1/2" hose segments, 1/4", 3/8" & 1/2" Nozzles, 3/8" & 1/2" Male threaded PT Connectors

\$53
PN: CS84040

Magnetic Base Kit with 25 MM Flare Nozzle

Includes Twenty 1/4" Segments, 1" Flare Nozzle, one 1/4" Male PT connector with Valve

\$63
PN: CS88105

3/8" Nozzle Kit


Includes 300 mm of 3/8" hose segments, 3/8" Round Nozzle & 3/8" Male PT Connector

\$45
PN: CS83030





Dual Scale Vernier Calipers



Graduation: 0.02 mm / 01"
Accuracy: ±0.03/01"

150 mm Dual Scale Vernier Caliper

PN: AC-120-006-12
\$83

200 mm Dual Scale Vernier Caliper

PN: AC-120-008-12
\$116

300 mm Dual Scale Vernier Caliper

PN: AC-120-012-12
\$188

Metric Dial Calipers



150 mm Metric Dial Caliper

Graduation: 0.02 mm
Accuracy: ±0.03 mm

PN: AC-101-006-11
\$157

200 mm Metric Dial Caliper

Graduation: 0.02 mm
Accuracy: ±0.03 mm


PN: AC-101-008-11
\$188

300 mm Metric Dial Caliper

Graduation: 0.02 mm
Accuracy: ±0.04 mm

PN: AC-101-012-11
\$293


150 mm Digital Plastic Caliper



Resolution: 0.01 mm / 005"
Accuracy: ±0.1 mm

PN: AC-117-006-11
\$49

Dual Scale Digital Calipers



USB DATA OUTPUT

Resolution: 0.01 mm
Accuracy: ±0.03 mm

150 mm Dual Scale Digital Caliper

PN: AC-111-006-12
\$104


200 mm Dual Scale Digital Caliper

PN: AC-111-008-12
\$157

300 mm Dual Scale Digital Caliper

PN: AC-111-012-12
\$231

Splash Proof IP54 Dual Scale Digital Calipers



Resolution: 0.01 mm / 005"
Accuracy: ±0.03 mm / 01"

USB DATA OUTPUT

- Highly accurate glass scale
- USB data output

150 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-006-11
\$136


200 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-008-11
\$184

300 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-012-11
\$262

Fractional Imperial & Metric Digital Calipers



Resolution: 0.01 mm, 05", 1/128"
Accuracy: ±0.03 mm

- IP54 splash proof
- Auto On/Off

150 mm Fractional Imperial Digital Caliper

PN: AC-113-006-11
\$146


200 mm Fractional Imperial Digital Caliper

PN: AC-113-008-11
\$198

300 mm Fractional Imperial Digital Caliper

PN: AC-113-012-11
\$286

Coolant Proof IP67 Dual Scale Digital Calipers



Includes one:

Engineering Reference Handbook

FREE!

150 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ±0.03 mm / 01"

PN: AC-112-006-12
\$272

200 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ±0.03 mm / 01"


PN: AC-112-008-12
\$352

300 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ±0.03 mm / 01"

PN: AC-112-012-12
\$619

Dual Scale Long Series Digital Calipers



USB DATA OUTPUT

- Functions: zero point, mm/inch, ABS, data preset
- Measures: Inside, Outside
- USB data output

600 mm Dual Scale Digital Caliper

Range: Outside 0-620 mm / 0-24.5"
Inside 20-600 mm / 0-24"
Resolution: 0.01 mm / 05"
Accuracy: ±0.05 mm / 02"
Jaw Reach: 100 mm


PN: AC-118-024-11
\$657

1000 mm Dual Scale Digital Caliper

Range: Outside 0-1020 mm / 0-40.2"
Inside 20-1000 mm / 0-40"
Resolution: 0.01 mm / 05"
Accuracy: ±0.08 mm / 03"
Jaw Reach: 150 mm

PN: AC-118-040-11
\$1,259

Dual Scale Vernier Calipers



- Fine Adjustment
- Made of stainless steel
- Stain chrome reading surface

600 mm Dual Scale Vernier Caliper

Graduation: 0.02 mm / 01"
Accuracy: ±0.05 mm

PN: AC-127-024-11
\$419

1000 mm Dual Scale Vernier Caliper

Graduation: 0.02 mm / 01"
Accuracy: ±0.08 mm

PN: AC-127-040-11
\$1,182

2000 mm Dual Scale Vernier Caliper

Graduation: 0.02 mm / 01"
Accuracy: ±0.14 mm

PN: AC-127-080-11
\$3,620

Dial Indicators

10 mm Jeweled Bearing Dial Indicator

Graduations: 0.01 mm
Accuracy: 20 µm

- Jeweled Bearing
- Limit hands
- Lug back



PN: AC-222-010-11

\$90

25mm Dial Indicator

Graduations: 0.01 mm
Accuracy: 20 µm

PN: AC-229-025-11

\$122

1" Dial Indicator

Graduation: 0.1"
Accuracy: 20 µm

PN: AC-225-025-11

\$90

25 MM Dual Scale Digital Indicator

Resolution: 0.01 mm / 0.05"
Accuracy: 20 µm

- Functions: zero point, Invert measuring, inch/mm direction, data preset, ABS
- USB data output
- Supplied with flat & lug back



PN: AC-212-025-13

\$209

Indicator Point Extensions



Metric Indicator Point Extensions

Thread: M2.5x0.45 mm

25 mm - PN: AC-270-000-04

\$21

50 mm - PN: AC-270-000-09

\$21

75 mm - PN: AC-270-000-14

\$26

100 mm - PN: AC-270-000-17

\$26

IMPERIAL SIZES AVAILABLE

Caliper Attachments



75 mm Base

Beam Width: 16 mm

PN: AC-179-000-00

\$39

100 mm Base

Beam Width: 16 mm

PN: AC-179-000-01

\$79

Caliper Point Extension Kit

Measure slotted, stepped or grooved surfaces in hard to access spaces with four different point configurations. Max Jaw Thickness: 4 mm Probe length: 20 mm



PN: GCAK

\$51



Caliper not included.

Dial Indicator & Magnetic Stand Kits

10 mm Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: Ø4 mm, Ø8 mm, 3/8"
Magnetic Force: 60 kgf
Graduation: 0.01 mm
Accuracy: ±20 µm

PN: AC-280-000-02

\$176

1" Inch Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: Ø4 mm, Ø8 mm, 3/8"
Magnetic Force: 60 kgf
Graduation: 0.001"
Accuracy: ±20 µm

PN: AC-280-001-02

\$176



- Supplied in Aluminium Case

Universal Magnetic Stands

Fine Adjustment Magnetic Stand

Stem holes: 8 mm
Magnetic Force: 60 kgf



PN: AC-281-060-01

\$83

Magnetic Stand

Stem holes: 8 mm
Magnetic Force: 60 kgf



PN: AC-281-060-02

\$77

Mini Universal Magnetic Stand

Magnetic Force: 40 kgf
Stem holes: 8 mm
Height: 231 mm
Arm length: 192 mm



PN: AC-286-040-01

\$194

Universal Magnetic Stand

Stem hole: 8 mm
Height: 395 mm
Arm Lengths: 340 mm
Magnetic Force: 80 kgf



PN: AC-282-080-02

\$219

Indicator Centering Mount

Mounts Indicator to chuck to indicate alignment between chuck and cylinders or holes.

PN: AC-269-060-01

\$44



Dial Test Indicator

- Anti-magnetic metal body
- Jeweled bearing
- Carbide stylus
- Includes 4 & 8 mm clamps

Range: 0.8 mm
Graduation: 0.01 mm
Accuracy: ±13 µm

PN: AC-261-008-11

\$132



Dial Indicators

- 1 mm range per revolution
- Lug and flat back

30 mm Dial Indicator

Graduations: 0.01 mm
Accuracy: ±35 µm

PN: AC-229-030-11

\$143

50 mm Dial Indicator

Graduations: 0.01 mm
Accuracy: ±35 µm

PN: AC-229-050-21

\$314

2" Imperial Dial Indicator

Graduations: 0.01 mm
Accuracy: ±35 µm

PN: AC-225-050-11

\$143



Dial Bore Gauges

18-35 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.015 mm

PN: AC-251-035-11

\$249

35-60 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.018 mm

PN: AC-251-060-11

\$249

50-160 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.018 mm

PN: AC-251-160-11

\$249

2-6" Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.0071"

PN: AC-252-060-11

\$272



18-160 mm Dial Bore Gauge Set

Range: 18-160mm
Indicating range: 10 mm
Graduations: 0.01 mm
Accuracy:
18-35mm / ±0.015 mm
35-60mm / ±0.018 mm
50-160mm / ±0.018 mm

PN: AC-251-346-13

\$734





Wide Base Machinist Squares (Grade 2)

100 mm Wide Base Machinist Square

Squareness: (α) 28 μm (β) 30 μm
Base size: 19H x 12W x 70L mm
Blade Thickness: 3 mm

PN: AC-845-004-02

\$39

150 mm Wide Base Machinist Square

Squareness: (α) 33 (β) 35 μm
Base size: 25H x 16W x 100L mm
Blade Thickness: 3 mm

PN: AC-845-006-02

\$53

200 mm Wide Base Machinist Square

Squareness: (α) 37 μm (β) 40 μm
Base size: 32H x 16W x 130L mm
Blade Thickness: 4 mm

PN: AC-845-008-02

\$66

300 mm Wide Base Machinist Square

Squareness: (α) 47 μm (β) 50 μm
Base size: 32H x 19W x 200L mm
Blade Thickness: 4 mm

PN: AC-845-012-02

\$99



600 mm Wide Base Machinist Square

Squareness: (α) 75 μm (β) 80 μm
Base size: 50H x 30W x 350L mm
Blade Thickness: 6 mm

PN: AC-845-024-02

\$374

Thread Gauge Sets



Metric & Whitworth Thread Gauge

Metric 60° Range: 0.25-6.0 mm
Whitworth 55° Range: 4-62 TPI

PN: AC-925-062-52

\$35

Metric Thread Gauge

Metric 60° Range: 0.25 - 6.0 mm

PN: AC-922-006-24

\$23

Whitworth Thread Gauge

Whitworth 55° Range: 4-42 TPI

PN: AC-924-042-30

\$26

Circumference Tape



60-950 mm Circumference Tape

Range: Dia. 20-300 mm / Cir. 60-950 mm
Graduation: 0.1 mm

PN: AC-956-012-11

\$41

940-2200 mm Circumference Tape

Range: Dia. 300-700 mm / Cir. 940-2200 mm
Graduation: 0.1 mm

PN: AC-956-028-11

\$58

2190-3460 mm Circumference Tape

Range: Dia. 700-1100 mm / Cir. 2190-3460 mm
Graduation: 0.1 mm

PN: AC-956-044-11

\$77

Dual Scale Stainless Rulers



150 mm Dual Scale Stainless Ruler

Graduation: 0.5 mm, 1 mm, 1/64", 1/32", 1/16"

PN: AC-990-006-11

\$12

600 mm Dual Scale Stainless Ruler

Graduation: 0.5 mm, 1 mm, 1/64", 1/32", 1/16"

PN: AC-990-024-11

\$52

300 mm Dual Scale Stainless Ruler

Graduation: 0.5 mm, 1 mm, 1/64", 1/32", 1/16"

PN: AC-990-012-11

\$20

1000 mm Dual Scale Stainless Ruler

Graduation: 0.5 mm, 1 mm, 1/64", 1/32", 1/16"

PN: AC-990-040-11

\$69

Straight Edge Rulers



300 mm Straight Edge Ruler

Graduations: 1 mm
Beam Width: 40 mm
Length: 300 mm

PN: AC-991-012-01

\$139

500 mm Straight Edge Ruler

Graduations: 1 mm
Beam Width: 40 mm
Length: 500 mm

PN: AC-991-020-01

\$215

1000 mm Straight Edge Ruler

Graduations: 1 mm
Beam Width: 50 mm
Length: 1000 mm

PN: AC-991-040-01

\$465

Radius Gauge Sets



• Includes concave & convex gauge for each size

1-7 mm Radius Gauge Set

Range: 1, 1.25, 1.5, 1.75, 2, 2.25, 2.5, 2.75, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7 mm

PN: AC-941-007-34

\$36

7.5-15 mm Radius Gauge Set

Range: 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14, 14.5, 15 mm

PN: AC-941-015-32

\$36

15.5-25 mm Radius Gauge Set

Range: 15.5, 16, 16.5, 17, 17.5, 18, 18.5, 19, 19.5, 20, 21, 22, 23, 24, 25 mm

PN: AC-941-025-30

\$36

Double Ended Scriber

• Nickel plated with Hardened tips
• Knurled handle
Length: 250 mm



PN: AC-995-009-01

\$17

Dividers & Calipers



200 mm Inside Spring Caliper

Range: 18-190 mm
Length: 200 mm

PN: AC-982-008-01

\$36



200 mm Spring Divider

Range: 0-190 mm
Length: 200 mm

PN: AC-985-008-01

\$36




200 mm Outside Spring Caliper

Range: 0-190 mm
Length: 200 mm

PN: AC-984-008-01

\$36



200 mm Dividing Caliper

Range: 0-190 mm
Length: 200 mm

PN: AC-986-008-01

\$36

300 mm Inside Spring Caliper

Range: 18-290 mm
Length: 300 mm

PN: AC-982-012-01

\$49

300 mm Spring Divider

Range: 0-290 mm
Length: 300 mm

PN: AC-985-012-01

\$49

300 mm Outside Spring Caliper

Range: 0-290 mm
Length: 300 mm

PN: AC-984-012-01

\$49

300 mm Dividing Caliper

Range: 0-290 mm
Length: 300 mm

PN: AC-986-012-01

\$49

500 mm Inside Spring Caliper

Range: 25-490 mm
Length: 500 mm

PN: AC-982-020-01

\$76

500 mm Spring Divider

Range: 0-490 mm
Length: 500 mm

PN: AC-985-020-01

\$76

500 mm Outside Spring Caliper

Range: 0-490 mm
Length: 500 mm

PN: AC-984-020-01

\$76

500 mm Dividing Caliper

Range: 0-490 mm
Length: 500 mm

PN: AC-986-020-01

\$65

Digital Level & Protractor

- Magnetic V-groove Base



Size: 150 mm x 60 mm x 33 mm
Accuracy : $\pm 0.1^\circ$ (at $0^\circ/90^\circ/180^\circ/270^\circ$)
 $\pm 0.2^\circ$ (other direction)

Resolution: 0.05°

PN: AC-722-360-01

\$210

Digital Protractor

- Functions: Zero point, ABS, Hold
- Level Vial



Range: 360°
Resolution: 0.05°
Accuracy: $\pm 0.15^\circ$
Length: 250 mm

PN: AC-726-360-01

\$199

Digital Level

- Magnetic base

Range: 0-360°
Resolution: 0.1°
Dimensions:
59 x 59 x 28 mm
Accuracy: $\pm 0.1^\circ$
 $\pm 0.2^\circ$ (other directions)



PN: AC-721-180-01

\$122

200 MM Frame Level

- Two vee & two flat reference faces



Sensibility:
0.02 mm / m per division
Size: 200 x 200 x 35 mm

PN: AC-711-008-02

\$363

600 MM Digital level

- Functions as level or protractor
- Back-light Display
- Absolute horizon memory
- Magnetic base

Units: Degrees, Slope %, mm/m & In/Ft Pitch.
Resolution: 0.1°



PN: AC-725-360-01

\$185

Block Levels



- 140° Vee Groove

Sensibility: 0.02 mm / m per division

150 mm Block Level

Size: 150 x 40 x 45 mm

PN: AC-713-006-02

\$310

200 mm Block Level

Size: 150 x 40 x 45 mm

PN: AC-713-008-02

\$349

300 mm Block Level

Size: 300 x 40 x 45 mm

PN: AC-713-012-02

\$388

Feeler Gauges



200 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm
Length: 200 mm

PN: AC-914-100-20

\$44

150 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm
Length: 150 mm

PN: AC-913-100-20

\$36

300 mm Feeler Gauge 20 Leave Set


Range: 0.05-1 mm
Length: 300 mm

PN: AC-915-100-20

\$50

Dual Scale Angled Feeler Gauge

Metric Range: 0.005 - 0.030 mm
Imperial Range: 0.127" - 0.762"
Blade Length: 100 mm



PN: AC-919-030-26

\$48

Feeler Tapes

Size: 13 mm x 5 m
Accuracy: $\pm 4 \mu\text{m}$



0.02 mm Feeler Tape

PN: AC-916-002-01

\$47

0.04 mm Feeler Tape

PN: AC-916-004-01

\$41

Combination Squares

Combination Square

90° or 45° square
90° square accuracy: $\pm 8'$,
45° square accuracy: $\pm 10'$

PN: AC-817-090-12

\$159



New!

Combination Square Set

Circle Centre Finder 90° or 45° square
Accuracy: $\pm 0.15 \text{ mm}$ 90° square accuracy: $\pm 8'$,
Ruler range: 300 mm / 12" 45° square accuracy: $\pm 10'$

Protractor
Range: 0-180°
Accuracy: $\pm 7'$

PN: AC-817-180-02

\$255



Marking Gauges

100 mm Centre Marking Gauge

Range: 4-90 mm \emptyset
Accuracy: $\pm 0.15 \text{ mm}$

PN: AC-993-004-01

\$122

150 mm Centre Marking Gauge

Range: 4-90 mm \emptyset
Accuracy: $\pm 0.15 \text{ mm}$

PN: AC-993-006-01

\$150



Angle Finders



150 mm / 180° Angle Finder

Length: 150 mm
Graduation: 1°
Accuracy: $\pm 0.3^\circ$

PN: AC-812-005-01

\$62

200 mm / 180° Angle Finder

Length: 200 mm
Graduation: 1°
Accuracy: $\pm 0.3^\circ$

PN: AC-812-006-01

\$84

300 mm / 180° Angle Finder

Length: 300 mm
Graduation: 1°
Accuracy: $\pm 0.3^\circ$

PN: AC-812-008-01

\$122

500 mm / 180° Angle Finder

Length: 500 mm
Graduation: 1°
Accuracy: $\pm 0.3^\circ$

PN: AC-812-012-01

\$183

Combination Rulers



200 mm Digital Combination Ruler

Length: 200 mm
Range: 360°
Resolution: 0.1°

PN: AC-821-008-01

\$104

300 mm Digital Combination Ruler

Length: 300 mm
Range: 360°
Resolution: 0.1°

PN: AC-821-012-01

\$122

Radius & Hole Gauges

Radius Gauge Set



Range: 0.5-13 mm
Accuracy: $\pm 0.05 \text{ mm}$
Increments: 0.5 mm

PN: AC-942-013-26

\$100

Small Hole Gauge Set

Range: 3-13 mm



PN: AC-952-004-01

\$59

Welding Gauges

Fillet Weld Gauge

Sizes: 3, 4, 5, 6, 8,
9, 10, 11, 12,
14, 16, 19,
22 & 25 mm
Accuracy:
0.5 mm

PN: AC-977-025-01

\$58



Welding Gauge

Range: 0-6 mm
Porosity Comparison
Range: 1.5 & 3 mm
Graduation: 0.5 mm
Accuracy: 0.5 mm

PN: AC-978-006-01

\$58





Moisture Meter

Temp. Range: -10-60 °C
Humidity Range: 0.1 °C RH
Moisture Range:
2-40/50/60/70%
(for wood samples)

PN: AC-WMM700
\$91



Concrete Moisture Meter

Range: 0-40%
Resolution: 0.5 %
Accuracy: ±2%

PN: AC-WMM900
\$459



200x Digital Wifi Microscope

- Capture pictures or video
- Measuring software & calibration rule included
- 8 LED Light array

Resolution: 2 Megapixel
Magnification: 10 - 200x
Interface: USB2.0 or Wifi



Connects to any Wifi enabled Laptop, Phone or Tablet.



PN: AC-WIFI200
\$480

Digital Sound Level Meter

- Fast & Slow display functions, Continuous & Min/Max functions
- Back-lit LCD
- Programmable Exceedance Alarm

Range: 30-130 db
Accuracy: 1.5 db
Resolution: 0.1 db
Weight: 64g

PN: AC-SLM130
\$122



Digital Anemometer

- Temperature & Wind Speed display
- Real-time/Max/Ave functions
- Back-lit LCD
- Unit: m/s, km/h, ft/min, Knots, mph

Range: 0.3-30m/s
Accuracy: ±5%
Resolution: 0.1m/s
Weight: 154g

PN: AC-AM30
\$122



Infrared Thermometer

- Functions: Min/Max. & Average Differential indication, High & Low Temp. Alarm & 100 Sample Point Memory
- Adjustable Emission Compensation
- Battery Power Indicator
- Mutable sample capture alarm
- Back-light LCD Display
- 1/4"-20 UNC Tripod Mount
- Laser Sight

Measuring range: -50 to 950 °C
Accuracy: 1.5% or 1.5 °
Distance spot ratio: 12:1

PN: AC-IT700
\$178



UPGRADED PERFORMANCE!
-50 to 950°C

Portable Hardness Tester

Resolution: 1 HLD, 1 HV, 1 HB, 0.1 HRC, 0.1 HRB, 1 HS, 1 MPa

Units: HV, HB, HRC, HRB, HS & tensile strength MPa

Accuracy: ±8 HLD / 0.8 HRC (HLD=800)
Min. sample weight: 5 kg (directly) / 2 kg (supported) / 0.1kg (coupled to plate)
Min. sample thickness: 5 mm
Min. sample diameter: 22 mm
Max. sample roughness: 1.61-Jm(Ra)
Power: 3 x AAA battery
Dimensions: 121 x 68 x 30 mm

PN: AC-HL350
\$835



Contact Tachometer

Rotary Range: 0.5-19,999 rpm
Linear Range: 0.05-1999.9 m/min
Power Supply: 2 x AAA
Weight: 106g

- Includes various coupling attachments

PN: AC-CT900
\$129



Laser Tachometer

Range: 2.5 - 99,999 RPM
Sampling Range: 50 - 500 mm
Power Supply: 2 x AAA
Weight: 106 g

Supplied with 45 cm of 3M™ Reflective Tape.

PN: AC-LT900
\$122



Coating Thickness Gauge

- Measure the thickness of non-magnetic coatings on magnetic objects.
- Integrated ferrous probe with V groove
- Single and continuous sampling modes
- Low, High & Average functions

Range: 0 - 1250 µm

PN: AC-CF1250
\$799



Roughness Tester

- Roughness value, profile & curve
- 100 samples Memory

Range: 160 µm
Resolution: (RA) 0.001 µm
Units: RA, Rz, Ry, Rq, Rp, Rm, Rt, R3z, Rmax, Sk, Sm & TP

PN: AC-SR200
\$2599



Laser Distance & Level Meter

- Functions: Distance, Area, Volume, Indirect distance, Maximum & Minimum Memory
- Laser Sight
- Built-in Spirit Level
- IP54 Protection Level
- Back-light LCD Display
- Battery Power Indicator
- 1/4"-20 UNC Tripod Mount

Measuring range: 0.1-100 m
Accuracy: 1.5 mm
Units: Metre/Inch/Foot
Light spot: Ø8 mm @ 40 m

Memory: 20 data points
Power supply: 2 x 1.5V AAA batteries
Weight: 110 g

100 METRE RANGE!

PN: AC-TM100
\$260



Dual Scale Digital Temperature & Humidity Monitor

- Measuring Unit °C/°F
- Records Max. & min. temperature & humidity
- Time, Date & Month display
- 12 or 24 hour display modes
- Daily alarm function
- Alternating display function

Temperature Range: Indoor: -10 - +50°C
Humidity Range: indoor 20% - 99%
Power supply: 1.5V (AAA size) x1
Size 96W mm x 105H mm

PN: AC-HTC-1
\$35



Window Tint Meter

- Accurate under all lighting conditions
- Roadworthy compliant
- Magnetised sensor heads
- Large LCD display
- Stored in durable plastic case

Max. Sample Thickness: 18 mm
Resolution: 0.1%
Power Source: 4 x AAA
Weight: 100g

ROADWORTHY COMPLIANT

PN: AC-WTM2000
\$499



HOT PRICE!

3 Piece Measuring Tool Set

150 mm Digital Caliper
Resolution: 0.01 mm
Accuracy: ±0.03 mm

25 mm Outside Micrometer
Graduation: 0.01 mm
Accuracy: 4µm

Beveled Square
Size: 100 x 70 mm
DIN875 grade 0
Squareness: 7µm



PN: AC-280-000-13
\$282

Micrometer Stand

Micrometer not included.



PN: AC-381-000-00
\$55

Metric Outside Micrometers



SIZES AVAILABLE UP TO 1000 mm

- Carbide measuring faces
- Setting standard included
- Ratchet stop

25 mm Outside Micrometer
Graduation: 0.01 mm
Accuracy: 4 µm
Jaw Reach: 29 mm
PN: AC-321-001-01
\$69

25-50 mm Outside Micrometer
Graduation: 0.01 mm
Accuracy: 4 µm
Jaw Reach: 39 mm
PN: AC-321-002-01
\$73

50-75 mm Outside Micrometer
Graduation: 0.01 mm
Accuracy: 5 µm
Jaw Reach: 53 mm
PN: AC-321-003-01
\$83

75-100 mm Outside Micrometer
Graduation: 0.01 mm
Accuracy: 5 µm
Jaw Reach: 65 mm
PN: AC-321-004-01
\$94

100-25 mm Outside Micrometer
Graduation: 0.01 mm
Accuracy: 6 µm
Jaw Reach: 65 mm
PN: AC-321-005-01
\$122

Tubular Inside Micrometer Sets



- Carbide measuring faces

50-300 mm Metric Tubular Inside Micrometer Set
Head Range: 13 mm
Graduation: 0.01 mm
PN: AC-352-012-01
\$418

50-600 mm Metric Tubular Inside Micrometer Set
Head Range: 13 mm
Graduation: 0.01 mm
PN: AC-352-024-01
\$499

Telescopic Gauge Set

Handle lengths: 115-137 mm
Gauge sizes: 8-12.7 mm, 12.7-19 mm, 19-32 mm, 32-54 mm, 54-90 mm & 90-150 mm



PN: AC-951-006-01
\$83

1/4" Centering Indicator

- For quick and accurate centering in boring and milling set-up
- Jeweled bearing
- Includes with 7 probes



Range: 0-3mm
Graduation: 0.01 mm
Size: 150 x 60 x 33 mm

PN: AC-297-003-11
\$326

300 MM Dual Scale Digital Output Height Gauge

Range: 0-300 mm/0-12"
Resolution: 0.01 mm/0.0005"
Accuracy: ±0.04 mm
Beam Width: 23 mm
External Jaw Reach: 80 mm
Length: 470 mm



PN: AC-181-012-11
\$524

Imperial Outside Micrometers



SIZES AVAILABLE UP TO 40"

- Carbide measuring faces
- Setting standard included
- Ratchet stop

1" mm Outside Micrometer
Graduation: 0.0001"
Accuracy: ±0.00015"
Jaw Reach: 29 mm
PN: AC-324-001-01
\$79

1-2" mm Outside Micrometer
Graduation: 0.0001"
Accuracy: ±0.00015"
Jaw Reach: 39 mm
PN: AC-324-002-01
\$87

2-3" mm Outside Micrometer
Graduation: 0.0001"
Accuracy: ±0.0002"
Jaw Reach: 53 mm
PN: AC-324-003-01
\$100

3-4" Outside Micrometer
Graduation: 0.0001"
Accuracy: ±0.0002"
Jaw Reach: 53 mm
PN: AC-324-004-01
\$104

4-5" Outside Micrometer
Graduation: 0.0001"
Accuracy: ±0.00025"
Jaw Reach: 65 mm
PN: AC-324-005-01
\$135

Micrometer Sets

- Supplied with Calibration certificate



75 mm Micrometer 3 Piece Set
Set of 3 Micrometers
Range: 0-75 mm
Graduation: 0.01 mm
Accuracy: 5 µm
PN: AC-321-003-03
\$209

100 mm Micrometer 4 Piece Set
Set of 4 Micrometers
Range: 0-100 mm
Graduation: 0.01 mm
Accuracy: ± 4-5 µm
PN: AC-321-004-04
\$356

150 mm Micrometer 6 Piece Set
Set of 6 Micrometers
Range: 0-150 mm
Graduation: 0.01 mm
Accuracy: ± 4-6 µm
PN: AC-321-006-06
\$587

150-300 mm Micrometer 6 Piece Set
Set of 6 Micrometers
Range: 150-300 mm
Graduation: 0.01 mm
Accuracy: ± 4-6 µm
PN: AC-321-012-06
\$1045

300 mm Micrometer 12 Piece Set
Set of 12 Micrometers
Range: 0-300 mm
Graduation: 0.01 mm
Accuracy: ± 4-6 µm
PN: AC-321-012-12
\$1549

Depth Caliper & Micrometers

25 mm Digital Depth Caliper
• USB data output

Resolution: 0.01 mm
Accuracy: ±0.03 mm

PN: AC-176-001-11
\$143



0-150 mm Micrometer with Captive Anvils
PN: AC-392-006-01
\$453

0-300 mm Micrometer with Captive Anvils
Accuracy: ±3 µm
Base size: 101.5 x 17 mm

PN: AC-392-012-01
\$710




200 mm Digital Depth Caliper
PN: AC-171-008-11
\$187

300 mm Digital Depth Caliper
PN: AC-171-012-11
\$414

500 mm Digital Depth Caliper
PN: AC-171-020-11
\$713

Resolution: 0.01 mm
Accuracy: ±0.03 mm



Coolant Proof Digital Micrometers



- Functions: mm/inch, Origin, zero point, ABS, Hold
- IP65 protection level
- Carbide measuring faces
- Ratchet stop.


25 mm Coolant Proof IP65 Dual Scale Digital Micrometer
Graduation: 01 mm
Accuracy: 3 µm
Jaw Reach: 25 mm
PN: AC-313-001-02
\$262

25-50 mm Coolant Proof IP65 Dual Scale Digital Micrometer
Graduation: 01 mm
Accuracy: 3 µm
Jaw Reach: 32 mm
PN: AC-313-002-02
\$314



1/4" Shank Double-Cut Carbide Burrs

Standard & Non-ferrous 1/4" Shank Carbide Burrs are available in three head diameters.



Stainless Carbide Burrs also available.

Oval Burrs

Size	Length	PN	Price
1	2"	CBSE1	\$42
3	2 3/8"	CBSE3	\$62
5	2 5/8"	CBSE5	\$83

Radiused Tree Burrs

Size	Length	PN	Price
1	2"	CBSF1	\$42
3	2 1/2"	CBSF3	\$62
5	2 3/4"	CBSF5	\$83

Pointed Tree Burrs

Size	Length	PN	Price
1	2"	CBSG1	\$42
3	2 1/2"	CBSG3	\$62
5	2 3/4"	CBSG5	\$83

Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSA1	\$42
3	2 1/2"	CBSA3	\$62
5	2 3/4"	CBSA5	\$83

End Cut Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSB1	\$42
3	2 1/2"	CBSB3	\$62
5	2 3/4"	CBSB5	\$83

Radiused Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSC1	\$42
3	2 1/2"	CBSC3	\$62
5	2 3/4"	CBSC5	\$83

Ball Burrs

Size	Length	PN	Price
1	2"	CBSD1	\$42
3	2 1/8"	CBSD3	\$62
5	2 1/4"	CBSD5	\$83

Flame Burrs

Size	Length	PN	Price
1	2 3/4"	CBSH1	\$42
3	2 1/2"	CBSH3	\$62
5	3"	CBSH5	\$83

Radiused Cone Burrs

Size	Length	PN	Price
1	2"	CBSL1	\$42
3	3"	CBSL3	\$62
5	3"	CBSL4	\$83

Cone Burrs

Size	Length	PN	Price
1	1 7/8"	CBSM1	\$42
3	2 1/2"	CBSM4	\$62
5	2 3/4"	CBSM5	\$83

Inverted Cone Burrs

Size	Length	PN	Price
1	2"	CBSN1	\$42
3	2 1/8"	CBSN3	\$62
5	2 1/4"	CBSN5	\$83

60° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSJ1	\$42
3	2 1/4"	CBSJ3	\$62
5	2 3/8"	CBSJ5	\$83

90° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSK1	\$42
3	2 1/8"	CBSK3	\$62
5	2 1/8"	CBSK5	\$83

1/4" Extended Carbide Burrs

6" Extended Size 3 Double-Cut Burrs

Shape	PN	Price
Cylinder	CBSA3L6	\$98
End Cut Cylinder	CBSB3L6	\$98
Radiused Cylinder	CBSC3L6	\$98
Ball	CBSD3L6	\$98
Oval	CBSE3L6	\$98
Radiused Tree	CBSF3L6	\$98
Pointed Tree	CBSG3L6	\$98
Radiused Cone	CBSL3L6	\$98

6" Extended Size 3 Non-ferrous Burrs

Shape	PN	Price
Radiused Cylinder	CBSC3L6NF	\$98
Ball	CBSD3L6NF	\$98
Oval	CBSE3L6NF	\$98
Radiused Tree	CBSF3L6NF	\$98
Flame	CBSH3L6NF	\$98

Carbide Burr Sets

1/8" Head Carbide Burr 10 Piece Set

Shank Dia: 1/8"



\$194

PN: CBSET10

3/8" Head Carbide Burr 3 Piece Set

Shank Dia: 1/4"



\$154

PN: CBSET3

1/4" & 3/8" Head Burr 8 Piece Set

Shank Dia: 1/4"



\$320

PN: CBSET8

1/2" Head Carbide Burr 5 Piece Set

Shank Dia: 1/4"



\$348

PN: CBSET5

3/8" Head Non-ferrous Burr 3 Piece Set

Shank Dia: 1/4"



\$183

PN: CBSET3NF

3/8" Head Stainless Burr 3 Piece Set

Shank Dia: 1/4"




\$198


PN: CBSET3INOX


Bolt Removal Kits


Morrisflex Bolt Removal Kits efficiently extract bolts without damaging threads and promote a safe and clean removal every time. Combined these kits with a straight or angle die grinder and reduce the need for parts to be removed from confined spaces before extraction.

The simple 4 step process involves:

- 

1. Flatten the surface of the broken bolt or stud with Leveling Burr.
- 

2. Form a countersink at the centre-point of the bolt with the Countersink Burr.
- 

3. Drill into the stud with the left handed drill bit.
- 

4. Tap the extraction tool into the hole and rotate to remove.

Each kit includes:

- Leveling Burr
- Countersink Burr
- Left Handed Drill Bit
- Extracting Bit



Size	PN	Price
M6	CBSETBRM6	\$99
M8	CBSETBRM8	\$105
M10	CBSETBRM10	\$122
M12	CBSETBRM12	\$132
M14	CBSETBRM14	\$165

morrisflex

NG6 NEXT GENERATION ACCELERATOR



Patent pending geometry and **ACCELERATOR** Coating has shown up to double the rate of stock removal over conventional burs.*

3/8" Head NG6 Coated Carbide Burr Set

Shank Dia: 1/4"



\$199

PN: CBSET3NG6C

1/4" & 3/8" Head NG6 Coated Carbide Burr Set

Shank Dia: 1/4"



\$399

PN: CBSET8NG6C

* NG6 Coated Burs should be operated at a minimum of 30,000 RPM.

1/4" Shank Non-ferrous Carbide Burs

Cylinder Burs

Size	Length	PN	Price
1	2"	CBSA1NF	\$62
3	2 1/2"	CBSA3NF	\$79
5	2 3/4"	CBSA5NF	\$98

Radiused Cone Burs

Size	Length	PN	Price
1	2"	CBSL1NF	\$62
3	3"	CBSL3NF	\$79
5	3"	CBSL4NF	\$98

Radiused Cylinder Burs

Size	Length	PN	Price
1	2"	CBSC1NF	\$62
3	2 1/2"	CBSC3NF	\$79
5	2 3/4"	CBSC5NF	\$98

Cone Burs

Size	Length	PN	Price
3	2 1/2"	CBSM4NF	\$98

Ball Burs

Size	Length	PN	Price
1	2"	CBSD1NF	\$62
3	2 1/8"	CBSD3NF	\$79
5	2 1/4"	CBSD5NF	\$98

Pointed Tree Burs

Size	Length	PN	Price
1	2"	CBSG1NF	\$62
3	2 1/2"	CBSG3NF	\$79
5	2 3/4"	CBSG5NF	\$98

Oval Burs

Size	Length	PN	Price
1	2"	CBSE1NF	\$62
3	2 3/8"	CBSE3NF	\$79
5	2 5/8"	CBSE5NF	\$98

Radiused Tree Burs

Size	Length	PN	Price
1	2"	CBSF1NF	\$62
3	2 1/4"	CBSF3NF	\$79
5	2 3/8"	CBSF5NF	\$98


1/8" Carbide Burs

1/8" Shank Carbide Burs are available in the following head diameters:

New!

Size 00 3/32" Head


Size 0 1/8" Head



Shape	Size	PN	Price
Cylinder	0	GBSA43	\$26
Cylinder	00	GBSA42	\$26
Radiused Cylinder	0	CBSC41	\$26
Radiused Cylinder	00	CBSC42	\$26
Ball	0	CBSD42	\$26
Oval	0	CBSE41	\$26
Radiused Tree	0	CBSF42	\$26
Pointed Tree	0	CBSG43	\$26
Radiused Cone	0	CBSL42	\$26
Cone Burr	0	CBSM42	\$26

Carbide Burr Operating Guide

These are recommended speeds for **Standard Length Burs** with no more than a 1/2" overhang from the die-grinder collet. **NG6 Coated Burs** should be operated at a minimum of 30K. **Extended Burs** are generally subject to much lower maximum safe speeds.



HB-Series Storage Bins

Geiger Small Short Bin

Size: 105W x 137D x 76H mm



\$4.90 ea

- PN: HB210B
- PN: HB210R

Geiger Small Bin

Size: 105W x 187D x 76H mm



\$5.30 ea

- PN: HB220B
- PN: HB220R

Geiger Medium Bin

Size: 140W x 276D x 127H mm



\$11.60 ea

- PN: HB230B
- PN: HB230R

Geiger Large Short Bin

Size: 210W x 273D x 178H mm



\$18.90 ea

- PN: HB239B
- PN: HB239R

Geiger Medium Duplex Bin

- Includes duplex divider

Size: 279W x 276D x 127H mm



\$17.50 ea

- PN: HB235B
- PN: HB235R

Geiger Large Duplex Bin

- Includes duplex divider

Size: 420W x 375D x 178H mm



\$29 ea

- PN: HB250B
- PN: HB250R

Mobile Hb Storage Cart

Make your HB bins mobile with this hanging display unit with caster wheels (2 with brakes). This is an excellent time and space saver for any workshop.



HB Bins are easily detached from the storage cart, making it easy to take only what you need to the work area, while keeping items organized.

Includes Heavy Duty Galvanized Steel Cart with 72 x HB220 and 32 x HB230 bins, in combination of ● Blue or ● Red.
Overall Size: 740W x 560D x 1460H mm



\$1199

PN: MS20020K

60 Drawer HD Series Steel Parts Cabinet

The 60 drawer NHD560 takes up to 600 kg total weight and up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The window front makes it easy to identify the contents.
Size: 880W x 400D x 1725H mm



The HD drawers are designed to be fully opened and not fall out, even at the 10 kg maximum weight limit and feature transparent windows for easy parts identification.



Each drawer comes with 2 movable dividers and is acid and oil resistant.
Drawer size: 140W x 370D x 100H mm



\$1695

PN: NHD560

Heavy Duty Parts Trolleys

Heavy Duty Parts Trolley

Two fixed casters and two with brakes, make this unit very safe and easy to maneuver.

Takes up to 100 kg per shelf, max total weight 200 kg per unit.

Size: 500W x 873D x 880H mm (including handle)

\$559

PN: CTH5086



Compact Heavy Duty Parts Trolley

3 Shelves, 1.6 mm steel uprights.
Size: 410W x 760D x 885H mm (including handle)



\$279

PN: GT3S

Heavy Duty Parts Trolley

3 Shelves, side container and drawer
1.6 mm steel uprights.
Size: 470W x 785D x 825H mm (including handle)



\$339

PN: GT3SD

Heavy Duty A-Series Parts Cabinets

A5



A5 Drawer Size: 163W x 289D x 69H mm

36 Drawer Parts Cabinet
Size: 586W x 290D x 937H mm
\$589
PN: A5336

24 Drawer Parts Cabinet
Size: 586W x 290D x 640H mm
\$459
PN: A5324

A6



A6 Drawer Size: 143W x 245D x 83H mm

30 Drawer Parts Cabinet
Size: 533W x 265D x 937H mm
\$535
PN: A6330H

12 Drawer Parts Cabinet
Size: 362W x 265D x 571H mm
\$299
PN: A6212H

A8



A8 Drawer Size: 90W x 218D x 70H mm

60 Drawer Parts Cabinet
Size: 586W x 222D x 937H mm
\$559
PN: A8560

32 Drawer Parts Cabinet
Size: 466W x 222D x 642H mm
\$339
PN: A8432

A7



A7 Drawer Size: 120W x 218D x 69H mm

48 Drawer Parts Cabinet
Size: 586W x 222D x 937H mm
\$479
PN: A7448

24 Drawer Parts Cabinet
Size: 444W x 222D x 642H mm
\$310
PN: A7324

ST2



ST2 Drawer Size: 120W x 210D x 55H mm

60 Drawer Parts Cabinet
Size: 586W x 222D x 937H mm
\$649
PN: ST2460

Size: 586W x 222D x 937H mm

OFFICE FILING DRAWERS

10 Drawer A4 Filing Cabinet

Size: 275W mm x 340D x 482H mm
Drawer Size: 230W x 325D x 38H mm

30 Drawer A4 Filing Cabinet

Size: 543W x 340D x 738H mm
Drawer Size: 230W x 325D x 38H mm

\$259
PN: A4110P

\$499
PN: A4230P



PIVOT DRAWERS

Pivot drawers slot together vertically or horizontally, to be safely mounted to walls or benches. Windowed drawers keep all your spare parts in plain sight with reduced exposure to dust, moisture or other contaminants.

Wall mountable Drawers

8 Compartment Pivot Drawer Set

Size: 300W x 200H x 67D mm



\$35
PN: FO308

6 Compartment Pivot Drawer Set

Size: 300W x 250H x 106D mm



\$35
PN: FO306

5 Compartment Pivot Drawer Set

Size: 600W x 150H x 123D mm



\$47
PN: FO605

4 Compartment Pivot Drawer Set

Size: 600W x 200H x 167D mm



\$62
PN: FO604

Mobile Sorting Carts

Keep all your spare parts easily accessible and in plain sight with Geiger Pivot drawers, featuring a sturdy pivoting mechanism and transparent windows.

Single Sided 46 Bin Pivot Drawer Cart

Includes
2 x FO308, 2 x FO306,
2 x FO605 & 2 x FO604,
46 bins in all

\$869
PN: MSFO4568

Double Sided 92 Bin Pivot Drawer Cart

Includes 4 x FO308, 4 x FO306,
4 x FO605 & 4 x FO604, 92 bins in all

\$1299
PN: MSFO4568X2

Cart Size: 690W x 560D x 1460H mm



UP TO 92 BINS OF STORAGE!

Foldable Crates

Stackable in both collapsed and extended configuration

Size: 535W x 360D x 280H mm
Collapsed Height: 50 mm

\$48
PN: FB5336B

SPACE SAVING COLLAPSIBLE DESIGN





Automotive Screw Kits

Japanese Sems Fine Hex Bolts

140 piece kit includes an assortment of M5x16, M5x20, M5x25, M6x16, M6x20, M6x25, M8x16, M8x20, M8x25 & M8x30 Japanese Automotive Fine Hex Sems screws.



\$47

PN: AAK01

Pan Compi (Sems) Machine Screws

180 piece kit includes an assortment of 8 types of Pan Compi Machine Screws, ranging from M3x25, M5x12, M5x16, M5x20, M5x25, M6x16, M6x20 & M6x25.



\$39

PN: AAK07

Japanese Sems Hex Bolts

50 piece kit includes an assortment of 8 types of Fine and Standard Course Japanese Automotive Hex Sems Screws ranging from M8x1.25x35 to M10x1.25x40.



\$51

PN: AAK02

DIN 912 Socket Head Cap Screws

120 piece kit includes an assortment of 10 types of DIN 912 (grade 12.9) Allen socket cap screws, ranging from M5x16 & M10x30.



\$44

PN: AAK17

Japanese Sems Hex Fender Screws

130 piece kit includes an assortment of 8 types of hex (sems) fender screws (JIS spec), ranging from No.8 (4.2 mm x 16) to No.14 (6.3 mm x 19).



\$46

PN: AAK03

DIN 916 Socket Head Grub Screws

300 piece kit includes an assortment of 8 types of DIN 916 (grade 10.9) Allen head grub screws, ranging from M4x10 & M6x16.



\$53

PN: AAK18

Mushroom Pozidrive Self Tapping Screws

200 piece kit includes an assortment of 8 types of Pozidrive Self Tapping Screws, ranging from M8 (4.2 mm x 19) to No.10 (4.8 mm x 30).



\$36

PN: AAK04

DIN 7991 C'sunk Socket Head Screws

160 piece kit includes an assortment of 10 types of DIN 7991 (grade 10.9) Allen socket countersunk screws, ranging from M4x12 to M10x30.



\$48

PN: AAK19

Automotive Electrical Kits

Spade, Flag, Butt & Bullet Connectors

110 piece kit includes an assortment of 19 types of spade, flag, butt & bullet connectors, in a variety of Blue Red & Yellow.



\$54

PN: AAK21

Mini Plug-in Blade & Ceramic Fuses

70 piece kit includes an assortment of 11 types of 5 AMP, 7.5 AMP, 8 AMP, 10 AMP, 15 AMP, 16 AMP, 20 AMP, 25 AMP & 30 AMP Ceramic and Mini Plug-In Blade Fuses.



\$50

PN: AAK27

Pre-Insulated Electrical Terminals

125 piece kit includes an assortment of 20 types of pre-insulated Round and Male Bullet electrical terminals, in a variety of Blue, Red, & Yellow.



\$54

PN: AAK22

Automotive Glass Tube & Blade Fuses

70 piece kit includes an assortment of 14 types of automotive glass tube & maxi-blade fuses.



\$44

PN: AAK28

Open End & Pin Electrical Terminals

105 piece kit includes an assortment of 19 types of open end & pin electrical terminals, in a variety of Blue, Red & Yellow.



\$54

PN: AAK23

Heat Shrink Tubing

171 piece kit includes tubing in standard colours & lengths of 30, 60, 90 mm & 1m, diameters between 2.0 & 10.0 mm, a thermal rating of -55 to 125°C, voltage rating up to 600V, a shrink ratio of 2:1 and compliances with RoHS, cRU, CSA.



\$37

PN: AAK33

Medium Blade Fuses

50 piece kit includes an assortment of 10 types of Medium Blade Fuses, ranging from 7.5 AMP, 10 AMP, 15 AMP, 20 AMP, 25 AMP, 35 AMP, 40 AMP Fuses.



\$39

PN: AAK24

Automotive Nut, Bolt & Stud Kits

Japanese Automotive Nuts

140 piece kit includes an assortment of 10 types of fine & course Japanese automotive nuts, ranging from M6x1.25 to M12x1.5.



\$38

PN: AAK06

Propshaft Bolts (Grade 10.9)

40 piece kit includes an assortment of 10 types of (Grade 10.9) propshaft bolts, ranging from M8x1x30 to M12x1.5x40.



\$72

PN: AAK25

Self Locking Nuts

100 piece kit includes an assortment of 9 types of Nyloc & All Metal Self Locking, in Extra Fine, Fine & Course, ranging from M6 to M12.



\$40

PN: AAK10

Durlock Flange Bolts & Flange Nuts

100 piece kit includes an assortment of 12 types of (Std Course Thread) DIN 6921 durlock flange Bolts & DIN 6923 flange nuts and bolts, ranging from M6x12 to M10x25.



\$64

PN: AAK26

Exhaust Manifold Studs & Nuts

80 piece kit includes an assortment of 8 types of exhaust manifold studs & nuts ranging from M8x1.25 to M10x1.5 Copper Nuts and M8x1.25x40 to M10x1.5x50 Studs.



\$76

PN: AAK11



Automotive Clip & Split Pin Kits

Speed Clips & Nuts

90 piece kit includes an assortment of 7 types of speed clips & nuts, ranging from (No. 10) 4.8 MM to (No.14) 6.3 MM Speed Clips and 5 & 6 MM Speed Nuts.



\$52
PN: AAK05

DIN 6799 Black Oxide E Clips

300 piece kit includes an assortment of 8 types of DIN 6799 black oxide e clips, ranging from M3, M4, M5, M6, M7, M8, M10 & M12.



\$41
PN: AAK20

DIN 94 Split Pins - Small Kit

300 piece kit includes an assortment of 9 types of DIN 94 split pins, ranging from 2 MM dia. x 25 MM to 5 MM dia. x 63 MM Split Pins.



\$41
PN: AAK08

Internal Circlips

120 piece kit includes an assortment of 16 types of internal circlips, ranging from M5 to M24.



\$44
PN: AAK29

DIN 94 Split Pins - Large Kit

500 piece kit includes an assortment of 10 types of DIN 94 split pins, ranging from 1.6 MM dia. x 32 MM to 5 MM dia. x 50 MM Split Pins.



\$61
PN: AAK09

External Circlips

120 piece kit includes an assortment of 16 types of external circlips, ranging from M5 to M24.



\$44
PN: AAK30

Automotive Grease Nipple Kits

Grease Nipples - Small Kit

50 piece kit includes an assortment of 8 types of grease nipples, ranging from GN10A 1/8 BSP, GN112 1/8 NPTx90°, GN12A 1/8 BSPx90°, GN13 1/4 SAE/UNF, GN30 M6x1x45°, GN26 M8x1.25, GN28 M8x1.25x90° & GN36 M8x1x45° Grease Nipples.



\$55
PN: AAK15

Grease Nipples - Large Kit

100 piece kit includes an assortment of 8 types of grease nipples ranging from GN10A 1/8 BSP, GN112 1/8 NPTx90°, GN12A 1/8 BSPx90°, GN13 1/4 SAE/UNF, GN30 M6x1x45°, GN26 M8x1.25, GN28 M8x1.25x90°, GN36 M8x1x45° Grease Nipples.



\$93
PN: AAK16

Automotive Washer Kits

DIN 7604A Soft Annealed Copper Washers

130 piece kit includes an assortment of 8 types of DIN 7604a Small Soft Annealed Copper Washers, ranging from M6 to M18.



\$58
PN: AAK12

Fibre Washers

250 piece kit includes an assortment of 8 types of Fibre Washers, ranging from M4 (4.3 x 9 x 0.8 MM) to M16 (16.1 x 22 x 0.8 MM).



\$50
PN: AAK13

DIN 6798 Internal & External Star Washers

300 piece kit includes an assortment of 10 types of DIN 6798 internal & external star washers, ranging from M5, M5, M6, M6, M8, M8, M10, M10, M12 & M12.



\$31
PN: AAK14

Automotive O-Ring Kits

Nitrile 70 Duro Shore A Imperial O-rings

225 piece kit includes an assortment of 18 types of nitrile 70 duro shore a imperial o-rings ranging from 3/32" ID x 1/16" (2.38 MM ID x 1.78 MM) to 13/16" ID x 5/32" (20.22 MM ID x 3.53 MM).



\$44
PN: AAK31

NBR-70 Standard Metric O-rings

386 piece kit includes an assortment of 30 types of NBR-70 standard metric o-rings ranging from 3.0 MM ID x 2.0 MM CS (R-01) to 44 MM ID x 4.0 MM CS (R-30).



\$70
PN: AAK32

Driver Kits

Pozidrive, Square & Magnetic Nut Setters

60 piece kit includes an assortment of 10 MM Magnetic Nut Setters, 3/8 Magnetic Nut Setters, No.1x25, No.3x25, No.3x50, No.2x25, No.2x50 Poz Bits, No.1x50 long Poz Bits, No.1x25, No.1x50, No.2x25, No.2x50 Square Drive Bits.



\$108
PN: HAK39

Washer Kits

Zinc plated Spring Washers

500 piece kit includes an assortment of 8 types of Zinc Plated Spring Washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



\$31
PN: HAK06

Heavy Duty Zinc Plated Flat Washers

500 piece kit includes an assortment of 8 types of heavy duty zinc plated flat washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



\$34
PN: HAK07

Rivet Kits

Aluminum Pop Rivets

300 piece kit includes an assortment of AS 40-10, AS 40-12, AS 48-10, AS 48-12, AS 48-15, AS 48-18 Aluminum Pop Rivets and AS 48-10 & AS 48-12 Aluminum White Pop Rivets.



\$34
PN: HAK15

Penny Washer Kits

Small Fender (Penny) Washers

300 piece kit includes an assortment of M3x12.5, M4x 16, M4x12.5, M5x 16, M5x25, M6x 19, M6x22 & M6x32 Zinc Plated Fender (Penny) Washers.



\$39
PN: HAK13

Alum. C'sunk & Large Flange Pop Rivets

200 piece kit includes an assortment of 32-10, 48-12, 48-15, 48-18 Countersunk Rivets and 40-12, 40-15, 48-10, 48-15 Large Flange Rivets.



\$31
PN: HAK16

Large Fender (Penny) Washers

150 piece kit includes an assortment of M6x25, M8x 19, M8x25, M8x32, M10x25, M10x30, M12x30, M12x40 Zinc Plated Fender (Penny) Washers.



\$31
PN: HAK14



Nut & Bolt Kits

Mild Steel Zinc Plated Nuts & Bolts

150 piece kit includes an assortment of 8 types of Mild Steel Zinc Plated M6 & M8 nuts & bolts, ranging from, M6x25, M6x16, M8x20, M8x25, M8x30 & M8x40.



\$37

PN: HAK11

Zinc Plated Hex Nuts

200 piece kit includes an assortment of 8 types of DIN 934 Zinc Plated Hex Nuts, ranging from M4, M5, M6, M8, M10, M12, M14 & M16.



\$31

PN: HAK12

Nylon Self Locking Nuts

100 piece kit includes an assortment of 8 types of Nylon Self Locking Nuts, ranging from M4, M5, M6, M8, M8, M10, M12 & M16.



\$31

PN: HAK37

Gutter Bolts & Square Pressed Nuts

300 piece kit includes an assortment of M6x12 to M6x60 Gutter Bolts and M6 Square Pressed Nuts.



\$39

PN: HAK17

Cheese Head Machine Nuts & Bolts

500 piece kit includes an assortment of 16 types of cheese head machine screws ranging from M3x10 to M6x40 & M6 nuts.



\$39

PN: HAK08

Countersunk Machine Screws & Nuts

300 piece kit includes an assortment of 10 types of zinc plated phillips & slot drive M4 & M5 hex screws and nuts.



\$36

PN: HAK09

Dome & Wing Nuts

150 piece kit includes an assortment M5, M6, M8 & M10 Dome Nuts and M4, M6, M8 and M10 Wing Nuts.



\$55

PN: HAK10

Self Tapping Screws

Pan Pozi Self Tapping Screws

500 piece kit includes an assortment of 14 types of zinc plated pan pozi self tapping screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



\$47

PN: HAK01

Pan Slotted Self Tapping Screws

500 piece kit includes an assortment of 14 types of zinc plated pan slotted self tapping screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



\$47

PN: HAK02

Pan Combi Self Tapping Screws

500 piece kit includes an assortment of 14 types of zinc plated pan combi self tapping screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



\$47

PN: HAK03

Countersunk Pozi Drive Chipboard Screws

400 piece kit includes an assortment of 8 types of countersunk pozi drive chipboard screws ranging from No. 6 (3.5 mm x 16) to No. 10 (4.8 mm x 40).



\$31

PN: HAK22

Countersunk Pozi Chipboard EAZI Drive Screws

300 piece kit includes an assortment of 8 types of Countersunk pozi chipboard EAZI Drive screws ranging from No. 4 (3 mm x 30) to No. 10 (4.8 mm x 40).



\$31

PN: HAK23

Wall Fasteners

Expansion Fixing Wall Plugs

200 piece kit includes an assortment of 8 types of expansion fixing wall plugs ranging from 4, 5, 5.5, 6, 7, 8, 10 & 11 mm.



\$29

PN: HAK19

Cable Clips

250 piece kit includes an assortment of 12 types of cable clips ranging from 3 to 14 mm Round Cable Clips and 1.5 to 5 mm Square Cable Clips.



\$39

PN: HAK33

Cup Hooks

60 piece kit includes an assortment of 9 types of cup hooks ranging from 16, 19, 25, 32, 38, & 50 mm Brass Plated and 32, 38 & 50 mm PVC Coated.



\$36

PN: HAK34

L Type Hooks

70 piece kit includes an assortment of 8 types of "L" type hooks ranging from 13, 16, 19, 23, 25, 32, 38 & 50 mm.



\$34

PN: HAK35

Coach Screws & Wall Plugs

100 piece kit includes an assortment of DIN 571 coach screws ranging from M6x30, M6x40, M6x50, M8x50, M6x75, M8x40, M8x60, M10x75 and 10 & 11 mm Wall Plugs.



\$41

PN: HAK36

Spring Toggles & Machine Screws

60 piece kit includes an assortment of M4, M5 & M6 Spring Toggles and M4x50, M4x75, M4x40, M5x50, M5x70, M6x50, M6x60, M6x70 cheese Head Machine Screws.



\$37

PN: HAK38

Anchored Hammer Drive Expansion Nails

100 piece kit includes an assortment of 8 types of expansion hammer drive nail ranging from M6x60, M6x50, M6x80, M8x60, M5x50, M6x40, M5x25 & M5x35.



\$37

PN: HAK18

Countersunk Pozi Self Tapping Screws

500 piece kit includes an assortment of 14 types of pozi self tapping zinc plated screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



\$47

PN: HAK04

Countersunk Slotted Self Tapping Screws

500 piece kit includes an assortment of 14 types of slotted self tapping zinc plated screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 19).



\$42

PN: HAK05

Hardened Countersunk Chipboard Screws

300 piece kit includes an assortment of plasterboard screws ranging from 16, 25, 32 & 41 mm No.6 3.5 mm Screws and 25, 32, 50 & 75 No.8 4.2 mm Screws.



\$31

PN: HAK20

Brass Plated Wood Screws

300 piece kit includes an assortment of brass plated countersunk flat and round head wood screws ranging from No. 4 (3 mm x 16) to No. 12 (5.5 mm x 50).



\$55

PN: HAK31

Countersunk Wood Screws

200 piece kit includes an assortment of 10 types of countersunk slot drive wood screws ranging from No. 4 (2.9x16 mm) to No. 10 (4.8x30 mm).



\$39

PN: HAK40

Deburring Hex Body Handle with Pocket Clip

Aluminium 8 mm Hex body handle with pocket clip & non-replaceable C-10 blade.



\$8

PN: GD86110

Hex Body Handle with C-10 Blade

10 mm Hex Handle Deburring Tools A/F Hex. Aluminium body handle with replaceable GDSC10 blades.



\$15

PN: GD86060

Micro 2.6 MM Quick Release Deburrer

Holds all 2.6 mm Ø Deburring Blades. Includes Blade.



\$21

PN: GDMC1

6 MM Heavy Duty Quick Release Deburrer

- Removable cap for blade storage
- 6 mm Heavy Duty Quick Release Handle (GDSRSDMK) with 6 mm General Purpose Blade (GDSR10S).



\$35

PN: GDSRSDMKK

Telescopic Multifunction Deburring Tool

Multi-Component Handle (GDSTSDMK) & blade holder

Includes Standard Deburring blades: GDSC10, GDSC15, GDSC20, GDSC30 & GDSC35



\$52

PN: GD38325

Double Deburrer

- Deburrs both sides of workpiece at same time
- Perfect for sheet metal finishing
- Finger guard



REPLACEABLE BLADES

\$29

PN: GDDB

24 Piece Deburring Set

Set includes a comprehensive range of Multi-Component and Quick Release Handles, 2.6, 3.2, & 6 mm Blades, Double Sided, Key-Way, Countersink Blades and a ceramic blade.



DEBURR ANYTHING FROM PLASTIC TO STAINLESS STEEL!

\$279

PN: GD88030

Quick Release Handle with 3.2 MM MC-blades

3.2 mm Standard Quick Release Handle (GDSDSMDK) with Multi-cutting Edge Deburring blades: GDSMC10, GDSMC20, GDSMC101



\$39

PN: GD38333

Ergonomic Deburring Tool & Blade Set

Quick Release Handle with 10 assorted 3.2 mm blades. Storage for blades in handle.

Set Includes:
3.2 mm Standard Quick Release Handle (GDSDSMDK)
Standard 3.2 mm Deburring blades:
2 x GDSC10, 2 x GDSC101,
2 x GDSC15, 2 x GDSC20,
1 x GDSC30, 1 x GDSC35



\$50

PN: GD88040

Hex-Drive Ratchet Handle

- Quick release locking collar firmly retains driver bit unless collar is depressed
- Ratchet direction collar with clockwise, anticlockwise and locked functions.



\$49

PN: GD46030

Drive: 1/4" Hex

Hex-Drive Pipe Deburring Bits

- Quickly deburr internal & external edges of cylindrical work pieces with superior results.
- Can be used with power tools, by hand or with a Hex-Drive Ratchet Handle (PN: GD46030 Above)
- Made from (M2 Grade) HSS



REVERSIBLE SHANK

Drill not included.

Hex-Drive Pipe Deburring Tools

Range: 4-42 MM
Angle: 60°

\$185

PN: GD34265

Range: 4-42 MM
Angle: 45°

\$162

PN: GD34295

Pipe Deburring Hand Tools

Range: 4-42 MM
Angle: 60°

\$170

PN: GD34260

Range: 4-42 MM
Angle: 45°

\$140

PN: GD34290

Heavy Duty Hex-Drive Pipe Deburring Bits

Max Speed: 1,800 RPM

OD Range: 16-31 MM
ID Range: 16-35 MM
Angle: 45°

\$96

PN: GD16319-2F

OD Range: 16-31 MM
ID Range: 16-35 MM
Angle: 60°

\$99

PN: GD16316-2F

OD Range: 22-42 MM
ID Range: 22-46 MM
Angle: 45°

\$125

PN: GD22429-2F

OD Range: 22-42 MM
ID Range: 22-46 MM
Angle: 60°

\$149

PN: GD22426-2F

OD Range: 40-58 MM
ID Range: 40-62 MM
Angle: 45°

\$185

PN: GD40539-2F

OD Range: 40-58 MM
ID Range: 40-62 MM
Angle: 60°

\$210

PN: GD40536-2F

Rivet & Nutsert Tool

A 2-in-1 fastening tool that sets nutserts as well as blind rivets.

- Sets steel & aluminium rivets up to 4.8 mm & Nutserts up to M6
- Sets stainless rivets up to 4.0 mm & Nutserts up to M5
- Includes a selection of M3 to M6 nutserts



\$129
PN: GHTJ703A



INCLUDES NUTSERTS!

Sets 2.4, 3.2, 4.0 & 4.8 mm Rivets AND M3, M4, M5 & M6 Nutserts

Heavy Duty Rivet & Nutsert Tool

- Sets steel & aluminium rivets up to 6.4 mm (1/4") AND nutserts up to M10
- Sets stainless steel rivets up to 4.8 mm (3/16") AND nutserts up to M8
- Space-Saving Foldable Handles
- Forged Main Arms



\$239
PN: GHTH3



Sets 3.2 (1/8"), 4.0 (5/32"), 4.8 (3/16") & 6.4 mm (1/4") Rivets and M4, M5, M6, M8 & M10 Nutserts

Pistol Grip Nutsert Tools

- Average cycle time of 3 seconds
- Quick & simple to operate
- Fwd. / Rev. Toggle Switch
- **Not suitable mass production**



M6 Nutsert Tool

M3, M4, M5, M8 & M10 mandrels available (sold separately)
Weight: 1.3 kg

\$769
PN: GP400B

M8 Nutsert Tool

M10 & M12 mandrels available (sold separately)
Weight: 1.3 kg

\$789
PN: GP200B

Steel & Aluminium Nutserts

4 mm Max. sheet thickness



PACKS OF 50

M4 Aluminium PN: NM4RNA	\$33	M4 Steel PN: NM4PNS	\$20
M5 Aluminium PN: NM5RNA	\$41	M5 Steel PN: NM5PNS	\$24
M6 Aluminium PN: NM6RNA	\$44	M6 Steel PN: NM6PNS	\$27
M8 Aluminium PN: NM8RNA	\$49	M8 Steel PN: NM8PNS	\$33
M10 Aluminium PN: NM10RNA	\$59	M10 Steel PN: NM10PNS	\$39
		M12 Steel PN: NM12PNS	\$52

Automotive Nutsert Gun

- Sets M4, M5, M6, M8, M10 nutserts in steel & aluminium
- Sets Stainless Steel nutserts up to M8
- Optional M3 anvil set
- **Not suitable mass production applications**

Traction Power: 3,640 Ft/lbs
Stroke: 6 mm
Weight: 1.55 kg



\$1100
PN: KP4258



Riveting Tool

Medium Duty Riveting Tool

- Sets steel & aluminium rivets up to 4.8 mm (3/16")
- Sets Stainless Steel Rivets up to 4.0 mm (5/32")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



\$55
PN: GHTJ701

Heavy Duty Riveting Tool

- Sets steel, aluminium & stainless rivets up to 4.8 mm (3/16")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



\$110
PN: GHTTC20

Hex Key Sets

Metric 9 Piece Ball End Hex Key Set

Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm

Imperial (SAE) 13 Piece Ball End Hex Key Set

Sizes: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8"

13 Piece Torx® Wrench Set

Sizes: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45 & T50

13 Piece Tamperproof Torx® Wrench Set

Sizes: T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H & T50H



\$39
PN: GXHK9M

\$47
PN: GXHK13I

\$49
PN: GXTX13

\$49
PN: GXTP13

Tapping Wrenches

Tap Wrench

Range: M4 to M12
Length: 280 mm



\$33
PN: GTHW

T-Handle Ratchet Tap Wrench

- Forward, Locked & Reverse Ratchet
- Slidable T-handle



Range: 5M to 12M
Length: 120 mm

\$31
PN: GTHRW

Precision Screwdriver Set

65 piece set includes:
4 mm & 1/4" Driver Handles & Extension Bars
Hex: 0.9, 1.3, 1.5, 2.0, 3, 4, 5 & 6 mm
Slotted: 1.0 & 1.5, 2.0, 2.5, 3, 4, 5, 6 & 7 mm
Pozidriv: #0 to #3
Phillips: 000 to 3
Square: 0 to 3 mm
Sockets: 5 to 13 mm
Torx®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30 & T40



\$37

PN: GXBS1465

**65
PIECE
SET**

1/4" Socket Set

• Chrome Vanadium Steel
 Set includes Ratchet Wrench, Driver Handle, 50 mm Extension, Tee Bar & Universal Joint.
Standard Socket sizes: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, & 14 mm
Hex Bits: 3, 4, 5 & 6 mm
Phillips Bits: #1, #2, & #3
Pozidriv Bits: #1, #2 & #3
Slotted Bits: 3, 4 & 6 mm
Torx® Bits: T8, T9, T10 T15, T20, T25, T27, T30, & T40



**40
PIECE
SET**

Magnetic Clean-Up Tools

Magnetic Clean-Up Wand

Capacity: 6.30 Kg
 Length 400 mm
 Weight 0.470 Kg



\$89

PN: MW001

Magnetic Broom

- Side mounted wheels for easy use over wide areas
- Telescopic main shaft
- Easy release trigger on main shaft
- Wide section magnetic pickup

Handle Length: 720-1035 mm
 Head width: 377mm

\$145

PN: MB001



Magnetic Reach Extender

Head size: 96 mm
 Length: 960 mm
 Capacity: 4.5 Kg



\$110

PN: MRE001

**HOT
PRICE!**

\$59

PN: GXSS1440

3/8" Socket Set

• Chrome Vanadium Steel
 Set includes Ratchet Wrench, 75 & 150 mm Extension Bars and Universal Joint.
Standard Socket sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 & 22 mm
Deep Socket sizes: 10, 11, 12, 13, 14, 15, 17 & 19 mm
Spark Plug Socket: 16 & 21 mm



**29
PIECE
SET**

**HOT
PRICE!**

\$75

PN: GXSS3829

Hollow Punch Set

Set includes:
 5, 6, 8, 9, 11 & 13 mm



\$35

PN: YC516

Helping Hand Magnifier

- Features a sturdy cast iron base, two articulated alligator clamps and magnifying glass.

Main Beam: 115 mm
 Arm Reach: 75 mm
 Lens Dia.: 60 mm



\$31

PN: GHM

Gasket Punch Set

14 Piece set includes:
 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8", 1", 1 1/8", 1-1/4", 1-3/8" & 1-1/2"



\$99

PN: GGGS

Gear & Bearing Splitting Combination Set

Small Bearing Separator

Jaw Range: 30-50 mm
 Working Range: 0-135 mm

Large Bearing Separator

Jaw Range: 50-75 mm
 Working Range: 0-180 mm

Includes Centre Adapter.

S45C Drop Forged hardened Main Beam and Bearing Separators.



\$229

PN: GBTK

Multi-Hydraulic Gear Puller Kit

Bearing Separator

S45C Drop Forged hardened Bearing Separator.

Working Range: 0-370 mm
 Jaw Range: 75-105 mm

Gear Puller

Working Range: 25-185 mm

Set includes: Twin & Triple Leg Heads
 Hydraulic Ram (12 Ton capacity)
 Carbon Steel Beam
 200 mm, 150 mm, & 100 mm arms
 85 mm, 35 mm, Spacers,
 25 mm Centre Adapter



\$579

PN: GHPK

NICRON®

LED TORCHES & HEADLAMPS

nicronlight.com.au

TWIST Light

The head of a Twist Light can be swiveled anywhere from 0 to 90 degrees, offering extreme versatility.

Applicable to PN: B73R, B71pro, B75 & B70PLUS



Mini Flashlight

\$37

PN: B10

Battery

1 x
16340
Li-ion

Ingress
Rating

SPLASH
IP65



- High Capacity Li-ion Rechargeable
- Key Ring

Brightness: 200 Lm
Intensity: 2000 Cd

Primary Beam:
LOW (30Lm)
MED (100Lm)
HIGH (200Lm)
STROBE: (200Lm)

Size: 65x 20mm
Weight: 45g

Mini Key Chain Flashlight

\$29

PN: N1

Battery

1 x
AAA

Ingress
Rating

IPX7



Brightness: 100 Lm
Intensity: 144 Cd

Ingress Rating: IPX7
Size: 62 x 16 mm
Weight: 15.5
Battery: 1 x AAA

New!

Mini Focusable Flashlight

\$83

PN: F51



Battery

14500
Li-ion

1 x AA

Ingress
Rating

IPX4

- Focusable Beam
- Includes USB rechargeable battery
- AA batteries NOT included
- Pen Clip

Brightness: 600 Lm
Intensity: 3800 Cd

Primary Beam:
LOW (100 Lm)
MED (250 Lm)
HIGH (600 Lm)

Size: 103 x 26 mm
Weight: 80g

Extreme Tactical Flashlight

\$388

PN: B400



**FREE
1.8m
TRIPOD!**

While stocks last.

- High Capacity Li-ion Rechargeable
- 3.5mm 12V Charge Port
- 4 CREE LED Array

Brightness: 12000 Lm
Intensity: 30000 Cd

Primary Beam:
LOW (500Lm)
MED (1000Lm)
HIGH (3000Lm)
MAX (6000Lm)
EXTREME (12000Lm)
STROBE: (6000Lm)

Size: 152 x 64 mm
Weight: 720g

Battery

4 x
18650
Li-ion

Ingress
Rating

IP67
1M

Battery
Indicator

10% 100%

Tripod
Mount

1/4"-20 UNC

Focusable Flashlight

\$110

PN: F81



Battery

1 x
18650
Li-ion

Ingress
Rating

IP64

Charge
Port

USB
TYPE C

Brightness: 1000 Lm
Intensity: 6500 Cd

Primary Beam:
LOW (50Lm)
MED (150Lm)
HIGH (500Lm)
MAX (1000Lm)
STROBE (1000Lm)

Size: 170 x 35mm
Weight: 200g

Long Range Tactical Flashlight

\$142

PN: B200



Brightness: 1000 Lm
Intensity: 72000 Cd

Primary Beam:
LOW (100Lm)
MED (300Lm)
HIGH (1000Lm)
STROBE: (1000Lm)

Size: 235 x 59 mm
Weight: 550g

**536m
RANGE!**

Battery

2 x
18650
Li-ion

Ingress
Rating

IP68
1M+

Battery
Indicator

10% 100%

Charge
Port

USB
Micro B

Utility Worklamp

\$60

PN: WL15



Brightness: 500 Lm
Intensity: 800 Cd

Primary Beam:
LOW (80Lm)
HIGH (200Lm)

Flood Light:
LOW (100Lm)
MED (300Lm)
HIGH (500Lm)

Size: 164 x 22 mm
Weight: 140g

Battery Ingress Rating Mag Base

3 x
AA

IPX4

Mag Base

Utility Flashlight

\$110

PN: WL81



Brightness: 1000 Lm
Intensity: 6000 Cd

Primary Beam:
LOW (80Lm)
MED (500Lm)
HIGH (1000Lm)
STROBE: (1000Lm)

Flood Light:
LOW (35Lm)
HIGH (250Lm)
Size: 121 x 27 mm

Weight: 110g

Battery Ingress Rating Charge Port Battery Indicator Mag Base

18650
Li-ion

IP67
1M

USB
TYPE C

10% 100%

Mag Base

2 in 1 Utility Worklamp

\$110

PN: WL83



- Top mounted hanger
- Top mounted spot light
- Front mounted flood light
- Handle incorporates foldout stand

Brightness: 500 / 200 Lm
Intensity: 225 Cd

Primary Beam:
LOW (200Lm)
HIGH (500Lm)

Spot Light:
LOW (200Lm)

Size: 200 x 60 x 30 mm
Weight: 285g

Battery Ingress Rating Charge Port Battery Indicator Mag Base

21700
Li-ion

IP20

USB
TYPE C

10% 100%

Mag Base



Magnetic Base

Mount to any ferrous surface. Ideal for wheel wells and engine bays or other tight spaces.

Applicable to PN: B70PLUS, B71pro, B73R, B74BLUE, B74RED, B75, WL15, WL81 & WL83



Integrated Battery Indicator

A dedicated built-in LED battery indicator. Applicable to PN: B400 & WL83



Multifunction Indicator Button

Illuminated multi-function switch with Battery State Indicator. Displays battery state with back-lit multi-colour LED button.

Applicable to PN: B200, B73R, B71pro, B75 & B70PLUS & WL81



Dual Fuel Capability

Able to accept high capacity rechargeable and standard A series batteries.

Applicable to PN: B73R, B74BLUE, B74RED & F51



Integrated Charging Port

Recharge without the need to remove the battery with an integrated charge port.

Applicable to PN: B10, B200, B400, B71PRO, B75, B70PLUS, F81, H11, H35, WL15, WL81 & WL83

TWIST Pen Light

\$94

PN: B73R




- Includes USB rechargeable battery
- AAA batteries NOT included
- Illuminated Multi-function Switch with Battery State Indicator

Brightness: 150 Lm
Intensity: 650 Cd

Primary Beam:
LOW (60Lm)
HIGH (150Lm)

Size: 152 x 18 x 15 mm
Weight: 75g



Mini Twin-Beam Headlamp

\$83


PN: H11



- High-quality anodised aluminium body

Brightness: 700 Lm
Intensity: 4000 Cd

Weight: 59g



Flood Light:
LOW (35Lm)
HIGH (100Lm)
Weight: 59g

Twin-Beam Headlamp

\$125


PN: H35



Brightness: 1600 Lm
Intensity: 4000 Cd

- Anti-slip belt can be mounted directly to helmets.
- Both lamps can function simultaneously, producing up to 1600 Lm.
- Headlamp can be angled vertically up to 120 degrees
- Includes li-ion battery

Flood Light:
LOW (50Lm)
MED (200Lm)
HIGH (400Lm)
MAX (800Lm)



Mini TWIST Light

\$94 ea




- Includes USB rechargeable battery
- AA batteries NOT included
- Pen Clip

Brightness: 700 Lm
Intensity: 4000 Cd

Primary Beam:
LOW (100Lm)
MED (250Lm)
HIGH (700Lm)
STROBE: (700Lm)

Size: 112 x 21 x 18 mm
Weight: 85g



PN: B74RED PN: B74BLUE

PRO TWIST Light

\$94

PN: B71pro




- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip

Brightness: 950 Lm
Intensity: 10000 Cd

Primary Beam:
LOW (10Lm)
MED (70Lm)
HIGH (300Lm)
MAX (950Lm)
STROBE (950Lm)

Size: 160 x 28 mm
Weight: 220g



UV PRO TWIST Light

\$110

PN: B75




- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip

Brightness: 1000 Lm
Intensity: 3000 Cd

Primary Beam:
LOW (100Lm)
MED (500Lm)
HIGH (1000Lm)

UV Light:
HIGH (395nm)
Size: 160 x 28 mm
Weight: 220g



Camo TWIST Light

\$110

PN: B70PLUS




- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip

Brightness: 950 Lm
Intensity: 10000 Cd

Primary Beam:
LOW (10Lm)
MED (70Lm)
HIGH (300Lm)
MAX (950Lm)
STROBE (950Lm)

Size: 160 x 28 mm
Weight: 220g



6" Random Orbital Sander

Orbit Diameter: 5 mm
Spindle: 5/16"x24 UNF
Free Speed: 12,000 RPM
Weight: 0.99 Kg



UPGRADED MOTOR!

\$299

PN: BOS156A2

6" Random Orbital Dust-Free Sander

Orbit Diameter: 5 mm
Free Speed: 12,000 RPM
Spindle: 5/16 x 24 UNF
Weight: 0.99 Kg



UPGRADED MOTOR!

\$325

PN: BOS156SA2

8" Geared Sanders

Orbit Diameter: 5 mm
Pad mount: 5 hole
Free Speed: 900 RPM
Weight: 1.88 Kg



Standard

\$560

PN: BOS258GR-D1

Dust Free

\$599

PN: BOS258GRC-D1

1/2" Reversible Keyless Drill

Free speed: 800 RPM
Weight: 1.95 Kg



\$275

PN: BDR208KLA1

3" Cut Off Tool

Free Speed: 21,000 RPM
Length: 188 mm
Weight: 0.8 Kg



Cutting Disc not included.

\$142

PN: BCTA1

3" Cutting Discs

Ø75 x 0.8 x Ø9.53 mm
Speed Rated to 25,000 RPM



\$25

PN: CO007K

Heavy Duty Air Hammer Kit

- Integrated piston cushion for lower vibration and less operator fatigue
- T handle design for better tool balance

Impact Rate: 2,900 bpm
Chisel shank: 10.2 mm
Weight: 1.73 Kg

- Includes Air Hammer, 5 chisels & Quick Change Spring Retainer in blow-mount case



\$275

PN: BHA67A1

1/2" Twin Hammer Impact Wrench

- Light weight composite housing
- 4 speed air regulator
- Exhausts through handle, away from the work area

Free Speed: 8,000 RPM
Max Torque: 685 Ft/lbs (928 Nm)
Weight: 1.98kg



\$377

PN: BIT260M1

3/8" Butterfly Impact Wrench

- Swivel inlet
- Integrated regulator
- Rear exhaust

Free Speed: 11,000 RPM
Torque: 70 Ft-lbs
Length: 150 mm
Weight: 0.81kg



HOT PRICE!

\$149

PN: BIK107A1

1/4" Die Grinder

Free Speed: 20,000 RPM
Length: 165 mm
Weight: 0.55Kg



\$183

PN: BG210R

1/4" 115° Angle Die Grinder

Free Speed: 18,000 RPM
Output: 0.45 hp
Weight: 0.75 kg



\$225

PN: BG230RA1

1/4" Right Angle Die Grinder

• Light weight composite housing
Free Speed: 18,000 RPM
Length: 183 mm
Weight: 0.8 kg



\$199

PN: BG220RA1

Extended 1/4" Die Grinder

Free Speed: 21,000 RPM
Length: 280 mm
Weight: 0.80 kg



\$199

PN: BG215RA1

Nail Gun Oil

Basso Premium Nail Gun Oil is formulated to prolong the performance of your Basso nail gun in both warm and cold climates. Adding only a couple of drops daily to the air inlet will greatly reduce internal wear and maintain the integrity of the gaskets and seals.

250 ml
Bottle

\$15
PN: BO250

1 Litre
Bottle

\$24
PN: BO1000



Countersink & Nail Remover

Pin Dia.: 4.8 mm
Nail Dia.: 2-4 mm
Weight: 0.80 Kg

\$346
PN: BPULLER



**GREAT FOR
TIMBER FRAME
DEMOLITION!**

**REMOVE
ASBESTOS SHEETS
IN ONE PIECE!**

Medium Duty C Brad Nailer

Shank: 1.4x1.6 mm (16 Gauge)
Nail Length: 19-50 mm
Capacity: 100 brads
Weight: 1.54 Kg



\$315
PN: B1650LA1

80 Series Stapler

Staple Crown: 12.8 mm (80 Series)
Staple Length: 6-16 mm
Capacity: 100 Staples
Weight: 0.90 Kg



\$199
PN: BN8016E

50 MM C1 Series Bradder

Shank: 1x1.25 mm (18 Gauge)
Nail Length: 15-50 mm
Capacity: 100 brads
Weight: 1.25 Kg



\$265
PN: B1850A1

C1 Series Bradder

Shank: 1x1.25 mm (18 Gauge)
Nail Length: 10-32 mm
Capacity: 100 brads
Weight: 0.68 Kg



\$199
PN: B1832PA2

97 Series Stapler

Staple Crown: 4.5 mm (97 Series)
Staple Length: 10-25 mm
Capacity: 142 staples
Weight: 1.2Kg



\$244
PN: BS9725B1

Heavy Duty C Brad Nailer

Shank: 1.4x1.6 mm (16 Gauge)
Nail Length: 19-50 mm
Capacity: 100 nails
Weight: 1.9 Kg



\$389
PN: B1650B1

T-Nailers

Nail Length: 18-64 mm
Capacity: 80 nails
Weight: 2.55 Kg

2.2 mm Nail Shank PN: BT2264A1

2.5 mm Nail Shank PN: BT2564A1

\$499 ea



34° DA Nailer

- Swivel exhaust
- Depth adjustment
- Angled air inlet

Shank: 1.8 mm (15 gauge)
Nail Length: 25-64 mm
Capacity: 100 Nails
Weight: 1.95kg



\$397
PN: BA3464A1

Heavy Duty Coil Nailer

Shank: 2.03-2.8 mm
Nail Length: 32-65 mm
Capacity: 200-400 nails
Weight: 2.3 Kg



0° Angle
\$699
PN: BC2865F1

15° Angle
\$699
PN: BC2865D1

90 MM Angle Framing Gun

- Easy to use Depth Adjuster
- Adjustable Joist Hanger
- Protective cover on safety
- Single & Bump Fire modes

Shank: 2.9-3.3 mm
Nail Length: 50-90 mm
Capacity: 90 nails
Weight: 3.50 Kg



\$591
PN: BA3490F1

Porta

Made in Italy.

90° Keyless Drill Attachment

Chuck Capacity: 1.5-10 mm
Max. speed: 2,100 RPM
Size: 147 x 100 mm
Drive: 9 mm Hex
Weight: 490 g



\$185

PN: PORRADAGL

13 MM Keyless Drill Chucks

Capacity: 1.5-13 mm
3/8" x 24 PN: PORTS13F38R
1/2" x 20 PN: PORTS13F12R



\$133 ea

13 MM Keyed Drill Chucks

Capacity: 1.5-13 mm
Body Dia.: 43mm
Chuck Key: KS2



JT6 PN: PORA13J6
B16 PN: PORA13B16

\$85 ea

16 MM Keyed Drill Chucks

Capacity: 1-16 mm
Outer diameter: 56 mm
Key Type: T7

JT6 PN: PORAP16J6
B16 PN: PORAP16B16
B18 PN: PORAP16B18

\$123 ea

20 MM Keyed Drill Chucks

Capacity: 5-20 mm
Outer diameter: 64 mm
Key Type: PORKS4B

\$222
PN: PORAP20J3

Keyless Drill Chucks

• Suitable for lathes, drilling & milling machines

Capacity: 1-13 mm
Mount: JT6

\$144

PN: POR37J6

Capacity: 3-16 mm
Mount: JT6

\$164

PN: POR40J6



Ejecting Drift

• Hardened and Black Oxide finish.



MT1/MT2
PN: PORDR12 **\$20**

MT2/MT3
PN: PORDR23 **\$20**

MT3/MT4
PN: PORDR34 **\$23**

MT4/MT5
PN: PORDR45 **\$32**



3/16" Medium Duty Riveter

• Suitable for Aluminium & Mild Steel rivets

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")
Traction power: 1045 Kg
Stroke: 16 mm
Weight: 1.56 Kg



Includes an Assortment of Aluminium Rivets & Spares

\$260

PN: FP4821AK

3/16" Compact Riveter with Vacuum Extraction

• Suitable for Aluminium & Mild Steel rivets
• Vacuum Mandrel collection
• Low Recoil Technology

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")
Traction power: 908 Kg
Stroke: 15 mm
Weight: 1.39 Kg



Ideal for the Aluminium Window Industry

\$840

PN: FP4032CVK

3/16" Heavy Duty Composite Riveter

• Suitable rivets of all materials
• Low Recoil Technology

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")
Traction power: 908 Kg
Stroke: 23.5 mm
Weight: 1.55 Kg

\$685

PN: FP4831C

1/4" Riveter with Vacuum Extraction

• Automatic mandrel collection
• Sets steel and stainless ONLY
• Swivel air inlet

Capacity: 4.8mm (3/16"), 5.6mm (7/32") & 6.4mm (1/4")
Traction power: 1645 Kg
Stroke: 15 mm
Weight: 1.8 Kg

\$725

PN: FP6431CVK

5/16" Heavy Duty Composite Riveter

• Vacuum mandrel collection
• Suitable rivets of all materials
• Swivel air inlet

Capacity: 3/16", 7/32", 1/4" & 5/16"
Traction power: 1723 Kg
Stroke: 22.5 mm
Weight: 1.8 Kg



Also Sets 1/4" Monobolt® Structural Rivets FP51631CVK ONLY

\$1250

PN: FP51631CVK

Twin LED Rechargeable Inspection Lamp

Ideal for automotive panel & paint inspection or any confined automotive or industrial work environments.

- Precision adjustable dimmer switch
- Multistage battery indicator light
- Magnetic ball jointed adjustable base
- Dual retractable lamp hangers
- USB rechargeable Li-ion battery
- Magnetic retrieval wand at tip
- IP54 dust & water resistant



SUPER BRIGHT 880 LUMENS!

\$149

PN: GLED2CIL

Desktop Magnification Lamp

- Adjustable height & angle
- Interchangeable 100 mm lens (sold separately)
- Bright 560 Lumen LED lamp with lens cover

Lens dia.: 100 mm
Magnification: 3 Dioptre
Max lens height: 300 mm
Brightness: 560 Lumen
Power supply: 240V
Cord length: 1.3m

560 LUMEN LED LAMP



\$99

PN: ML30

Workbench Magnification Lamp

- Mountable to most workbenches up to 60 mm thick
- 900 mm Two piece articulated arm
- 60 LED lamp with high & low modes
- High quality metal frame construction.

900MM REACH! 760 LUMENS



Magnification: 3 Dioptre
Lens dia.: 120 mm
Lamp: 60 x LED
Power: 240 V

\$199

PN: ML60

1/2" Compact Impact Wrench

Free Speed: 9,500 RPM
Max. Torque: 500 Ft/lbs
Weight: 1.65 Kg

97 MM Head

\$356
PN: KP1479



1/2" Impact Wrench

Free Speed: 9,500 RPM
Max Torque: 1,000 Ft/lbs
Weight 2.30 Kg

\$373
PN: KP1488



Max Torque 1,000 Ft/lbs

1" Super Duty Impact Wrench

Free Speed: 5,000 RPM
Max. Torque: 1,800 Ft/lbs
Weight: 7.10 Kg

\$1399
PN: KP1838A-P



1" Super Duty Impact Wrenches

Free Speed: 5,500 RPM Length: 325 mm
Max. Torque: 1,600 Ft/lbs Weight: 5.8 Kg
Air Inlet: 1/2"

\$1299
PN: KP1835



3/4" Impact Wrench

Free Speed: 6,500 RPM
Max Torque: 750 Ft/lbs
Nett Weight: 4.55 Kg

\$692
PN: KP1023



6" Extended Anvils Available.

3/4" Heavy Duty Impact Wrench

Free Speed: 5,500 RPM
Max Torque: 1100 Ft/LBS
Nett Weight: 5.6 Kg

\$999
PN: KP1030



1" HD Impact Wrench

- Rubber body protection
- 4 power settings with forward & reverse selector
- Side handle

Free Speed: 3,500 RPM
Max. Torque: 2,500 Ft/lbs
Length: 436 mm
Air Inlet: 1/2"
Weight: 15.55 Kg

\$2499
PN: KP1045



2,500 Ft/lbs

1.5" Variant PN: KP1050 \$2899

Two Speed Pistol Grip Sander

- Includes 50 mm & 75 mm Quick-Lock Backing Pads
- Side mounted speed regulator

Free Speed: 15,000 RPM
Weight: 0.45 Kg

\$199
PN: KP6712



3" Orbital Pistol Grip Sander

- Side mounted speed regulator

Free Speed: 15,000 RPM
Weight: 0.58 Kg

\$249
PN: KP6628



Two Speed Air Sander

- Rotary or Random orbit modes
- Side mounted speed regulator

Hi Free Speed: 6000 RPM
Low Free Speed: 3000 RPM
Orbital Diameter: 1.5 mm
Weight: 0.58 Kg

\$268
PN: KP6635



Through Ratchet Wrench

- Included socket sizes: 8, 10, 12, 13, & 14 mm 5/16, 3/8, 7/16, 1/2 and 9/16" 1/4" & 3/8" anvils

Includes 10 Sockets

Free Speed: 450 RPM
Max. Torque: 30 Ft/lbs
Weight: 0.60 Kg

\$367
PN: KP2219



Compact Needle Scaler

Impact Rate: 3,700 BPM
Overall Length: 350 mm
12 Needles Ø3 x 125 mm

\$279
PN: KP4714



Pistol Grip Needle Scaler

Impact Rate: 3,700 BPM
Overall Length: 350 mm
19 Needles Ø3 x 180 mm

\$399
PN: KP4722P



Heavy Duty Air Caulking Gun

Takes 50 mm diameter sausages
400, 500 & 600 ml sizes.
Air pressure: 45-90 PSI
Length: 550 mm
Weight: 0.9 Kg

\$279
PN: KP4613



Heavy Duty Chipping Hammer

- Moil Point & Flat Chisels available
- Side Exhaust

Includes 2 Chisels

Stroke: 102 mm
Impact Rate: 1500 BPM
Length: 350 mm
Weight: 9 Kg

\$899
PN: KP4735S3H



Pittsburgh Air Hammer

- 360° Adjustable Anvil Guide

Impact Rate: 4,200 RPM
Stroke: 50 mm
Weight: 2.20 Kg

\$289
PN: KP4711PH



Blowguns

Long Nose Air Duster

- Cast aluminium body, metal trigger & nozzle.

Inlet: 3/8" Nitto fitting
Nozzle size: 4.5 x 70 mm



ALL METAL BODY!

\$26

PN: GPA9025

3/8" High Flow Blow Gun Kit

Kit includes:
High Flow Duster,
Easily Adjustable High
Flow Nozzle, Heavy Duty High
Flow Nozzle & Standard Nozzle.

\$65

PN: GHF60AS



ALL METAL BODY!

Integrated Blow Gun

- Light weight Polymer body with 1/4" steel inlet & 2 metre fitted hose



\$62

PN: GPB90K

1 Metre Blow Gun

Overall Length: 1050 mm
Inlet: 1/4" metal
Material: POM / Aluminum

- Durable all metal construction
- Foam grip



\$75

PN: GP1561

ALL METAL BODY!

Filter Cleaning Nozzle

Suitable for cleaning cylindrical filters or pipes.
SOLD SEPARATELY
Size: 15.5 dia. x 40 mm
Nozzles: 12 x 2mm



\$23

PN: GP1561FN

Pocket Blow Gun

- Integrated metal inlet thread
- Rubber Tip

Length: 115 mm
Inlet: JIS Fitting
Material: Aluminium



\$15

PN: PBG-N

4" Rubber Tipped Blowgun

- Integrated metal inlet thread
 - Rubber Tip
- Length: 110 mm
Material: POM/Steel

\$19

PN: GP1562



Extendable Blow Gun

Length: 270 to 390 mm
Material: POM/Steel



- Metal inlet for increased durability
- Adjustable length & angle
- Locking ring

\$34

PN: GP1562E

Wonder Gun Kit

- Quickly change between vacuum & blow with an integrated switch
- Heavy duty metal body

Kit includes: Blow Gun, Vacuum Hose, brush, extended small & flat nozzles, Extendable Hose (30 to 80cm) & Dust Bag



\$119

PN: GPA0310KB

Tyre Inflaters

Dual Tyre Chuck

Inlet: JIS standard fitting
Output: Schrader Valve



\$19

PN: GPA051

Flexible Tyre Chuck

Inlet: JIS standard fitting
Output: Schrader Valve



\$21

PN: GPATC-2

0-60psi Tyre Pressure Gauge

Range: 0-60 PSI.
Metering: Analogue
Units: PSI & Bar
Output: Schrader valve



\$40

PN: GPATPG60

Dual Access Tyre Chuck

Inlet: 1/4" Female
Output: Schrader Valve x 2
Length: 220 mm



\$34

PN: GPA1570

Dual Access Tyre Water Chuck

Inlet: 15 mm male garden hose fitting
Output: Schrader Valve x 2
Length: 220 mm



\$37

PN: GPA1570W

Pistol Grip Tyre Inflator

- Large easy to read gauge
- Integrated purge valve
- Tyre chuck with locking lever



\$85

PN: GPA016

Range: 0-220 PSI
Metering: Analog
Units: PSI, Bar, KPA

Digital Tyre Inflator

Measuring range: 5-60 PSI
Hose Length: 30 cm
Units: PSI, Bar, kPa



\$149

PN: GP1558-4

Deluxe Tyre Inflator

Range: 0-160 PSI
Units: PSI, KPA



\$142

PN: GPA6200

Air Body Saw

Free Speed: 10,000 opm
Capacity: 3 mm mild steel
Stroke length 9.5 mm



\$249
PN: GP9301

Quality Bi-metal Blades

18 TPI Pack of 5

PN: PT301A18

24 TPI Pack of 5

PN: PT301A24

32 TPI Pack of 5

PN: PT301A32



\$29 ea

Sandblasters

All-In-One Sandblaster

- Light weight all in one design
- Ideal for spot and rust removal on small areas

Nozzle Size: 5.2 MM
Capacity: 266cc

Sand Blasting Kit

Includes 3 extra nozzles,
hose and tube.
Siphon feed
Weight: 0.9 kg



\$69

PN: GPASB100

\$55

PN: GP909

Heavy Duty Angle Grinders



4" Heavy Duty Angle Grinder

Spindle: M10 x 1.5
Free Speed: 11,000 RPM
Weight: 1.95 Kg

\$329
PN: GP8102

5" Heavy Duty Angle Grinder

Spindle: M14 x 2.0
Free Speed: 11,000 RPM
Weight: 1.95 Kg

\$367
PN: GP31003

7" Sander



Free Speed: 4,500 RPM
Spindle: Male 5/8-11UNC
Avg Air Cons.: 12 CFM
Weight: 2.6 Kg

\$339
PN: GP1206A

Punch & Flange Tool

Capacity: 1.2 mm Mild Steel
Flange Capacity: 14 mm
Hole Punch Diameter: 5 mm
Weight : 1.1kg

\$249
PN: GP9201



Cut Off Tools

3" Cut Off Grinder



Disc Size: 3" (75 mm)
Free Speed: 22,000 RPM
Weight: 0.8 kg

\$129
PN: GP3201

Air Nibbler

Cutting Capacity:
1.4 mm steel
1.6 mm aluminium
Free Speed: 2900 SPM
Weight: 0.9kg

GREAT FOR CUTTING CURVES.



\$219
PN: GP9101

Surface Preparation

10 MM Belt Sander

Belt Size: 10 x 330 mm

\$269
PN: GP1264A

20 MM Belt Sander

Belt Size: 20 x 520 mm

\$419
PN: GP1265A



6" Dual Action Sander

Pad Size: 6" (150 mm) Velcro
Free Speed: 9,000 RPM
Orbit Diameter: 7 mm
Weight: 2.0 kg

\$179
PN: GP1205N



Straight Line Sander

- Takes 70 x 445 mm clip on paper.
- Ideal for flat panel automotive work.

Pad Size: 397 x 68 mm
Free Speed: 2,500 RPM
Weight: 2.5 Kg

\$239
PN: GP1203



5" Disc Sander

Includes 3", 4-1/2" & 5" fibre pads, for 22 mm hole abrasives, thread adapter for 50 mm pad & 50 mm abrasive pads
Spindle Size: 3/8 x 24 UNF
Free Speed: 16,000 RPM
Weight: 1.2 Kg

\$159
PN: GP1204R



Air Rust & Paint Removal Tool Kit (Non-vacuum)

Versatile support handle can be set to any position within it's 180° range.

Kit includes:
five 105 mm (4 inch) stripping wheels,
Spare disc hub & carry case.



Stripping Wheels

- 1 0.5 mm Straight Wire PN: GPA2001A-1
- 2 0.55 mm Hooked Wire PN: GPA2001A-2
- 3 Abrasive Striping PN: GPA2001A-5
- 4 Caramel Stripping PN: GPA2001A-4
- 5 0.7mm Hooked Wire PN: GPA2001A-3

\$699
PN: GP2001A

\$49 ea

Die Grinders

1/4" Medium Die Grinder

Free Speed: 22,000 RPM
Weight: 0.675 Kg

\$89

PN: GP2202



1/4" Medium Die Grinder

- Polymer sleeved for comfort

Free Speed: 21,000 RPM
Weight: 0.833 Kg

\$119

PN: GP2202R



1/4" Medium Die Grinder Kit

- Kit includes 1/8" & 1/4" collets and a range of 10 grinding stones

Free Speed:
22,000 RPM

\$119

PN: GP2202K



1/4" Angle Die Grinder

Free Speed: 18,000 RPM
Weight: 0.833 Kg

\$188

PN: GP2203R



Reversible Drills

Reversible 3/8" Drill

Free Speed: 1,800 RPM
Chuck Size: 10 mm
Weight: 1.36 Kg

\$179

PN: GP41013



Reversible 3/8" Keyless Drill

Free Speed: 1,800 RPM
Chuck Size: 10 mm
Weight: 1.36 Kg

\$199

PN: GP41013K



1/2" Reversible Drill

Free Speed: 800 RPM
Drilling Capacity: 13 mm
Weight: 1.76kg

\$249

PN: GP4204



3/8" Reversible Angle Drill

- Forward / Reverse Toggle Switch
- Rear exhaust

Free Speed: 1500 RPM
Capacity: 10 mm
Weight: 1.02kg

\$289

PN: GP4209



Impact Wrenches

1/2" Impact Wrench

- Kit includes 10 sockets, 9, 10, 11, 13, 14, 17, 19, 22, 24 & 27 mm
- Single Hammer

Max Torque: 260 ftlb
Bolt Capacity: 16 mm
Free Speed: 7,000 RPM
Weight: 2.0 kg

\$189

PN: GP504K



\$299

PN: GP260T

1/2" Impact Wrench

Max Torque: 500 Ft/lbs
Nett Weight: 2.0 Kg

\$679

PN: GP3125

3/4" Impact Wrench

Max Torque: 1100 Ft/lbs
Nett Weight: 3.48 Kg



Heavy Duty Ratchet Wrenches


- Front exhaust

Max Torque: 75 ft/lbs
Free Speed: 200 RPM
Weight: 1.2 Kg

3/8" Drive PN: GP5203

1/2" Drive PN: GP5204

\$189 ea



7" Polisher

Free Speed: 2,500 RPM
Spindle: Male 5/8-11UNC
Avg Air Cons.: 12 CFM
Weight: 2.6 Kg

\$339

PN: GP1206P



Air-Hydraulic Riveters

3/16" Automotive Rivet Gun

Rivet Capacity: 3/32, 1/8, 5/32, 3/16"
Traction Power: 1950 lbs
Weight: 1.5 kg

\$299

PN: GP1121D



3/16" Industrial Rivet Gun

Rivet Capacity:
1/8, 5/32 & 3/16"
Traction Power:
1980 lbs
Weight: 1.45 Kg

\$389

PN: GP6302



9/32" Industrial Rivet Gun

- Interchangeable nose-pieces
- Safety cap collects spent rivets
- Swivel inlet for easier positioning

Rivet Capacity: 3/16", 1/4", 5/32" & 9/32"
Traction Power: 3,120 lbs
Weight: 3.4 Kg

SUITABLE FOR STAINLESS RIVETS!

\$759

PN: GP6304



Rotary Tool Kit

206 Piece set includes, diamond & HSS cutters & twist drills, grinding, cloth, felt, emery & flap wheels, rotary brushes, sanding & cut off discs, polishing compound & dressing stone

**206
PIECE
SET**



\$78

PN: RTK206

Air & Manual Grease Gun

- Takes standard 450cc cartridge

Kit includes one cannister, manual & pneumatic heads



\$149

PN: GP1081D

1/8" Micro Die Grinder Kit

Free Speed: 55,000 RPM
Includes 10 grinding stones



\$229

PN: GP2204K

Hammering Tools

Needle Scaler

- Two part construction for fast dismantling and replacement of worn needles
- Nineteen 3 x 180 mm needles

Stroke Length : 33 mm
Impact Rate: 4,600 BPM
Overall length: 420 mm
Weight: 2.8 Kg



\$369

PN: GP201

Straight Needle Scaler Kit

- Includes Moil Point, 20 mm Flat, 35 mm Bents & Needle Scaler Attachment in plastic carry case

Impact Rate : 4600 BPM
Overall length : 460 mm
Piston Stroke : 38 mm
Weight : 2.1 Kg



\$459

PN: GP268K

Percussive Engraving Stylus

- Medium point stylus included
- Fine & wide point stylus also available

Inlet: 1/4" Male thread
Hose Length: 1.43 m
Weight: 0.40 Kg



\$299

PN: GP110

Air Hammer Kit

Kit includes 5 Chisels, Spring Retainer, Oiler & Case.
Free Speed: 3,000 BPM
Stroke Length: 19.05 mm
Shank Size: 10.2 mm
Weight: 1.70 Kg



\$129

PN: GP102KD

Heavy Duty Air Hammer

- Includes 5 chisels & spring retainer

Impact Rate: 2,200 BPM
Shank Size : 10.2 mm (round)
Stroke Length : 92 mm
Weight : 2.05 Kg



\$169

PN: GP112K

Air Caulking Gun



- Aluminium body

Pressure Range: 45-90 PSI
Cartridge Size: 310 CC
Weight: 1.3 Kg

\$89

PN: GP203

Set of 2 Spring Retainers

- Suits 10.2mm round chisels



\$18

PN: GPA70X2

Heavy Duty Quick Change Spring Retainer

- Fits most standard air hammers & chisels



\$49

PN: GPA2311

38 MM Flattening Hammer



\$55

PN: HAC-100

Needle Scaler Attachment

- Mounts to most standard air hammers
- Replacement needles available



\$99

PN: GP60012

7" Chisel Set

- 5 piece set includes 20 mm Cold Chisel, Single Blade Cutter, Tapered Punch, Panel Cutter & Rivet Cutter

Shank Dia.: 10.2 mm



**HOT
PRICE!**

\$49

PN: GPA57

Engine Cleaner Gun

- Siphon type, designed to connect to an external degreaser supply
- Flow rate control with adjustable nozzle
- 1.2m hose with built in filter

Length: 405 mm



\$56

PN: GPA1565

Engine Cleaner with Bowl

- Ideal for cleaning cars, trucks, bikes and marine

Bowl capacity: 700 cc
Length: 410 mm



\$98

PN: GPA034

SG420 Gravity Feed Air Brush



\$140
PN: SG420A

Nozzle: 0.2 MM
Working Pressure: 14-50 PSI
Fluid Capacity: 7 cc
Weight: 280 g

KH818 Gravity Feed Spray Guns



\$267 ea

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 600 cc
Weight: 280 g

1.3 MM Nozzle PN: K818M13
1.4 MM Nozzle PN: K818M14
1.8 MM Nozzle PN: K818M18
2.5 MM Nozzle PN: K818M25

KH818 HVLP Gravity Feed Spray Guns



\$294 ea

- Forged aluminum body and Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI
Fluid Capacity: 600 cc
Weight: 514 g

1.3 MM Nozzle PN: KH818M13
1.4 MM Nozzle PN: KH818M14
1.8 MM Nozzle PN: KH818M18

K818 Suction Feed Spray Guns



\$273 ea

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 1000 cc
Weight: 514 g

1.3 MM Nozzle PN: K818S13
1.8 MM Nozzle PN: K818S18
2.0 MM Nozzle PN: K818S20
2.5 MM Nozzle PN: K818S25

KH818 HVLP Suction Feed Spray Guns



\$308
PN: KH818S18

- Forged aluminum body & Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI
Fluid Capacity: 1000 cc
Weight: 514 g
Nozzle: 1.8 MM S-Steel

K357 Mini Gravity Feed Spray Guns



Working Pressure: 30-45 PSI
Fluid Capacity: 125 cc
Weight: 280 g

0.8 MM Nozzle

1.2 MM Nozzle

\$204
PN: K357M08

\$232
PN: K357M12

K818 Pressure Feed Spray Gun Systems



2 Litre Pressure Feed Spray Gun Systems

- Features:
- 3 meter hose
 - Tank Pressure Regulator
 - Air release valve
 - Safety release valve
 - Tank handle/hanger

2 Litre Pressure Feed Tank
Tank dimensions:
130L MM x 130W MM x 445H MM
Capacity: 2 Litre
Max. pressure: 60 PSI
Weight total: 2.15 kg

1.2 MM Nozzle PN: PW2LTRK12
1.5 MM Nozzle PN: PW2LTRK15
1.8 MM Nozzle PN: PW2LTRK18
2.0 MM Nozzle PN: PW2LTRK20
2.5 MM Nozzle PN: PW2LTRK25

\$504 ea

10 Litre Pressure Feed Spray Gun Systems

- Features:
- 3 meter hose
 - Tank Pressure Regulator
 - Air release valve
 - Safety release valve
 - Tank handle/hanger

10 Litre Pressure Feed Tank
Tank dimensions:
315L MM x 315W MM x 485H MM
Capacity: 10 Litre
Max. pressure: 60 PSI
Weight total: 10.1 kg

1.2 MM Nozzle PN: PW10LTRK12
1.5 MM Nozzle PN: PW10LTRK15
1.8 MM Nozzle PN: PW10LTRK18
2.0 MM Nozzle PN: PW10LTRK20
2.5 MM Nozzle PN: PW10LTRK25

\$649 ea

20 Litre Pressure Feed Spray Tank Systems

- Features:
- 10 meter hose
 - Stainless Steel Liner
 - Tank Pressure Regulator
 - Air release valve
 - Safety release valve
 - Manual Agitation

K818 Pressure Feed 20 Litre Pressure Feed Tank
Tank dimensions:
400L MM x 400W MM x 780H MM
Capacity: 20 Litre
Max. pressure: 60 PSI
Weight total: 26 kg

1.2 MM Nozzle PN: PW20LTRK12
1.5 MM Nozzle PN: PW20LTRK15
1.8 MM Nozzle PN: PW20LTRK18
2.0 MM Nozzle PN: PW20LTRK20
2.5 MM Nozzle PN: PW20LTRK25

\$1,441 ea

Regulators



3/4" Regulator

Max Press.: 150 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM

\$49

PN: THBR202

1/2" Regulator

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Max Flow: 105.94 CFM

\$59

PN: THBR804

3/4" Regulator

Max Press.: 250 PSI
Output Press.: 7-225 PSI
Units: PSI, kg/cm²
Max Flow: 162.45 CFM

\$159

PN: THBR906

1" Regulator

Max Press.: 250 PSI
Output Press.: 7-225 PSI
Units: PSI, kg/cm²
Max Flow: 183.64 CFM

\$159

PN: THBR908

In-line Components

1/4" In-line Water Separator

1/4" NPT Female to Male



\$33

PN: GPA1512

1/4" In-line Lubricator

1/4" NPT Female to Male
Capacity: 15 mL



\$28

PN: GPA1025

1/4" Mini Filter Regulator

Max Press.: 280 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM
Drain Capacity: 15 mL
Filter Element: 5 µm

\$81

PN: THBFR212



1/4" Mini Filter Regulator & Lubricator

Max Press.: 150 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM
Drain Capacity: 15 mL
Oil Capacity: 30 mL
Filter Element: 5 µm

SUPER COMPACT!
140W x 135H mm



\$83

PN: THBC202

Filter Regulators

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Drain Capacity: 80 mL
Filter Element: 5 µm

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFR802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFR803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFR804



\$69 ea

3/4" Hi-Flow Filter Regulator

Max Press.: 250 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 162.45 CFM
Drain Capacity: 300 mL

PN: THBFR926A

1" Hi-Flow Filter Regulator

Max Press.: 250 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 183.64 CFM
Drain Capacity: 300 mL

PN: THBFR928A

\$295 ea



Filter Regulator + Lubricators

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Oil Capacity: 125 mL
Filter Element: 5 µm

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFLR802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFLR803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFLR804



\$125 ea

Filters

1/2" Filter

Port Size: 1/2" NPT
Max Press.: 215 PSI
Max Flow: 105.94 CFM



\$65

PN: THBF804

1/2" Auto Drain Filter

Port Size: 1/2" NPT
Max Press.: 225 PSI



\$93

PN: THBD704A

Lubricators

Max Press.: 215 PSI
Oil Capacity: 125 mL

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBL802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBL803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBL804

\$69 ea



Premium Compressor Oil

- Specially formulated additives give superior protection against wear and corrosion
- Excellent water & air separation, to ensure reliable operation with minimal foaming and emulsification

\$31

PN: COMPOIL1



20m Manual Hose Reel

- High quality Polyurethane braided hose
- Space Saving Foldable Handle
- 360 degree swivel base
- Hose ID: 8 mm
- Hose OD: 12 mm

\$289

PN: GPHR1220



Swivel Connectors

Male thread to Japanese Style Plug
Range: 22°

1/4" Thread PN: B05

3/8" Thread PN: B07

\$19 ea



In-line Regulators

1/4" Air Flow Regulator

\$20

PN: GPA1010



1/4" Air Flow Regulator with Male plug

\$20

PN: GPA1011



20m Wall Mount Hose Reel

- 180° swivel bracket
- 1.5 metre inlet hose
- High quality braided polyurethane hose
- Sheet metal housing
- Adjustable recoil stopper
- Shrouded air line socket
- Hose ID: 6.5 mm

Hose OD: 10 mm

\$299

PN: GPHR1020



In-Line Components

2 Way Cluster Quick Coupler



\$34

PN: GPA1513

3 Way Cluster Quick Coupler



\$41

PN: GPA1514

2 Way In-line Quick Coupler

\$34

PN: GPA1515

3 Way In-line Quick Coupler

\$41

PN: GPA1516

4 Way In-line Quick Coupler

\$46

PN: GPA1517



Bare Air line Manifolds

2 Way Bare Cluster Manifold

Inlet: 1/4" female NPT
1/2" Male NPT
Outlet: 2 x 1/4" Int. NPT



\$19

PN: GPAYA2

3 Way Bare Cluster Manifold

Inlet: 1/4" female NPT
1/2" Male NPT
Outlet: 3 x 1/4" Int. NPT



\$21

PN: GPAYA3

2 Way In-line Bare Manifold

\$19

PN: GPATA2

3 Way In-line Bare Manifold

\$20

PN: GPATA3

4 Way In-line Bare Manifold

\$21

PN: GPATA4



One-Touch Connector Kits

- Kit includes Hose Clamps, One-Touch Socket & Plug fittings

10mm Kit
PN: AHPACK

\$30

12mm Kit
PN: AHPACK12

\$39



Premium Air Tool

Add only a couple of drops daily to prolong the performance of any air operated tool. Formulated to greatly reduce internal wear and maintain the integrity of gaskets and seals.



250 ML

\$12

PN: SI250

1 Litre

\$26

PN: SI1000

5 Litre

\$94

PN: SI5000

20 Litre

\$288

PN: SI20LT

Bare Air Line Hose



10 MM Bare Air Hoses

20m Roll

\$52

PN: AH1020

30m Roll

\$89

PN: AH1030

100m Roll

\$259

PN: AH10100

12 MM Bare Air Hoses

20m Roll

\$89

PN: AH1220

30m Roll

\$129

PN: AH1230

100m Roll

\$398

PN: AH12100

One-Touch Recoil Air Hoses



10 MM Air Hoses

6.5 mm ID x 10 mm OD

2 Metre

PN: GPH1003LBHL

\$54

5 Metre

PN: GPH1006LBHL

\$68

6 Metre

PN: GPH1008LBHL

\$74

8 Metre

PN: GPH1010LBHL

\$88

12 MM Air Hoses

8 mm ID x 12 mm OD

5 Metre

PN: GPH1206LBHL

\$74

6 Metre

PN: GPH1208LBHL

\$88

8 Metre

PN: GPH1210LBHL

\$92

10 Metre

PN: GPH1212LBHL

\$99

- One-Touch couplings
- Made from kink resistant polyurethane

One-Touch Fitted Air Hoses



Fitted with Japanese compatible One-Touch couplings.

10 MM Fitted Air Hoses

10 mm ID

10 Metre

PN: AH1010F

\$49

20 Metre

PN: AH1020F

\$79

30 Metre

PN: AH1030F

\$99

12 MM Fitted Air Hoses

12 mm ID

20 Metre

PN: AH1220F

\$110

30 Metre

PN: AH1230F

\$149



Made in Australia

SOCKET SETS

Made from Chrome Molybdenum Steel CR-MO.

Meet or exceed DIN & ANSI standards.

3/8" DRIVE SOCKET SETS

3/8" 8 Piece Metric
PN: GX838SSM

Sizes: 8, 10, 11, 12, 13, 15, 17 & 19 mm

3/8" 8 Piece Imperial
PN: GX838SSI

Sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" & 3/4"



HOT PRICE! \$59 ea

1/2" DRIVE SOCKET SETS

1/2" 13 Piece Metric
PN: GX1312SSM

Sizes: 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27 & 30 mm

1/2" 13 Piece Imperial
PN: GX1312SSI

Sizes 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8 & 1-1/4"



HOT PRICE! \$129 ea

3/4" DRIVE SOCKET SETS

3/4" 8 Piece Metric
PN: GX834SSM

Sizes: 26, 27, 29, 30, 32, 35, 36 & 38 mm

3/4" 8 Piece Imperial
PN: GX834SSI

Sizes 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16 & 1-1/2"



HOT PRICE! \$199 ea

Impact Hex & Torx® Bit Sets

1/2" 8 Piece Metric
PN: GX12HBSM

Sizes: H5, H6, H8, H10, H12, H14, H17 & H19 MM

1/2" 8 Piece Imperial
PN: GX12HBSI

Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" & 3/4"



\$95 ea

Made from SNCM 8660 Steel which allows 20% more torque than CR-MO.



1/2" Torx® Impact Socket Set

Sizes: T25, T27, T30, T40, T45, T50, T55 & T60 bits

\$95

PN: GX12TX8

3/4" Drive Budd Wheel Impact Sockets

Removes studs on dual-wheel hubs. To suit Isuzu, Hino, Mitsubishi, Fuso and most European trucks



17 mm Square:

PN: GXBWS3417

19 mm Square:

PN: GXBWS3419

\$37 ea

SOCKET & EXTENSION BAR SETS

1/2" Thin Wall Sockets & Torque Extension Bar Set

- Chrome Molybdenum
- Teflon sleeved

Sizes: 17, 19, 21 mm & 3/16"
Torque Bars sizes: 65, 80, 100 & 120 Ft/lbs



\$209

PN: GPA1596

1/2" Drive Thin Wall 3 Piece Impact Socket Set

- Teflon sleeved sockets for protecting alloy wheels surfaces from scuffing.
- Cast with Chrome molybdenum steel.

Sizes: 17, 19 & 21 mm



\$57

PN: GPA1594

WOBBLE IMPACTING BAR SETS

Made from Chrome Molybdenum Steel CR-MO.



1/4" Wobble Extension Bar 5 Piece Set

Kit includes: 3", 6", 10" & 12" bars

\$54

PN: GXWEBS14

3/8" Wobble Extension Bar 4 Piece Set

Kit includes: 3", 6", 10" & 18" bars

\$78

PN: GXWEBS38

1/2" Wobble Extension Bar 4 Piece Set

Kit includes: 3", 5", 10" & 18" bars

\$90

PN: GXWEBS12

IMPACT UNIV. JOINTS



3/8" Drive Universal Joint

Overall Length 50 mm

\$26

PN: GX38U

1/2" Drive Universal Joint

Overall Length 63 mm

\$28

PN: GX12U

3/4" Drive Universal Joint

Overall Length 90 mm

\$54

PN: GX34U

Molybdenum Steel CR-MO.

5 PIECE SQUARE DRIVE ADAPTER SETS

Standard 5 Piece Adapter Set

- Chrome Vanadium

1/4" Female to 3/8" Male
1/2" Female to 3/8" Male
3/8" Female to 1/4" Male
1/2" Female to 3/4" Male
3/8" Female to 1/2" Male

5 Piece Impact Adapter Set

- Chrome Vanadium

1/4" Female to 3/8" Male
1/2" Female to 3/8" Male
3/8" Female to 1/4" Male
1/2" Female to 3/4" Male
3/8" Female to 1/2" Male



\$29

PN: GX5AS



\$39

PN: GX1AS

Quick-Lock Backing Pads

Attach abrasive pads to tool. Includes 1/4" shank adapter.

50 MM Quick-Lock Backing Pad

\$21

PN: GPA1523K

75 MM Quick-Lock Backing Pad

\$28

PN: GPA1524K



Quick-Lock Ceramic Sanding Discs

Packs of 10



50 MM Quick-Lock Ceramic Sanding Discs

75 MM Quick-Lock Ceramic Sanding Discs

36 Grit PN: AB22012S36CP

36 Grit PN: AB22013S36CP

60 Grit PN: AB22012S60CP

60 Grit PN: AB22013S60CP

80 Grit PN: AB22012S80CP

80 Grit PN: AB22013S80CP

120 Grit PN: AB22012S120CP

120 Grit PN: AB22013S120CP

\$39 ea

\$39 ea

Quick-Lock Ceramic Flap Discs

Packs of 5



50 MM Quick-Lock Ceramic Mini Flap Discs

75 MM Quick-Lock Ceramic Mini Flap Discs

40 Grit PN: AB22012F40CP

40 Grit PN: AB22013F40CP

60 Grit PN: AB22012F60CP

60 Grit PN: AB22013F60CP

80 Grit PN: AB22012F80CP

80 Grit PN: AB22013F80CP

120 Grit PN: AB22012F120CP

120 Grit PN: AB22013F120CP

\$29 ea

\$35 ea

Quick-lock Abrasive Pads

Packs of 10



50 MM Abrasive Fine

75 MM Abrasive Pads

Fine Blue PN: GPA1527X10

Fine Blue PN: GPA1530X10

Maroon Medium PN: GPA1528X10

Maroon Medium PN: GPA1531X10

Brown Coarse PN: GPA1526X10

Brown Coarse PN: GPA1529X10

\$37 ea

\$66 ea

Quick-Lock Preparation Kits

2" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 2" backing pad, 24 Grit 2" disc, 36 Grit 2" disc, 50 grit 2" disc, Brown (Coarse) surface prep 2" disc & Maroon (Medium) surface prep 2" disc.



\$36

PN: GPK2

3" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 3" backing pad, 24 grit 3" disc, 36 grit 3" disc, 50 grit 3" disc, Brown (Coarse) surface prep 3" disc & Maroon (Medium) surface prep 3" disc.



\$48

PN: GPK3

Abrasive & Sanding Pads made in USA.

8 Piece Flap Wheel Kit

Kit includes:

25 mm x 12 mm, 120 Grit, x 1
25 mm x 25 mm, 40 Grit, x 1
25 mm x 25 mm, 80 Grit, x 1
40 mm x 25 mm, 60 Grit, x 1
40 mm x 25 mm, 80 Grit, x 1
50 mm x 25 mm, 80 Grit, x 1
50 mm x 25 mm, 60 Grit, x 2

\$59

PN: GFWK



Ceramic Sanding Belts



Pack of 10 Belts.

10 MM Sanding Belts

Size: 10 mm x 330 mm

40 Grit PN: AB2700-40CP

60 Grit PN: AB2700-60CP

80 Grit PN: AB2700-80CP

120 Grit PN: AB2700-120CP

\$33 ea

20 MM Sanding Belts

Size: 20 mm x 520 mm

40 Grit PN: AB2800-40CP

60 Grit PN: AB2800-60CP

80 Grit PN: AB2800-80CP

120 Grit PN: AB2800-120CP

\$39 ea

Quick-Lock Polishing Pads



50 MM Quick-Lock Felt Polishing Pad

\$14

PN: GPA1525



75 MM Quick-Lock Felt Polishing Pad

\$18

PN: GPA1575

Polishing Mops

1/4" Shank Tapered Spindle



\$50

PN: TS12

Fits 50 MM Calico Polishing Mops (PN: PMC50).

50 MM Calico Polish Mop

For use with Taper Spindle (PN: TS12). Width: 20 MM



\$37

PN: PMC50

Velcro Backing Pads

50 MM Velcro Backing Pad

Shank Size: 1/4"



\$35

PN: GPA50

75 MM Velcro Backing Pad

Shank Size: 1/4"



\$45

PN: GPA75

Velcro Polishing Pads

60 MM Polishing Pad

Suits 50 mm Velcro Backing Pad



\$14

PN: OWB-60

80 MM Polishing Pad

Suits 75 mm Velcro Backing Pad



\$24

PN: 119-102

150 MM Velcro Backing Pads

Spindle Size: 5/16" x 24 UNF Ext.
Max Speed: 12,000 RPM
Pad Thickness: 10 mm

Velcro Backing Pad

\$43
PN: F6505



Dust Free Velcro Backing Pad

\$47
PN: F6565



Rubber Turbo Backing Pads

- Specially designed air veins provide cooling air to sanding surface
- Lock Nut included



125 MM Backing Pad

Pad Thickness: 18 mm
Max Speed: 10,000 RPM

M14 Int. PN: GTP162214

5/8" x 11 Int. PN: GTP162258

\$35 ea

180 MM Backing Pad

Pad Thickness: 18 mm
Max Speed: 8,500 RPM

M14 Int. PN: GTP1737

5/8 x 11 Int. PN: GTP1736

\$68 ea

Clean & Strip Discs

- Used for removal of paint and light rust
- Will not damage the original surface

Pack of 2



10 x 50 MM

\$19

PN: ABCH902P

10 x 75 MM

\$30

PN: ABCH903P

2" Cut off Discs

Disc Size: 50 x 1 mm
Max Speed: 30,000 RPM
Bore: 1/4"
Pack of 10

\$35

PN: ABPCWHEELS



WHAT QUALITY FEELS LIKE™

Velcro Backing Pads



150 MM Velcro Pads

• Medium Pad Density
Thread Size: 5/8" UNC Int.
Pad Thickness: 12 MM
Max Speed: 10,200 RPM

\$60

PN: FP36160

180 MM Velcro Pads

• Medium Pad Density
Thread Size: M14 x 2 Int.
Pad Thickness: 12 MM
Max Speed: 8,500 RPM

\$71

PN: FP36170

200 MM Velcro Pads

• Medium Pad Density
Pad Thickness: 12 MM
Max Speed: 6,500 RPM

\$71 EA

M14 Int. Thread PN: FP36185

5/8" UNC Int. Thread PN: FP36190

Velcro Interface Pads

Used in combination with rigid backing pads, interface pads avoid unwanted flat spots and achieve more consistent results, when working on rounded profiles.

Pad Dia.: 150 MM
Pad Thickness: 12 MM
Max Speed: 13,000 RPM



Standard

\$19

PN: FP32705

5 Hole Dust-Free

\$20

PN: FP32710

7" Nylon Backing Pads

• Medium Pad Density
Thread Size: M14 x 2 Int.
Pad Thickness: 20 MM
Max Speed: 8,500 RPM

\$32 EA

M14 Int. Thread PN: FP20310

5/8" UNC Int. Thread PN: FP20305



Nylon Backing Pads



100 MM Nylon Backing Pad

• Medium Pad Density
Thread Size: M14 x 2 Int.
Pad Thickness: 15 MM
Max Speed: 12,250 RPM

\$25

PN: FP20020

115 MM Nylon Backing Pad

• Medium Pad Density
Thread Size: M14 x 2 Int.
Pad Thickness: 15 MM
Max Speed: 12,250 RPM

\$26

PN: FP20115

125 MM Nylon Backing Pad

• Medium Pad Density
Thread Size: M14 x 2 Int.
Pad Thickness: 16 MM
Max Speed: 12,250 RPM

\$26

PN: FP20210

Sheep Skin Polishing Bonnets

100% Merino sheep skin wool pile with tie cord.
Max. speed: 2,500 RPM
Thickness: 32 MM



100% Merino Sheep Skin Wool!

5" Merino Wool Sheep Skin Polishing Bonnet.

\$32

PN: FP40005

7" Merino Wool Sheep Skin Polishing Bonnet.

\$41

PN: FP40015

9" Merino Wool Sheep Skin Polishing Bonnet.

\$49

PN: FP40025

6" Dust Free Multi-Fit Velcro Pad

Thread Size: M8 & 5/16" UNF
Pad Thickness: 14 MM
Max Speed: 12,000 RPM

\$80

PN: FP17000



Suits Festool & Makita Sanders!

The WORKSHOP Catalogue

June-September 2023

All prices quoted include GST.

Distributed by:



Engineering Equipment

Right Angles Welders Vices



60 MM Jaw Opening

\$149
PN: TV274

100 MM Jaw Opening

\$189
PN: TV275

Designed to accurately hold same size bar at right angles to each other.

Metric 18 Piece Tap & Drill Set

18 piece set includes precision ground tap drill and thread taps for M2.5, M3, M3.5, M4, M5, M6, M8, M10 & M12 internal threads.



\$99

PN: GTDS



P2 Respirators



HOT PRICE!



4 LAYER PROTECTION!

Each respirator comes with 2 additional disposable P2 filters.



Supporting Veterans

Proudly supporting Australian Military Veterans with percentage of all sales.

GREEN PN: MPLR-P2FG
BLACK PN: MPLR-P2B

\$34 ea



Commercial Sweepers

1 Year Commercial Warranty

2 Year Domestic Warranty

Hagga 355 Commercial Sweeper

Performance: 1600 m²/h
Cleaning Width: 550 mm
Capacity: 20 Liters
Weight: 7.2 Kg

\$812

PN: HG355

WHILE STOCKS LAST!



3 BRUSH SYSTEM

Hagga 477 Commercial Sweeper

- Stores vertically in most closets (1550H x 780W x 300 mm)

Performance: 3,000 m²/h
Cleaning Width: 770 mm
Capacity: 50 Liters
Weight: 15 Kg

\$1,523

PN: HG477

FITS IN MOST CLOSETS



3 BRUSH SYSTEM

Hagga 497 Commercial Sweeper

Performance: 3,600 m²/hr
Cleaning Width: 970 mm
Capacity 50 litres.
Weight: 15.7 Kg

\$1,875

PN: HG497

3 BRUSH SYSTEM



Dual Chuck Tyre Inflator

Units: PSI, kg/cm², KPA & Bar
Air Flow: 1.28 CFM @ 100 PSI
Hose Length: 750 mm
Range: 0-220 PSI
Weight: 1.2 Kg

\$199

PN: KP79G07



GREAT FOR TRUCK TYRES

4" Heavy Duty Extended Cut Off Tool

- Extended reach and ultra compact 39mm head is ideal for hard to access spaces



QUICK RELEASE ADJUSTABLE GUARD!

Free Speed: 14,000 RPM
Length: 345 mm
Weight: 0.45 Kg

\$469

PN: KP4413

3/8" Heavy Duty Drill

- Side mounted speed regulator



HOT PRICE!

Free Speed: 2300 RPM
Spindle: 3/8-24 UNC
Chuck Cap.: 3/8"

\$149

PN: KP5302



Not all products in this brochure are available from all outlets. Prices may vary in some country areas due to freight costs. All products in this brochure were available at time of printing. M. Gamer Pty. Ltd. will do everything possible within reason to maintain stocks of products. M. Gamer Pty Ltd reserves the right to change prices without notice. All prices quoted include GST.