

Safety Data Sheet

according to WHS Regulations

Printing date 05.12.2019

Version Nr.: 10

Revision: 08.11.2019

Not classified as hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- **Product identifier**
- **Trade name:** **VICKERLUBE FG GEAR OIL 220**
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use**
 - SU1 Agriculture, forestry, fishery
 - SU17 General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment
 - SU4 Manufacture of food products
- **Product category** PC24 Lubricants, greases, release products
- **Process category** PROC18 General greasing /lubrication at high kinetic energy conditions
- **Technical function** Lubricating agent
- **Application of the substance / the mixture** Food Grade
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
BENJN.R.VICKERS & SONS LTD.
6 Clarence Road
Leeds
LS10 1ND
United Kingdom
- **Importer**
VICKERS OILS (AUSTRALASIA) PTY LTD
119 Lyndhurst Tce, Caboolture, Queensland, Australia. 4510.
Mobile: +61 (0) 425 840 351
- **Further information obtainable from:** Product safety department: msds@vickers-oil.com
- **Emergency telephone number:**
During normal opening times 08:30- 16:30 UK : +44 (0)113 386 7654
All other times: +44 (0) 1865 407333

2 Hazard(s) Identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonised System (GHS).

- **Label elements**
- **GHS label elements** None
- **Hazard pictograms** None
- **Signal word** None
- **Hazard statements** None
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

Safety Data Sheet according to WHS Regulations

Printing date 05.12.2019

Version Nr.: 10

Revision: 08.11.2019

Trade name: **VICKERLUBE FG GEAR OIL 220**

(Contd. of page 1)

3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.
- **Dangerous components:** None
- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Do not induce vomiting. Wash out mouth with water. Seek medical attention, showing this sheet.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Use fire extinguishing methods suitable to surrounding conditions.
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:** Do not inhale explosion gases or combustion gases.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**
Keep away from ignition sources.
Remove persons from danger area.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Keep contaminated washing water and dispose of appropriately.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Send for recovery or disposal in suitable receptacles.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.

(Contd. on page 3)

Safety Data Sheet according to WHS Regulations

Printing date 05.12.2019

Version Nr.: 10

Revision: 08.11.2019

Trade name: VICKERLUBE FG GEAR OIL 220

(Contd. of page 2)

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

· Handling:**· Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.**· Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.**· Conditions for safe storage, including any incompatibilities****· Storage:****· Requirements to be met by storerooms and receptacles:**

Provide ventilation for receptacles.

Store in a cool location.

· Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from reducing agents.

· Information about storage conditions: Use within 5 years of manufacture.**· Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see item 7.**· Control parameters****· Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.**· Exposure controls****· Personal protective equipment:****· General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

· Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed.**· Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Safety Data Sheet according to WHS Regulations

Printing date 05.12.2019

Version Nr.: 10

Revision: 08.11.2019

Trade name: **VICKERLUBE FG GEAR OIL 220**

(Contd. of page 3)

- **Eye protection:** Goggles recommended during refilling

9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

· Form:	Liquid
· Colour:	Light yellow
· Odour:	Characteristic
· Odour threshold:	Not determined.

· pH-value:	Not determined.
--------------------	-----------------

- **Change in condition**

· Melting point/freezing point:	Undetermined.
· Initial boiling point and boiling range:	Undetermined.

· Flash point:	>240 °C
-----------------------	---------

· Flammability (solid, gas):	Not applicable.
-------------------------------------	-----------------

· Decomposition temperature:	Not determined.
-------------------------------------	-----------------

· Auto-ignition temperature:	Product is not selfigniting.
-------------------------------------	------------------------------

· Explosive properties:	Product does not present an explosion hazard.
--------------------------------	---

- **Explosion limits:**

· Lower:	Not determined.
· Upper:	Not determined.

· Vapour pressure:	Not determined.
---------------------------	-----------------

· Density at 15.6 °C:	0.87 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.

- **Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water:	Not determined.
--	-----------------

- **Viscosity:**

· Dynamic:	Not determined.
· Kinematic at 40 °C:	220 mm ² /s

- **Solvent content:**

· Solids content:	0.0
--------------------------	-----

· Other information	No further relevant information available.
----------------------------	--

10 Stability and Reactivity

- **Reactivity** No dangerous reaction known under conditions of normal use

(Contd. on page 5)

Safety Data Sheet according to WHS Regulations

Printing date 05.12.2019

Version Nr.: 10

Revision: 08.11.2019

Trade name: **VICKERLUBE FG GEAR OIL 220**

(Contd. of page 4)

- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Reacts with acids, alkalis and oxidising agents.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Strong oxidising agents
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity**
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.
When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Delivery of waste oil to officially authorised collectors only.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

AU
(Contd. on page 6)

Safety Data Sheet according to WHS Regulations

Printing date 05.12.2019

Version Nr.: 10

Revision: 08.11.2019

Trade name: **VICKERLUBE FG GEAR OIL 220**

(Contd. of page 5)

14 Transport information

· UN-Number · ADG, ADN, IMDG, IATA	Not hazardous for transport
· UN proper shipping name · ADG, ADN, IMDG, IATA	Not hazardous for transport
· Transport hazard class(es) · ADG, ADN, IMDG, IATA · Class	Not hazardous for transport
· Packing group · ADG, IMDG, IATA	Not hazardous for transport
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	Not hazardous for transport

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Australian Inventory of Chemical Substances**

All ingredients are listed.

· **Standard for the Uniform Scheduling of Medicines and Poisons**

None of the ingredients is listed.

· **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

· **GHS label elements** None

· **Hazard pictograms** None

· **Signal word** None

· **Hazard statements** None

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Product safety department

· **Contact:**

msds@vickers-oil.com

Emergency 24 hrs Telephone numbers;

Global (English) +44 (0) 1865 407333

US and Canada (English) +1 202 464 2554

(Contd. on page 7)

Safety Data Sheet according to WHS Regulations

Printing date 05.12.2019

Version Nr.: 10

Revision: 08.11.2019

Trade name: **VICKERLUBE FG GEAR OIL 220**

(Contd. of page 6)

Mexico (Spanish, English) +52 555 004 8763
Brazil (Portuguese) +556 113 711 9144 (option 1)
Chile (Spanish, English) +56 225 829 336
China (Mandarin, English) Toll Free in CN 400 120 6011
Australia (English) +61 2801 44558
New Zealand (English) +64 9929 1483

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

· *** Data compared to the previous version altered.**

AU